

# DOKUMENTASI API TODO LIST

Base URL : <https://api-todo-list-pbw.vercel.app>

Endpoint :

- **Auth**

- **Registrasi** : /auth/register (Method : POST)

contoh request body :

```
{
  email: "xxxxx@gmail.com"
  fullName: "fulan bin fulan"
  password: "xxxxxxxxxxx"
}
```

- **Login** : /auth/login (Method: POST)

contoh request body :

```
{
  email: "xxxxx@gmail.com"
  password: "xxxxxxxxxxx"
}
```

- **Logout** : /auth/logout/:userId (Method: POST)

**\* :userId isi dengan id akun kalian, tidak ada request body untuk logout**

- **Todo**

- **create** : /todo/createTodo (Method : POST)

request header :

```
{
  header: {
    Authorization : "Bearer ${token kalian}"
  }
}
```

request body:

```
{
  text: "xxxxxxx"
}
```

- **update** : /todo/updateTodo/:todoId (Method: PUT)

request header :

```
{  
  header: {  
    Authorization : "Bearer ${token kalian}"  
  }  
}
```

request body:

```
{  
  text: "xxxxxxx"  
  onCheckList: false atau true,  
}
```

- **delete**: /todo/deleteTodo/:todoId (Method: DELETE)

request header :

```
{  
  header: {  
    Authorization : "Bearer ${token kalian}"  
  }  
}
```

- **delete**: /todo/getAllTodos (Method: GET)

request header :

```
{  
  header: {  
    Authorization : "Bearer ${token kalian}"  
  }  
}
```

untuk dokumentasi API yang lebih lengkap dan interaktif bisa dilihat dibawah ini

# Todo API Documentation

1.0.0 OAS 3.0

Dokumentasi API untuk Todo App

Servers

<https://api-todo-list-pbw.vercel.app>

## Auth API untuk autentikasi pengguna

**POST** /auth/register Mendaftarkan pengguna baru

### Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "email": "user@example.com",
  "fullName": "John Doe",
  "password": "password123"
}
```

### Responses

| Code | Description                                                                                                                                                                                                                                                           | Links    |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 201  | Pengguna berhasil terdaftar<br>Media type<br>application/json<br>Controls Accept header.<br>Example Value<br><pre>{   "status": 201,   "data": {     "email": "user@example.com",     "fullName": "John Doe"   },   "message": "Pengguna berhasil terdaftar." }</pre> | No links |
| 400  | Bad Request<br>Media type<br>application/json<br>Example Value<br><pre>{   "status": 400,   "message": "Silakan isi semua kolom yang diperlukan." }</pre>                                                                                                             | No links |
| 500  | Internal Server Error<br>Media type<br>application/json<br>Example Value<br><pre>{   "status": 500,   "message": "Internal server error" }</pre>                                                                                                                      | No links |

**POST** /auth/login Login pengguna

### Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "email": "user@example.com",
  "password": "password123"
}
```

### Responses

| Code | Description                                                                                                                                                                                                      | Links    |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 200  | Login berhasil<br>Media type<br>application/json<br>Controls Accept header.<br>Example Value<br><pre>{   "status": 200,   "data": {     "token": "jwt_token_here"   },   "message": "Login Successfully" }</pre> | No links |
| 400  | Email atau password salah<br>Media type<br>application/json<br>Example Value<br><pre>{   "status": 400,   "message": "Email atau kata sandi salah." }</pre>                                                      | No links |
| 500  | Internal Server Error<br>Media type<br>application/json<br>Example Value                                                                                                                                         | No links |

```
{
  "status": 500,
  "message": "Kesalahan server internal"
}
```

**POST** /auth/logout/{userId} Logout pengguna

#### Parameters

| Name                                                                                       | Description                         |
|--------------------------------------------------------------------------------------------|-------------------------------------|
| <b>userId</b> <span style="color: red;">*</span> <span style="color: red;">required</span> | ID pengguna yang ingin logout       |
| string<br>(path)                                                                           | <input type="text" value="userId"/> |

#### Responses

| Code | Description                                                                                                                                                                                                     | Links    |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 200  | Logout berhasil<br>Media type<br><input type="text" value="application/json"/><br><small>Controls Accept header.</small><br>Example Value<br><pre>{   "status": 200,   "message": "Logout successfully" }</pre> | No links |
| 400  | User ID tidak diberikan<br>Media type<br><input type="text" value="application/json"/><br>Example Value<br><pre>{   "status": 400,   "message": "User ID is required, but not provided" }</pre>                 | No links |
| 404  | Pengguna tidak ditemukan<br>Media type<br><input type="text" value="application/json"/><br>Example Value<br><pre>{   "status": 404,   "message": "User not found" }</pre>                                       | No links |
| 500  | Internal Server Error<br>Media type<br><input type="text" value="application/json"/><br>Example Value<br><pre>{   "status": 500,   "message": "Internal Server Error" }</pre>                                   | No links |

**Todos** API untuk mengelola todo list

**POST** /todo/createTodo Membuat todo baru

#### Parameters

| Name                                                                                              | Description                                                    |
|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <b>Authorization</b> <span style="color: red;">*</span> <span style="color: red;">required</span> | Masukkan token Bearer yang valid untuk mengakses endpoint ini. |
| string<br>(header)                                                                                | <input type="text" value="Bearer your_token_here"/>            |

**Request body** required

Examples:

Example Value | Schema

```
{
  "text": "Mengerjakan tugas"
}
```

#### Responses

| Code | Description                                                                                                                                                                                                                                                                                                                    | Links    |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 201  | Todo berhasil dibuat<br>Media type<br><input type="text" value="application/json"/><br><small>Controls Accept header.</small><br>Example Value   Schema<br><pre>{   "message": "Todo berhasil dibuat",   "data": {     "id": "65f7a0d5c4b4e3d2f9d8f8e5",     "text": "Mengerjakan tugas",     "onCheckList": false   } }</pre> | No links |
| 400  | Text is required<br>Media type<br><input type="text" value="application/json"/><br>Example Value<br><pre>{   "status": 400,   "message": "Text is required" }</pre>                                                                                                                                                            | No links |
| 500  | Internal Server Error<br>Media type<br><input type="text" value="application/json"/><br>Example Value<br><pre>{   "status": 500,   "message": "Internal Server Error" }</pre>                                                                                                                                                  | No links |

```
status: 500,  
message: "Internal Server Error"  
}
```

**PUT** /todo/updateTodo/{todoId} Mengupdate todo

Try it out

| Name                                       | Description                                                      |
|--------------------------------------------|------------------------------------------------------------------|
| <b>todoId</b> <span>required</span>        | ID todo yang akan diupdate<br>Example : 65f7a0d5c4b4e3d2f9d8f8e5 |
| string<br>(path)                           | <input type="text" value="65f7a0d5c4b4e3d2f9d8f8e5"/>            |
| <b>Authorization</b> <span>required</span> | Masukkan token Bearer yang valid untuk mengakses endpoint ini.   |
| string<br>(header)                         | <input type="text" value="Bearer your_token_here"/>              |

Request body required application/json

Examples: contoh1

Example Value | Schema

```
{  
  "text": "Update todo",  
  "onCheckList": true  
}
```

Responses

| Code                                                                                                                                                                                       | Description                     | Links    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|----------|
| 200                                                                                                                                                                                        | Todo berhasil diupdate          | No links |
| Media type <span>application/json</span>                                                                                                                                                   |                                 |          |
| Controls Accept header.                                                                                                                                                                    |                                 |          |
| Example Value                                                                                                                                                                              |                                 |          |
| <pre>{<br/>  "message": "Todo berhasil diupdate",<br/>  "todo": {<br/>    "id": "65f7a0d5c4b4e3d2f9d8f8e5",<br/>    "text": "Update todo",<br/>    "onCheckList": true<br/>  }<br/>}</pre> |                                 |          |
| 400                                                                                                                                                                                        | Todo ID atau data tidak lengkap | No links |
| 404                                                                                                                                                                                        | Todo tidak ditemukan            | No links |
| 500                                                                                                                                                                                        | Internal Server Error           | No links |

**DELETE** /todo/deleteTodo/{todoId} Menghapus todo

Try it out

| Name                                       | Description                                                     |
|--------------------------------------------|-----------------------------------------------------------------|
| <b>todoId</b> <span>required</span>        | ID todo yang akan dihapus<br>Example : 65f7a0d5c4b4e3d2f9d8f8e5 |
| string<br>(path)                           | <input type="text" value="65f7a0d5c4b4e3d2f9d8f8e5"/>           |
| <b>Authorization</b> <span>required</span> | Masukkan token Bearer yang valid untuk mengakses endpoint ini.  |
| string<br>(header)                         | <input type="text" value="Bearer your_token_here"/>             |

Responses

| Code                                                        | Description           | Links    |
|-------------------------------------------------------------|-----------------------|----------|
| 200                                                         | Todo berhasil dihapus | No links |
| Media type <span>application/json</span>                    |                       |          |
| Controls Accept header.                                     |                       |          |
| Example Value                                               |                       |          |
| <pre>{<br/>  "message": "Todo berhasil dihapus"<br/>}</pre> |                       |          |
| 404                                                         | Todo tidak ditemukan  | No links |
| Media type <span>application/json</span>                    |                       |          |
| Controls Accept header.                                     |                       |          |
| Example Value                                               |                       |          |
| <pre>{<br/>  "message": "Todo tidak ditemukan"<br/>}</pre>  |                       |          |
| 500                                                         | Internal Server Error | No links |

**GET** /todo/getAllTodos Mendapatkan semua todo milik user

Try it out

| Name                                       | Description                                                    |
|--------------------------------------------|----------------------------------------------------------------|
| <b>Authorization</b> <span>required</span> | Masukkan token Bearer yang valid untuk mengakses endpoint ini. |
| string<br>(header)                         | <input type="text" value="Bearer your_token_here"/>            |

Responses

| Code                                     | Description           | Links    |
|------------------------------------------|-----------------------|----------|
| 200                                      | Daftar todo ditemukan | No links |
| Media type <span>application/json</span> |                       |          |
| Controls Accept header.                  |                       |          |
| Example Value                            |                       |          |

```
{
  "message": "Daftar todo ditemukan",
  "todos": [
    {
      "id": "65f7a0d5c4b4e3d2f9d8f8e5",
      "text": "Belajar Swagger",
      "onCheckList": false
    },
    {
      "id": "65f7a0d5c4b4e3d2f9d8f8e6a3",
      "text": "Membuat API",
      "onCheckList": true
    }
  ]
}
```

404

Tidak ada todo ditemukan

No links

Media type

Example Value

```
{
  "message": "Tidak ada todo ditemukan"
}
```

500

Internal Server Error

No links