

DESIGN BRIEF: MARKETING AUTOMATION AGENT

Timeline: 10-Week Delivery Window

1. Project Overview

The Autonomous Marketing Agent is an intelligent, rule-based backend engine designed to eliminate operational fragility and scale Arkay Solutions' content-led marketing and sales pipeline. The system's primary objective is value creation through subtraction, removing manual bottlenecks, eliminating redundant data, and stopping lead leakage without adding unnecessary technical aspects.

To ensure the system remains hyper-focused and lean, its scope is strictly bounded by what it **is not**:

- **It is not a Live Social Media Manager:** The system does not actively monitor, reply to, or engage with comments or direct messages on LinkedIn or other platforms.
- **It is not an All-In-One CRM/Custom Dashboard Platform:** The system does not introduce a new standalone software interface for Rachel to log into. It operates entirely as invisible middleware, connecting existing tools (Google Forms, Luma, Eventbrite, and Google Calendar, Google Sheets) and surfacing data through native email digests.
- **It is not a Complex, Black-Box Predictive AI:** The agent functions entirely on transparent, codeable, rule-based logic and deterministic triggers, ensuring total predictability and ease of maintenance.

2. Brand Identity & UI Styling

To maintain complete visual alignment with *The Angle* (Framestretching) editorial aesthetic, all automated email reports, digital digests, and internal logs generated by the agent will adopt a minimalist, high-contrast, warm-neutral design system.

Typography

- **Primary Headings: Elegant Editorial Serif** (*Garamond*, *EB Garamond*, or *Georgia*) – Used for major report titles, section headings, and main email headers to maintain a sophisticated, thought-leadership feel.
- **Body Copy: Clean Book Serif** (*Georgia*) or **Geometric Sans** (*Inter*) – Used for descriptive text, pre-call digests, and status updates to ensure optimal readability.
- **Labels & Metadata: Monospace** (*Space Mono* or *JetBrains Mono*) – Rendered in **ALL-CAPS with wide letter-spacing (tracked out)**. Reserved for tags, structural category labels (e.g., **COGNITIVE MOVE**), dates, and failure log metrics.

Color Palette

The agent's visual outputs will strictly adhere to this grounded, organic palette:

Element	Visual Profile	Hex Code (Approx.)	Purpose / Application
Canvas Background	Warm Bone / Ivory	#F4F1EA	Main canvas background for email digests and reports to eliminate sterile white space.
Card / Container	Muted Alabaster	#FAF9F6	Grid tiles and distinct container blocks separating lead details or error payloads.
Primary Text	Deep Charcoal	#1A1A1A	Main body text, headers, and highly critical alert details.
Muted Accent	Burnt Copper / Rust	#C27D53	All-caps metadata labels, status tags (e.g., SOURCE:LUMA), and category trackers.
Grid Lines	Soft Slate Line	#D1CDC4	Thin, single-pixel borders dividing data modules or reporting tables.

3. Redundancies to Eliminate

Based on the initial state workflow map, the system must replace the following fragile points marked with exclamation points:

We noted these as redundancies to eliminate because these are fragile points that, if taken to the next point of automation, will create issues.

- **Isolated Signup Sheets:** The Blog Google Form has no direct integration; subscriber data sits stranded in a spreadsheet and requires manual input.
- **Manual Contact Harvesting:** LinkedIn connection data is hand-copied out of direct messages or personal lists into spreadsheets.

4. Goals

- **Consolidate Contact Sources:** Merge all isolated signup sheets (including the Blog Google Form) and manual harvesting streams into a single, clean Google Sheets master audience, achieving a <2% duplicate rate and 90% email validation coverage to instantly block fake or broken email addresses by [Week X].
- **Eliminate Operational Fragility and Lead Leakage:** Replace the manual, stranded data bottlenecks with 100% codeable, rule-based triggered automations, ensuring all new contacts (from Google Forms, Luma, and LinkedIn discovery posts) receive their first automated touch within [X hours] of entry without manual input.
- **Fix Isolated Signup Sheet Redundancies:** Eradicate manual data entry by building a direct, automated pipeline from the Blog Google Form to the master audience spreadsheet, ensuring 100% of subscriber data is instantly synced upon submission with zero manual copying by [Week X].
- **Fix Manual Contact Harvesting Redundancies:** Replace hand-copying from LinkedIn direct messages and personal lists with an automated or structured ingestion workflow, reducing the time spent manually updating contact spreadsheets by 100%.
- **Automate Content Distribution:** Fully automate the scheduling and dispatch of the weekly newsletter and event notifications (with Luma workshop links prioritized at the top of emails) on a strict schedule with zero manual send steps, verified by the end of Week [X].

Deliver Invisible Middleware Reporting: Function entirely as transparent background logic without introducing a new CRM dashboard, automatically delivering weekly performance reports (open rate, click rate, event attendance) and native pre-call email digests to Rachel at least 1 hour before scheduled Google Calendar calls.

Prioritize Positive User Experience: Deliver an entirely seamless, highly polished subscriber journey from initial interaction to client onboarding, achieving a 100% native feel by housing all data behind an invisible middleware layer. All automated communications must strictly inherit The Angle's warm-neutral, high-contrast visual design system to completely eliminate sterile, robotic email touches and maintain the brand aesthetic.

Enable Rapid Scaling: Build a future-proof, highly scalable data infrastructure capable of supporting exponential audience growth without increasing technical debt or administrative overhead. This is achieved by utilizing codeable and rule-based triggers that execute identically at any volume, standardizing all incoming data via a strict Unified Data Dictionary, and executing an automated monthly maintenance script on the 1st of every month at 02:00 AM to automatically validate, flag, and archive inactive profiles to keep list space optimized near a \$0 budget.

Prevent Lead Leakage: Establish a bulletproof, closed-loop conversion funnel that completely eradicates the manual bottlenecks and human entry errors where high-value prospects are lost. The system must automatically route all verified inbound leads straight to the master audience sheet and automatically push native pre-call briefings to

Rachel's inbox at least 1 hour before scheduled Google Calendar meetings to ensure zero revenue leakage at the final stage of the pipeline.

5. Scope

The system will automate the workflow from attraction to booking clients across the following framework:

Stage	Funnel Step	What the System Automates
1	Get Attention	Auto-scheduling LinkedIn discovery posts.
2	Capture Contact	Instantly grab subscriber info from Google Forms, pull new sign-ups from Luma.
3	Consolidate	Clean up all incoming data so it fits the standard format, and instantly block any fake or broken email addresses.
4	Engage	Automatically send out the weekly newsletter and make sure the Luma workshop signup links are placed right at the top of the emails.
5	Book Call	Track when someone uses the Google Calendar link, and send a confirmation email to the consumer.
6	Run Call / Obtain Client	Send Rachel an automated pre-call digest (last 3 emails sent, open/click status, tags) at least 1 hour before the scheduled call, and prompt her to log if the client was won or lost afterward.

6. Requirements (Codeable Spec)

Global Configuration & Shared Specs

- **System Admin Roles:** Administrator access is restricted to Rachel, Ali, and Devi. We can all manually execute scripts, modify integration webhooks, or alter configuration settings. The automated agent operates via scoped API keys with restricted write/update permissions.
- **Unified Data Dictionary:** All incoming data from every source must map to this exact schema before processing or syncing to contact google sheet:
 - Email $\rightarrow$ Tag: `*|EMAIL|*` (Strict email validation, forced lowercase)
 - First Name $\rightarrow$ Tag: `*|FNAME|*` (Auto-capitalized)
 - Last Name $\rightarrow$ Tag: `*|LNAME|*` (Auto-capitalized)
 - Phone $\rightarrow$ Tag: `*|PHONE|*` (Optional, E.164 normalization)
 - Company $\rightarrow$ Tag: `*|COMPANY|*` (Optional, Nullable)
 - Job Title $\rightarrow$ Tag: `*|JOBTITLE|*` (Optional, Nullable)
 - Time Stamp Tag: `|TIMESTAMP|` (System-generated, ISO-8601 UTC format)
 - Source Tag: `|SOURCE|` (Strict origin tracking, forced lowercase)

Google Form Auto-Sync

- **Trigger:** User submits a Google Form subscription block.
- **Action:** System must take contact information, map it to the Unified Data Dictionary schema, and sync it to the contact google sheet, ideally within 60 seconds. Apply the standard tag `source:google-form`.

Live Event Collection

- **Trigger:** User signs up via Eventbrite or Luma.
- **Action:** Enforce sync for Eventbrite (via webhooks). Construct a mechanism for Luma to sync records to google sheet within 1 hour of registration. All payloads must be mapped to the Unified Data Dictionary and tagged with `source:eventbrite` or `source:luma`, plus the specific event-name tag and time stamp.

LinkedIn Template Mapping

- **Trigger:** Manual intake of contact information for LinkedIn connections (triggered exclusively by Rachel via CSV/XLSX import script).
- **Action:** Run a script that cleans the LinkedIn data (strips emojis, fixes casing) and matches it to your standard format in the Unified Data Dictionary. If the person is already in google sheet (matched via MD5 email hash), combine their existing tags with the new `source:linkedin-manual` tag instead of creating a duplicate profile. Do not overwrite core profile fields.

Failure Logging & Notification

- **Trigger:** All incoming data from every source must match this exact format: `[Email, First Name, Last Name, Phone, Company, Job Title, Date]`.
- **Action:** If a data source sends broken information, incorrect data types, or a column name doesn't match the Unified Data Dictionary, save the error payload and a timestamp

to a local `error_log.json` file. Batch any logged errors and email Rachel an alert digest within 24 hours of the first failure.

Verification & Filtration

- **Action:** On initial contact registration from any module, the agent must pass the email address through a verification layer (e.g., ZeroBounce API).
- **Filtration:** If an email address bounces (meaning it is invalid or doesn't exist), immediately tag it as `invalid:undeliverable` in the staging data, push it to google sheet with its status strictly set to unsubscribed/cleaned, and block it from receiving any future emails. Log this event silently to the local system logs without sending an email notification to Rachel.

Stale Profile Tracking

- **Action:** Once a month, the system will check for subscribers who haven't opened or clicked an email in 60 days. It will tag them as `status:stale-60`, double-check if their emails are still valid via verification API, archive the completely inactive ones to save paid list space, and send Rachel an automated email summary report listing contact count archived, reason, and remaining live list size.

Newsletter Broadcaster

- **Action:** Once a week (via automated cron job), the system will automatically check your blog for a new post published within the last 7 days. If it finds one, it will automatically build and send the weekly newsletter using the post details. Rachel will receive a native, automated success notification post-send. If there is no new post, it will safely skip the send for that week and log `[Newsletter Skipped: No new content]` silently to system logs.

7. Constraints & Security Guardrails

- **Platform API Limits:** To protect personal account standing and adhere to platform Terms of Service, automated programmatic extraction (scraping) of LinkedIn emails is strictly forbidden. There may be a way to work around but this will have to be thoroughly researched to ensure we adhere to guidelines. Also adhere to any volume restrictions.
- **Data Safety:** All connected apps, tools, and code scripts must use secure login keys (like API tokens or OAuth 2.0) so passwords are never exposed.
- **Email Safety Check:** Before sending out large volumes of automated emails, we must set up the domain's official email settings (SPF, DKIM, and DMARC). This prevents your emails from going to spam or getting your domain blocked.
- **Budget:** Rachel must set a budget, but ideally as close to \$0 as possible.