

Design Brief: Autonomous Marketing Agent

Project Framework: Via Negativity Tools & Framestretching© Applied Training

Timeline: 10-Week Delivery Window

1. Project Overview

Arkey Solutions operates a content-led marketing and sales pipeline spanning a blog, LinkedIn outreach, and live workshops. Currently, this pipeline has various fragile points such as copying email addresses by hand, duplicating data across four separate platforms, and scheduling social media posts and outreach emails manually.

This project will design and deploy a rule-based automation system utilizing Via Negativity principles to eliminate fragile points and manage the full client journey

2. Redundancies to Eliminate

Based on the current state workflow map, the system must replace the fragile points that are marked with exclamation points

- **(Isolated Signup Sheets):** The Blog Google Form has no direct integration; subscriber data sits stranded in a spreadsheet and requires manual input.
- **(Manual Contact Harvesting):** LinkedIn connection data is hand-copied out of direct messages or personal lists into spreadsheets.
- **(Content Echo Chamber):** Auto-generating a LinkedIn post for every single blog article creates a redundant loop for those who are both subscribers and connections instead of functioning as a distinct top-of-funnel discovery engine.

3. Goals

- Consolidate all contact sources into a single Mailchimp audience with <2% duplicate rate and 100% email validation coverage by [Week X].
- Replace manual touchpoints with triggered automations so that 100% of new contacts receive their first automated touch within [X hours] of entry.
- Send weekly newsletter and event alerts automatically on schedule, with 0 manual send steps, verified by end of Week [X].
- Deliver a weekly automated report to Rachel showing open rate, click rate, and event attendance.

4. Scope

This system will automate the whole process from attracting to booking clients:

Stage	Funnel Step	What the System Automates

1	Get Attention	Auto-scheduling LinkedIn discovery posts perhaps for every 3rd blog issue to limit redundancies
2	Capture Contact	Instantly grab subscriber info from Google Forms, pull new sign-ups from Luma, and turn on Mailchimp's built-in Eventbrite sync.
3	Consolidate	Clean up all incoming data so it fits your standard format, and instantly block any fake or broken email addresses.
4	Engage	Automatically send out the weekly newsletter and make sure the Luma workshop signup links are placed right at the top of the emails.
5	Book Call	Track when someone uses your Google Calendar link and instantly tag that person as "booked" inside Mailchimp. And send a confirmation email to the consumer.
6	Run Call / Obtain Client	Send Rachel an automated pre-call digest (last 3 emails sent, open/click status, tags) at least 1 hour before the scheduled call, and prompt her to log if the client was won or lost afterward.

Requirements (Codeable Spec)

Global Configuration & Shared Specs

- **System Admin Roles:** Administrator access is restricted strictly to **Rachel**. Only Rachel can manually execute scripts, modify integration webhooks, or alter configuration

settings. The automated agent operates via scoped API keys with restricted write/update permissions.

- **Unified Data Dictionary:** All incoming data from every source must map to this exact schema before processing or syncing to Mailchimp:
 - **Email** $\rightarrow$ Mailchimp Merge Tag: ***|EMAIL|*** (Strict email validation, forced lowercase)
 - **First Name** $\rightarrow$ Mailchimp Merge Tag: ***|FNAME|*** (Auto-capitalized)
 - **Last Name** $\rightarrow$ Mailchimp Merge Tag: ***|LNAME|*** (Auto-capitalized)
 - **Phone** $\rightarrow$ Mailchimp Merge Tag: ***|PHONE|*** (Optional, E.164 normalization)
 - **Company** $\rightarrow$ Mailchimp Merge Tag: ***|COMPANY|*** (Optional, Nullable)
 - **Job Title** $\rightarrow$ Mailchimp Merge Tag: ***|JOBTITLE|*** (Optional, Nullable)

Google Form Auto-Sync

- **Trigger:** User submits a Google Form subscription block.
- **Action:** System must take contact information, map it to the Unified Data Dictionary schema, and sync it to Mailchimp ideally within 60 seconds. Apply the standard tag **source:google-form**.

Live Event Collection

- **Trigger:** User signs up via Eventbrite or Luma.
- **Action:** Enforce sync for Eventbrite (via webhooks). Construct a mechanism for Luma to sync records to Mailchimp within 1 hour of registration. All payloads must be mapped to the Unified Data Dictionary and tagged with **source:eventbrite** or **source:luma**, plus the specific event-name tag.

LinkedIn Template Mapping

- **Trigger:** Manual intake of contact information for LinkedIn connections (triggered exclusively by Rachel via CSV/XLSX import script).
- **Action:** Run a script that cleans the LinkedIn data (strips emojis, fixes casing) and matches it to your standard format in the Unified Data Dictionary. If the person is already in Mailchimp (matched via MD5 email hash), combine their existing tags with the new **source:linkedin-manual** tag instead of creating a duplicate profile. Do not overwrite core profile fields.

Failure Logging & Notification

- **Trigger:** All incoming data from every source must match this exact format: **[Email, First Name, Last Name, Phone, Company, Job Title]**.
- **Action:** If a data source sends broken information, incorrect data types, or a column name doesn't match the Unified Data Dictionary, save the error payload and a timestamp to a local **error_log.json** file. Batch any logged errors and email Rachel an alert digest within 24 hours of the first failure.

Verification & Filtration

- **Action:** On initial contact registration from any module, the agent must pass the email address through a verification layer (e.g., Mailchimp internal or ZeroBounce API).
- **Filtration:** If an email address bounces (meaning it is invalid or doesn't exist), immediately tag it as `invalid:undeliverable` in the staging data, push it to Mailchimp with its status strictly set to `unsubscribed/cleaned`, and block it from receiving any future emails. Log this event silently to the local system logs without sending an email notification to Rachel.

Stale Profile Tracking

- **Action:** Once a month (via automated cron job on the 1st at 02:00 AM), the system will check for subscribers who haven't opened or clicked an email in 60 days. It will tag them as `status:stale-60`, double-check if their emails are still valid via verification API, archive the completely inactive ones to save paid list space, and send Rachel an automated email summary report listing contact count archived, reason, and remaining live list size.

Newsletter Broadcaster

- **Action:** Once a week (via automated cron job), the system will automatically check your blog for a new post published within the last 7 days. If it finds one, it will automatically build and send the weekly newsletter using the post details. Rachel will receive a native, automated Mailchimp success notification post-send. If there is no new post, it will safely skip the send for that week and log `[Newsletter Skipped: No new content]` silently to system logs.

LinkedIn Posting

- **Action:** Stop posting to LinkedIn automatically every single time a blog is published. Instead, increment a persistent counter and only queue a LinkedIn post for every third blog issue.
- **Application:** Change the style of the LinkedIn posts instead of just summarizing the blog, write them to reach net-new audiences not already in Mailchimp (target: [X]% of post reach/engagement from non-subscribers tracking via `utm_source=linkedin&utm_campaign=net_new_growth` links).

6. Constraints & Security Guardrails

- **Platform API Limits:** To protect personal account standing and adhere to platform Terms of Service, automated programmatic extraction (scraping) of LinkedIn emails is strictly forbidden. There may be a way to work around but this will have to be thoroughly researched to ensure we adhere to guidelines.
- **Data Safety:** All connected apps, tools, and code scripts must use secure login keys (like API tokens or OAuth 2.0) so passwords are never exposed.
- **Email Safety Check:** Before sending out large volumes of automated emails, we must set up the domain's official email settings (SPF, DKIM, and DMARC). This prevents your emails from going to spam or getting your domain blocked.

- **Budget:** Rachel must set a budget but ideally as close to \$0 as possible