

Assignment - 1

Nachiket Ropia

21070126056

```
import java.u

import java.util.Scanner;

import java.io.*;

public class calculator {
    public static void main(String[] args) throws IOException,
    ArrayIndexOutOfBoundsException{
        {

            //input option
            input_options.input();

            //calculator
            calculator.calculation();}

    }
}

class input_options {
    static void input() throws IOException{

        // scanner object
        Scanner sc = new Scanner(System.in);
        System.out.println("Input taken trough scanner object: ");
        System.out.print("Enter a number: ");
        int num = sc.nextInt();
        System.out.println("Number entered (scanner): " + num);

        //BufferedReader object
        InputStreamReader r= new InputStreamReader(System.in);
        BufferedReader br = new BufferedReader(r);
        System.out.println("Input taken trough BufferedReader object: ");
        System.out.print("Enter a number: ");
        String n = br.readLine();
        int num2 = Integer.parseInt(n);
        System.out.println("Number entered (BufferedReader): " + num2);

        //DataInputStream object
        DataInputStream data = new DataInputStream(System.in);
        System.out.println("Input taken trough DataInputStream object: ");
        System.out.print("Enter a number: ");
        int num3 = Integer.parseInt(data.readLine());
        System.out.println("Number entered (DataInputStream): " + num3);
```

```

    //console object
    Console c = System.console();
    System.out.println("Input taken through console object: ");
    System.out.print("Enter a number: ");
    int num4 = Integer.parseInt(c.readLine());
    System.out.println("Number entered (console): " + num4);
}
}

```

```

class calculator {
    static void calculation() {
        Scanner sc = new Scanner(System.in);

        while (true) {
            System.out.println("Menu:");
            System.out.println("1. Addition");
            System.out.println("2. Subtraction");
            System.out.println("3. Multiplication");
            System.out.println("4. Division");
            System.out.println("5. Square Root");
            System.out.println("6. Power");
            System.out.println("7. Mean");
            System.out.println("8. Variance");
            System.out.println("9. Exit");
            System.out.print("Enter your choice: ");
            int choice = sc.nextInt();

            switch (choice) {
                case 1:
                    System.out.print("Enter first number: ");
                    double num1 = sc.nextDouble();
                    System.out.print("Enter second number: ");
                    double num2 = sc.nextDouble();
                    System.out.println("Result: " + (num1 + num2));
                    break;
                case 2:
                    System.out.print("Enter first number: ");
                    num1 = sc.nextDouble();
                    System.out.print("Enter second number: ");
                    num2 = sc.nextDouble();
                    System.out.println("Result: " + (num1 - num2));
                    break;
                case 3:
                    System.out.print("Enter first number: ");
                    num1 = sc.nextDouble();
                    System.out.print("Enter second number: ");
                    num2 = sc.nextDouble();
                    System.out.println("Result: " + (num1 * num2));
                    break;
                case 4:
                    System.out.print("Enter first number: ");
                    num1 = sc.nextDouble();

```

```

        System.out.print("Enter second number: ");
        num2 = sc.nextDouble();
        System.out.println("Result: " + (num1 / num2));
        break;
    case 5:
        System.out.print("Enter number: ");
        num1 = sc.nextDouble();
        System.out.println("Result: " + Math.sqrt(num1));
        break;
    case 6:
        System.out.print("Enter base: ");
        num1 = sc.nextDouble();
        System.out.print("Enter exponent: ");
        int exponent = sc.nextInt();
        System.out.println("Result: " + Math.pow(num1, exponent));
        break;
    case 7:
        double sum = 0;
        int count = 0;
        String input;
        System.out.println("Enter numbers one by one, enter 'end' to stop
input:");

        while (true) {
            input = sc.next();
            if (input.equalsIgnoreCase("end")) {
                break;
            }
            sum += Double.parseDouble(input);
            count++;
        }
        System.out.println("Mean: " + (sum / count));
        break;
    case 8:
        sum = 0;
        count = 0;
        double mean = 0;
        double variance = 0;
        System.out.println("Enter numbers one by one, enter 'end' to stop
input:");

        while (true) {
            input = sc.next();
            if (input.equalsIgnoreCase("end")) {
                break;
            }
            double num = Double.parseDouble(input);
            sum += num;
            count++;
        }
        mean = sum / count;
        sc = new Scanner(System.in);
        System.out.println("Enter numbers one by one, enter 'end' to stop
input:");

        while (true) {
            input = sc.next();

```

```

        if (input.equalsIgnoreCase("end")) {
            break;
        }
        double num = Double.parseDouble(input);
        variance += Math.pow((num - mean), 2);
    }
    variance = variance / count;
    System.out.println("Variance: " + variance);
    break;
case 9:
    System.out.println("Exiting...");
    System.exit(0);
    break;
default:
    System.out.println("Invalid choice!");
    break;
}
}
}
}
}
til.Scanner;
import java.io.*;

public class calculator {
    public static void main(String[] args) throws IOException,
        ArrayIndexOutOfBoundsException{
        {

            //input option
            input_options.input();

            //calculator
            calculator.calculation();}

        }
    }
}

class input_options {
    static void input() throws IOException{

        // scanner object
        Scanner sc = new Scanner(System.in);
        System.out.println("Input taken through scanner object: ");
        System.out.print("Enter a number: ");
        int num = sc.nextInt();
        System.out.println("Number entered (scanner): " + num);

        //BufferedReader object
        InputStreamReader r= new InputStreamReader(System.in);
        BufferedReader br = new BufferedReader(r);
        System.out.println("Input taken through BufferedReader object: ");
        System.out.print("Enter a number: ");
        String n = br.readLine();
        int num2 = Integer.parseInt(n);
    }
}

```

```

        System.out.println("Number entered (BufferedReader): " + num2);

        //DataInputStream object
        DataInputStream data = new DataInputStream(System.in);
        System.out.println("Input taken through DataInputStream object: ");
        System.out.print("Enter a number: ");
        int num3 = Integer.parseInt(data.readLine());
        System.out.println("Number entered (DataInputStream): " + num3);

        //console object
        Console c = System.console();
        System.out.println("Input taken through console object: ");
        System.out.print("Enter a number: ");
        int num4 = Integer.parseInt(c.readLine());
        System.out.println("Number entered (console): " + num4);
    }
}

```

```

class calculator {
    static void calculation() {
        Scanner sc = new Scanner(System.in);

        while (true) {
            System.out.println("Menu:");
            System.out.println("1. Addition");
            System.out.println("2. Subtraction");
            System.out.println("3. Multiplication");
            System.out.println("4. Division");
            System.out.println("5. Square Root");
            System.out.println("6. Power");
            System.out.println("7. Mean");
            System.out.println("8. Variance");
            System.out.println("9. Exit");
            System.out.print("Enter your choice: ");
            int choice = sc.nextInt();

            switch (choice) {
                case 1:
                    System.out.print("Enter first number: ");
                    double num1 = sc.nextDouble();
                    System.out.print("Enter second number: ");
                    double num2 = sc.nextDouble();
                    System.out.println("Result: " + (num1 + num2));
                    break;
                case 2:
                    System.out.print("Enter first number: ");
                    num1 = sc.nextDouble();
                    System.out.print("Enter second number: ");
                    num2 = sc.nextDouble();
                    System.out.println("Result: " + (num1 - num2));
                    break;
                case 3:
                    System.out.print("Enter first number: ");

```

```

        num1 = sc.nextDouble();
        System.out.print("Enter second number: ");
        num2 = sc.nextDouble();
        System.out.println("Result: " + (num1 * num2));
        break;
    case 4:
        System.out.print("Enter first number: ");
        num1 = sc.nextDouble();
        System.out.print("Enter second number: ");
        num2 = sc.nextDouble();
        System.out.println("Result: " + (num1 / num2));
        break;
    case 5:
        System.out.print("Enter number: ");
        num1 = sc.nextDouble();
        System.out.println("Result: " + Math.sqrt(num1));
        break;
    case 6:
        System.out.print("Enter base: ");
        num1 = sc.nextDouble();
        System.out.print("Enter exponent: ");
        int exponent = sc.nextInt();
        System.out.println("Result: " + Math.pow(num1, exponent));
        break;
    case 7:
        double sum = 0;
        int count = 0;
        String input;
        System.out.println("Enter numbers one by one, enter 'end' to stop
input:");

        while (true) {
            input = sc.next();
            if (input.equalsIgnoreCase("end")) {
                break;
            }
            sum += Double.parseDouble(input);
            count++;
        }
        System.out.println("Mean: " + (sum / count));
        break;
    case 8:
        sum = 0;
        count = 0;
        double mean = 0;
        double variance = 0;
        System.out.println("Enter numbers one by one, enter 'end' to stop
input:");

        while (true) {
            input = sc.next();
            if (input.equalsIgnoreCase("end")) {
                break;
            }
            double num = Double.parseDouble(input);
            sum += num;

```

```

        count++;
    }
    mean = sum / count;
    sc = new Scanner(System.in);
    System.out.println("Enter numbers one by one, enter 'end' to stop
input:");

    while (true) {
        input = sc.next();
        if (input.equalsIgnoreCase("end")) {
            break;
        }
        double num = Double.parseDouble(input);
        variance += Math.pow((num - mean), 2);
    }
    variance = variance / count;
    System.out.println("Variance: " + variance);
    break;
case 9:
    System.out.println("Exiting...");
    System.exit(0);
    break;
default:
    System.out.println("Invalid choice!");
    break;
    }
    }
}
}

```

Output

The image displays two screenshots of an IDE (IntelliJ IDEA) showing the development and execution of a Java program. The top screenshot shows the code for `As1_input_calculator.java` and the terminal output for the first run. The bottom screenshot shows the same code and terminal output for a second run, which includes a menu of operations.

Top Screenshot:

Code:

```
src > J As1_input_calculator.java > As1_input_calculator > main(String[])
162
163     System.exit(status);
164     break;
165     default:
166     System.out.println(x + "Invalid choice!");
167     break;
168 }
169 }
170 }
```

Terminal Output:

```
Number entered (BufferedReader): 1
Input taken trough DataInputStream object:
Enter a number: 6
Number entered (DataInputStream): 6
Input taken trough console object:
Enter a number: 1
Number entered (console): 1
Menu:
1. Addition
2. Subtraction
```

Bottom Screenshot:

Code:

```
src > J As1_input_calculator.java > As1_input_calculator > main(String[])
162
163     System.exit(status);
164     break;
165     default:
166     System.out.println(x + "Invalid choice!");
167     break;
168 }
```

Terminal Output:

```
Note: Recompile with -Xlint:deprecation for details.
Input taken trough scanner object:
Enter a number: 5
Number entered (scanner): 5
Input taken trough BufferedReader object:
Enter a number: 1
Number entered (BufferedReader): 1
Input taken trough DataInputStream object:
Enter a number: 6
Number entered (DataInputStream): 6
Input taken trough console object:
Enter a number: 1
Number entered (console): 1
Menu:
1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
```


VS Code interface showing the Explorer, Source, and Terminal panels. The Explorer panel displays the project structure under 'first program'. The Source panel shows the code for 'As1_input_calculator.java'. The Terminal panel shows the output of the program.

```
src > J As1_input_calculator.java > As1_input_calculator > main(String[])
162
163     System.exit(status);
164     break;
165     default:
166         System.out.println(x + "Invalid choice!");
167         break;
168 }
```

PROBLEMS 4 OUTPUT DEBUG CONSOLE TERMINAL

Input taken through scanner object:
Enter a number: 5
Number entered (scanner): 5
Input taken through BufferedReader object:
Enter a number: 1
Number entered (BufferedReader): 1
Input taken through DataInputStream object:
Enter a number: 6
Number entered (DataInputStream): 6
Input taken through console object:
Enter a number: 1
Number entered (console): 1
Menu:
1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit

VS Code interface showing the Explorer, Source, and Terminal panels. The Explorer panel displays the project structure under 'first program'. The Source panel shows the code for 'As1_input_calculator.java'. The Terminal panel shows the output of the program.

```
src > J As1_input_calculator.java > As1_input_calculator > main(String[])
162     System.exit(status);
163     break;
164     default:
165         System.out.println(x + "Invalid choice!");
166         break;
167 }
```

PROBLEMS 4 OUTPUT DEBUG CONSOLE TERMINAL


3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit
Enter your choice: 1
Enter first number: 3
Enter second number: 7
Result: 10.0
Menu:
1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit
Enter your choice:

VS Code interface showing the Explorer, Source, and Terminal panels. The Explorer panel displays the project structure under 'first program'. The Source panel shows the code for 'As1_input_calculator.java'. The Terminal panel shows the output of the program.

```
src > J As1_input_calculator.java > As1_input_calculator > main(String[])
162     System.exit(status);
163     break;
164     default:
165         System.out.println(x + "Invalid choice!");
166         break;
167 }
```

PROBLEMS 4 OUTPUT DEBUG CONSOLE TERMINAL

3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit
Enter your choice: 6
Enter base: 4
Enter exponent: 5
Result: 1024.0
Menu:
1. Addition
2. Subtraction
3. Multiplication
4. Division
5. Square Root
6. Power
7. Mean
8. Variance
9. Exit
Enter your choice:



GitHub Repository : <https://github.com/NachiketRopia2003/Java-Assignment/tree/main/Assignment%201>