

```

* create journal for this month
SET DELETED ON
SET SAFETY OFF
SET TALK OFF
SET DATE TO BRITISH
SET CENTURY ON
SET DEFAULT TO F:\APP\winicas\DATA\
SET DATASESSION TO m.sessie

SELECT gljour
COPY STRUCTURE TO (m.filepath + m.filenaam)
IF USED(m.filepart)
    SELECT (m.filepart)
    USE
ENDIF
USE (m.filepath + m.filepart) IN 0 ALIAS journal

SELECT journal

* prepare account numbers
THISFORM.mon.meterValue = -1
m.tel = 0

SELECT msthis
SET ORDER TO TR_DATE    && TR_DATE
GOTO TOP

SET NEAR ON
SEEK CTOD("01/" + ALLTRIM(STR(glsys.gl_month)) + "/" +
ALLTRIM(STR(glsys.gl_year)))
SET NEAR OFF

SCAN REST FOR YEAR(TR_DATE) = glsys.gl_year AND MONTH(TR_DATE) =
glsys.gl_month

* determine tussenpersoon
SEEK msthis.agentnr ORDER agentnr IN compan

* determine branche code

SEEK msthis.polisnr ORDER polisnr IN policy
m.br_grp = "SCHADE"

IF FOUND('policy')
    m.br_grp = IIF(LEFT(policy.branchnr,1) = "7" , "LEVEN", "SCHADE")
    m.br_code = policy.branchnr
    m.genlife = IIF( LEFT(ALLTRIM(policy.branchnr),1) = "7" , "L", "G")
    m.provper = policy.provper
ELSE
    SEEK msthis.polisnr ORDER polisnr IN polhis
    m.br_grp = IIF(LEFT(ALLTRIM(polhis.branchnr),1) = "7" , "LEVEN", "SCHADE")
    m.br_code = polhis.branchnr
    m.genlife = IIF(LEFT(ALLTRIM(polhis.branchnr),1) = "7" , "L", "G")
    m.provper = polhis.provper
ENDIF

SEEK br_code ORDER branchnr IN branch

```

```

IF FOUND('branch')
    m.genlife = IIF(branch.dekkcde = "L", "L", "G")
    m.br_grp = IIF(branch.dekkcde = "L", "LEVEN", "SCHADE")
ENDIF

* Determine IF Branche Group is allowed

m.ok_to_continue = .F.
IF THISFORM.Chk_leven.VALUE = .T. AND m.br_grp = "LEVEN"
    m.ok_to_continue = .T.
ENDIF

IF THISFORM.Chk_schade.VALUE = .T. AND m.br_grp = "SCHADE"
    m.ok_to_continue = .T.
ENDIF

IF m.ok_to_continue = .F.
    m.tel = m.tel + 1
    THISFORM.mon.meterValue = INT((m.tel / m.aantal) * 100)
    THISFORM.mon.REFRESH()
    LOOP
ENDIF

* Determine Mut. Type, account group
SEEK branch.glgrou ORDER glgroup IN gliacc
IF NOT FOUND('gliacc')
    * Indien er geen branche verbonden is aan de
    * transactie dan in Varia plaatsen.
    SEEK 3 ORDER br_key IN gliacc
ENDIF

* Get transaction type
SEEK msthis.tr_type ORDER tr_type IN accset

* Prepare journal amounts
SELECT msthis
SCATTER MEMVAR

IF m.kosten = 0.00
    m.kosten = m.prlkost
ENDIF

m.brutprm      = m.jourprm
m.nettprm      = m.jourprm - m.provisi
m.schade_bedrag = (msthis.amt_deb - msthis.amt_cre)
m.boekmaand    = (glsys.gl_year * 100) + glsys.gl_month

* Prepare account numbers
m.mut_type      = accset.muttype
m.kas_bank_giro = glsys.gli_kas
m.tr_prov_uitk  = glsys.gli_tpu
m.bet_verschil  = glsys.gli_vrs
m.voorziening   = glsys.gli_voo
m.tussenpersoon = IIF(compan.broktyp = 1, glsys.gli_crbr , glsys.gli_cabr )

```

```

* Get Bank master record
IF accset.acctype = "B"
    SEEK msthis.bnk_key ORDER bnk_key IN banken
    IF FOUND('banken')
        m.kas_bank_giro = banken.acc_num
    ELSE
        m.kas_bank_giro = "9000"
    ENDIF
ENDIF

SET PROCEDURE TO s:\winicas\FORMS\icasproc.prg

IF m.mut_type = "01"
    * ..... tussenpersoon (1) .....
    IF m.brutprm > 0
        * Normale boeking
        STORE (m.nettprm + m.crsdeel + m.mij_nao) TO
m.deb_amt TO
        STORE 0.00 TO
m.cre_amt
    ELSE
        * terugboeking
        STORE ABS(m.nettprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.cre_amt
        STORE 0.00 TO
m.deb_amt
    ENDIF
    * Rek. Nr in G/B
    STORE m.tussenpersoon TO
m.acc_num

DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Onverdiende premie .....
IF m.brutprm > 0
    * Normale boeking
    STORE 0.00
    TO m.deb_amt
    STORE m.brutprm
    TO m.cre_amt
ELSE
    * terugboeking
    STORE 0.00
    TO m.cre_amt
    STORE ABS(m.brutprm) TO
m.deb_amt TO
    ENDIF
    STORE gliacc.glinr02
    TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Af te dragen OB .....

IF m.brutprm > 0
    * Normale boeking
    STORE 0
    TO m.deb_amt

```

```

        STORE m.mij_nao
        TO m.cre_amt
ELSE
    * terugboeking
    STORE 0
    TO m.cre_amt
    STORE ABS(m.mij_nao)
    TO m.deb_amt
ENDIF
STORE gliacc.glinr06
    TO m.acc_num

DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Vooruitbetaalde provisie ...
IF brutprm > 0
    * Normale boeking
    STORE m.provisi
    TO m.deb_amt
    STORE 0.00
    TO m.cre_amt
ELSE
    * terugboeking
    STORE ABS(m.provisi)
    TO m.cre_amt
    STORE 0.00
    TO m.deb_amt
ENDIF
STORE gliacc.glinr04
    TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... CRS bijdrage .....

IF brutprm > 0
    * Normale boeking
    STORE 0.00
    TO m.deb_amt
    STORE m.crsdeel
    TO m.cre_amt
ELSE
    * terugboeking
    STORE 0.00
    TO m.cre_amt
    STORE ABS(m.crsdeel)
    TO m.deb_amt
ENDIF
STORE gliacc.glinr20
    TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Uitgekeerde premie korting .

IF brutprm > 0
    * Normale boeking
    STORE m.korting
    TO m.deb_amt

```

```

        STORE 0.00
        TO m.cre_amt
ELSE
    * terugboeking
    STORE ABS(m.korting)
    TO m.cre_amt
    STORE 0.00
    TO m.deb_amt
ENDIF
STORE gliacc.glinr24
    TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Toegekende premiekorting ...

IF brutprm > 0
    * Normale boeking
    STORE 0.00
    TO m.deb_amt
    STORE m.korting
    TO m.cre_amt
ELSE
    * terugboeking
    STORE 0.00
    TO m.cre_amt
    STORE ABS(m.korting)
    TO m.deb_amt
ENDIF
STORE gliacc.glinr26
    TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* Ontvangen Betalingen
* fix cash broker betaling

IF mut_type $ "2C|2A"
    IF NOT "ASKA QIB" $ compan.compnam
        IF compan.broktyp = 2
            STORE "2B" TO mut_type
        ENDIF
    ENDIF
ENDIF

* Indien betaling kantoorpost dan op 2K boeken

IF mut_type $ "2C|2B"
    IF "ASKA QIB" $ compan.compnam
        STORE "2K" TO mut_type
    ENDIF
ENDIF

* 02 Betaling Netto premie v. Krediet broker .....

IF mut_type = "2A"

```

```

* ..... Kas Bank Giro (5) .....
m.brutprm = m.brutprm + m.mij_nao
m.nettprm = m.nettprm + m.mij_nao
STORE 0.00 TO m.mij_nao

IF m.nettprm < 0.00
  * normale betaling
  STORE ABS(m.nettprm) + ABS(m.mij_nao) + ABS(m.crsdeel) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * terugboeking
  STORE ABS(m.nettprm) + ABS(m.mij_nao) + ABS(m.crsdeel) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF

STORE m.kas_bank_giro TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Tussenpersonen (1) .....

IF m.nettprm < 0.00
  * normale betaling
  STORE ABS(m.nettprm) + ABS(m.mij_nao) + ABS(m.crsdeel) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ELSE
  * terugboeking
  STORE m.nettprm + m.mij_nao + m.crsdeel TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ENDIF

STORE m.tussenpersoon TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* .. Toegekende premie korting ..

IF m.nettprm < 0.00
  * norm
  STORE ABS(m.korting) TO m.deb_amt
  STORE 0 TO m.cre_amt
ELSE
  * T.B.
  STORE m.korting TO m.cre_amt
  STORE 0 TO m.deb_amt
ENDIF

STORE gliacc.glinr26 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Onverdiende premie .....

IF m.nettprm < 0.00
  * norm
  STORE 0.00 TO m.deb_amt
  STORE ABS(m.korting) TO m.cre_amt
ELSE

```

```

    * T.B.
    STORE 0.00 TO m.cre_amt
    STORE m.korting TO m.deb_amt
ENDIF
STORE gliacc.glinr02 TO m.acc_num

DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 02 Betaling Netto premie v. Cash broker .....

IF m.mut_type = "2B"

    IF m.provisi = 0
        STORE ROUND(((msthis.brutprm / 106) * 6),2) TO m.obamt
        STORE ROUND((((m.brutprm - m.kosten - m.obamt) / 100) * m.provper),2)
TO m.provisi
        m.nettprm = m.brutprm - m.provisi
    ENDIF
    IF branch.autoflg = "J" AND m.crsdeel = 0.00

ENDIF
    * ..... Kas Bank Giro .....
    m.brutprm = m.brutprm + m.mij_nao
    m.nettprm = m.nettprm + m.mij_nao
    STORE 0.00 TO m.mij_nao

    * normale betaling
    IF m.brutprm < 0
        STORE ABS(m.brutprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ELSE
        * TB Betaling
        STORE ABS(m.brutprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ENDIF
    STORE m.kas_bank_giro
    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * ..... Tussenpersonen .....
    IF m.nettprm < 0
        STORE 0.00 TO m.deb_amt
        STORE ABS(m.nettprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.cre_amt
    ELSE
        STORE 0.00 TO m.cre_amt
        STORE ABS(m.nettprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.deb_amt
    ENDIF
    STORE m.tussenpersoon
    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * .. Verschuldigde provisie .....
    IF m.nettprm < 0

```

```

        STORE 0.00
        TO m.deb_amt
        STORE ABS(m.provisi)                                TO m.cre_amt
ELSE
        STORE 0.00
        TO m.cre_amt
        STORE ABS(m.provisi)                                TO m.deb_amt
ENDIF
STORE gliacc.glinr07                                        TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* .. Toegekende premie korting ..
IF m.nettprm < 0
        STORE ABS(m.korting)                                TO m.deb_amt
        STORE 0.00
        TO m.cre_amt
ELSE
        STORE ABS(m.korting)                                TO m.cre_amt
        STORE 0.00
        TO m.deb_amt
ENDIF
STORE gliacc.glinr26                                        TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Onverdiende premie .....
IF m.nettprm < 0
        STORE 0.00                                          TO m.deb_amt
        STORE ABS(m.korting)                                TO m.cre_amt
ELSE
        STORE 0.00                                          TO m.cre_amt
        STORE ABS(m.korting)                                TO m.deb_amt
ENDIF

STORE gliacc.glinr02                                        TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 02 Betaling Netto premie v. Krediet broker .....
IF mut_type = "2C"

        m.brutprm = m.brutprm + m.mij_nao
        m.nettprm = m.nettprm + m.mij_nao
        STORE 0.00 TO m.mij_nao

* ..... Kas Bank Giro .....
IF m.brutprm < 0
        STORE ABS(m.brutprm) + ABS(m.mij_nao) + ABS(m.crsdeel)    TO m.deb_amt
        STORE 0                                                    TO m.cre_amt
ELSE
        STORE (m.brutprm + m.mij_nao + m.crsdeel)                TO m.cre_amt
        STORE 0                                                    TO m.deb_amt
ENDIF
STORE m.kas_bank_giro                                            TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

```



```

* ..... Tussenpersonen .....
IF m.brutprm < 0
    STORE 0 TO m.deb_amt
    STORE ABS(m.brutprm) + ABS(m.mij_nao) + ABS(m.crsdeel) TO m.cre_amt
ELSE
    STORE 0 TO m.cre_amt
    STORE ABS(m.brutprm) + ABS(m.mij_nao) + ABS(m.crsdeel) TO m.deb_amt
ENDIF

STORE tussenpersoon TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* .. Toegekende premie korting ..
IF m.brutprm < 0
    STORE ABS(m.korting)
    TO m.deb_amt
    STORE 0.00
    TO m.cre_amt
ELSE
    STORE ABS(m.korting)
    TO m.cre_amt
    STORE 0.00
    TO m.deb_amt
ENDIF
STORE gliacc.glinr26
TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Onverdiende premie .....
IF m.brutprm < 0
    STORE 0.00
    TO m.deb_amt
    STORE ABS(m.korting)
    TO m.cre_amt
ELSE
    STORE 0.00
    TO m.cre_amt
    STORE ABS(m.korting)
    TO m.deb_amt
ENDIF
STORE gliacc.glinr02
TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 02 Betaling bruto premie door Kantoor Klient .....
IF mut_type = "2K"
    m.brutprm = m.brutprm + m.mij_nao
    m.nettprm = m.nettprm + m.mij_nao
    STORE 0.00 TO m.mij_nao

* ..... Kas Bank Giro .....
IF m.brutprm < 0
    * Opboeking
    STORE ABS(m.brutprm) + ABS(m.mij_nao) + ABS(m.crsdeel) TO m.deb_amt

```

```

STORE 0
ELSE
  * Terugboeking
  STORE ABS(m.brutprm) + ABS(m.mij_nao) + ABS(m.crsdeel)
  STORE 0
ENDIF
STORE m.kas_bank_giro
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Tussenpersonen .....
IF m.brutprm < 0
  * Opboeking
  STORE 0.00
  STORE ABS(m.nettprm) + ABS(m.mij_nao) + ABS(m.crsdeel)
ELSE
  * Terugboeking
  STORE 0.00
  STORE ABS(m.nettprm) + ABS(m.mij_nao) + ABS(m.crsdeel)
ENDIF
STORE m.tussenpersoon
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* Opbrengst provisie Kantoor posten ..
IF m.brutprm < 0
  * Opboeking
  STORE 0.00
  STORE ABS(m.provisi)
ELSE
  * Terugboeking
  STORE 0.00
  STORE ABS(m.provisi)
ENDIF
STORE gliacc.glinr15
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* .. Toegekende premie korting ..
IF m.brutprm < 0
  * Opboeking
  STORE ABS(m.korting)
  STORE 0.00
ELSE
  * Terugboeking
  STORE ABS(m.korting)
  STORE 0.00
ENDIF

STORE gliacc.glinr26
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Onverdiende premie .....
IF m.brutprm < 0
  STORE 0.00
  STORE ABS(m.korting)
ELSE

```

```

        * Terugboeking
        STORE 0.00 TO m.cre_amt
        STORE ABS(m.korting) TO m.deb_amt
    ENDIF
    STORE gliacc.glinr02 TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 2L Afboeking betalingsverschillen

IF mut_type = "2L"

    * Tussenpersonen
    IF m.brutprm > 0
        * Norm. boeking
        STORE ABS(m.brutprm) TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ELSE
        * TB
        STORE ABS(m.brutprm) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ENDIF

    STORE m.tussenpersoon TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)

    * Betalingsverschillen
    IF m.brutprm > 0
        * Norm. boeking
        STORE ABS(m.brutprm) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ELSE
        * TB
        STORE ABS(m.brutprm) TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ENDIF
    STORE m.bet_verschil TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

ENDIF

* 03 Uitbetaling provisie (Cash Broker) .....

IF m.mut_type = "03"
    IF "ASKA QIB" $ compan.compnam
        STORE "3K" TO m.mut_type
    ENDIF
    IF NOT "ASKA QIB" $ compan.compnam
        STORE "3B" TO m.mut_type
    ENDIF
ENDIF

IF m.mut_type = "3B"

```

```

m.brutprm = m.brutprm + m.mij_nao
m.nettprm = m.nettprm + m.mij_nao
STORE 0.00 TO m.mij_nao

* provisie IS gelijk aan bedrag mutatie
* uitkering dient manuaal geboekt te worden

* .... Verschuldigde provisie ....
IF m.brutprm > 0
  * Normale boeking
  STORE m.brutprm TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * T.B.
  STORE ABS(m.brutprm) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF
STORE gliacc.glinr07 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Uitgeschreven ch=ues ....
IF m.brutprm > 0
  * Normale boeking
  STORE 0 TO m.deb_amt
  STORE m.brutprm TO m.cre_amt
ELSE
  * TB
  STORE 0 TO m.cre_amt
  STORE ABS(m.brutprm) TO m.deb_amt
ENDIF
STORE gliacc.glinr16 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

* 03K Uitbetaling provisie Personeelsleden .....

IF mut_type = "3K"
  * provisie IS gelijk aan bedrag mutatie
  * uitkering dient manuaal geboekt te worden

  m.brutprm = m.brutprm + m.mij_nao
  m.nettprm = m.nettprm + m.mij_nao
  STORE 0.00 TO m.mij_nao

  * .... Opbrengst provisie ....
  IF m.brutprm > 0
    * Normale boeking
    STORE m.brutprm TO m.deb_amt
    STORE 0.00 TO m.cre_amt
  ELSE
    * T.B.
    STORE ABS(m.brutprm) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
  ENDIF
  STORE gliacc.glinr15 TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

```

```

* ..... Uitgeschreven cheques .....
IF m.brutprm > 0
  * Normale boeking
  STORE 0 TO m.deb_amt
  STORE m.brutprm TO m.cre_amt
ELSE
  * T.B.
  STORE 0 TO m.cre_amt
  STORE ABS(m.brutprm) TO m.deb_amt
ENDIF
STORE gliacc.glinr16 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

* ..... 04 Opboeking Restitutie NOTA .....
IF mut_type = "04"

  * ..... Onverdiende premie .....
  IF m.brutprm < 0
    * Normale boeking
    STORE ABS(m.brutprm) TO m.deb_amt
    STORE 0 TO m.cre_amt
  ELSE
    * T.B.
    STORE ABS(m.brutprm) TO m.cre_amt
    STORE 0 TO m.deb_amt
  ENDIF
  STORE gliacc.glinr02 TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

  * ..... Vooruitbetaalde provisie ....
  IF m.brutprm < 0
    * Normale boeking
    STORE 0 TO m.deb_amt
    STORE ABS(m.provisi) TO m.cre_amt
  ELSE
    * T.B.
    STORE 0 TO m.cre_amt
    STORE ABS(m.provisi) TO m.deb_amt
  ENDIF
  STORE gliacc.glinr04 TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

  * ..... Tussenpersonen .....
  IF m.brutprm < 0
    * Normale boeking
    STORE 0.00 TO m.deb_amt
    STORE ABS(m.nettprm) + ABS(m.mij_nao) TO m.cre_amt
  ELSE
    * T.B.
    STORE 0.00 TO m.cre_amt
    STORE ABS(m.nettprm) + ABS(m.mij_nao) TO m.deb_amt
  ENDIF
  STORE m.tussenpersoon TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

```

```

* ... Toegekende premiekorting ...
IF m.brutprm < 0
  * Normale boeking
  STORE ABS(m.korting) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * T.B.
  STORE ABS(m.korting) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF
STORE gliacc.glinr26 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Uitgekeerde premie korting .
IF m.brutprm < 0
  * Normale boeking
  STORE 0.00 TO m.deb_amt
  STORE ABS(m.korting) TO m.cre_amt
ELSE
  * T.B.
  STORE 0.00 TO m.cre_amt
  STORE ABS(m.korting) TO m.deb_amt
ENDIF
STORE gliacc.glinr24 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Af te dragen NAO .
IF m.brutprm < 0
  * Normale boeking
  STORE 0.00 TO m.cre_amt
  STORE ABS(m.mij_nao) TO m.deb_amt
ELSE
  * Terugboeking
  STORE 0.00 TO m.deb_amt
  STORE ABS(m.mij_nao) TO m.cre_amt
ENDIF
STORE gliacc.glinr06 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 05 Restitutie OF uitbetaling aan klient
IF mut_type = "05"

  * . Opbrengst provisie Kantoor posten ..
  IF m.brutprm > 0
    * Normale boeking
    STORE m.provisi TO m.deb_amt
    STORE 0.00 TO m.cre_amt
  ELSE
    * Terugboeking
    STORE ABS(m.provisi) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
  ENDIF
ENDIF

```

```

STORE gliacc.glinr15                                TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* .... Kantoorposten OF Tussenpersoon ...
IF m.brutprm > 0
  * Normale boeking
  STORE m.nettprm                                TO m.deb_amt
  STORE 0.00                                    TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.nettprm)                          TO m.cre_amt
  STORE 0.00                                    TO m.deb_amt
ENDIF
STORE tussenpersoon                                TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Toegekende premiekorting ...
IF m.brutprm > 0
  * Normale boeking
  STORE m.korting                                TO m.deb_amt
  STORE 0.00                                    TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.korting)                          TO m.cre_amt
  STORE 0.00                                    TO m.deb_amt
ENDIF
STORE gliacc.glinr26                                TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Uitgekeerde premie korting .
IF m.brutprm > 0
  * Normale boeking
  STORE m.korting                                TO m.cre_amt
  STORE 0.00                                    TO m.deb_amt
ELSE
  * Terugboeking
  STORE ABS(m.korting)                          TO m.deb_amt
  STORE 0.00                                    TO m.cre_amt
ENDIF
STORE gliacc.glinr24                                TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* (Uitgeschr. cheques) Kas, Bank OF Giro .....
IF m.brutprm > 0
  * Normale boeking
  STORE m.brutprm                                TO m.cre_amt
  STORE 0.00                                    TO m.deb_amt
ELSE
  * Terugboeking
  STORE ABS(m.brutprm)                          TO m.deb_amt
  STORE 0.00                                    TO m.cre_amt
ENDIF
STORE gliacc.glinr16                                TO m.acc_num  &&
Changed from 05 to 16 by G. Maduro
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

```

```

ENDIF

* 06 Creditnota bij niet betaalde premie

IF mut_type = "06"

    * SPLIT bruto premie met crs deel en boek appart

    STORE 0.00 TO m.crsdeel
    IF branch.autoflg <> "J"
        m.crsdeel = 0.00
    ENDIF

    * ..... Onverdiende premie .....
    IF m.brutprm < 0
        * Normale boeking
        STORE ABS(m.brutprm) TO m.deb_amt
        STORE 0 TO m.cre_amt
    ELSE
        * Terugboeking
        STORE ABS(m.brutprm) TO m.cre_amt
        STORE 0 TO m.deb_amt
    ENDIF
    STORE gliacc.glinr02 TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * ..... Tussenpersonen .....
    IF m.brutprm < 0
        * Normale boeking
        STORE 0.00 TO m.deb_amt
        STORE ABS(m.nettprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.cre_amt
    ELSE
        * Terugboeking
        STORE 0.00 TO m.cre_amt
        STORE ABS(m.nettprm) + ABS(m.crsdeel) + ABS(m.mij_nao) TO m.deb_amt
    ENDIF
    STORE m.tussenpersoon
    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * ..... Af te dragen OB .....

    IF m.brutprm < 0
        * Normale boeking
        STORE ABS(m.mij_nao) TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ELSE
        * Terugboeking
        STORE ABS(m.mij_nao) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ENDIF
    STORE gliacc.glinr06
    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

```



```

* .... vooruitbetaalde provisie ...
IF m.brutprm < 0
  * Normale boeking
  STORE 0.00
  TO m.deb_amt
  STORE ABS(m.provisi)
  TO m.cre_amt
ELSE
  * Terugboeking
  STORE 0.00
  TO m.cre_amt
  STORE ABS(m.provisi)
  TO m.deb_amt
ENDIF
STORE gliacc.glinr04
  TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... CRS bijdrage .....

IF m.brutprm < 0
  * Normale boeking
  STORE ABS(m.crsdeel) TO m.deb_amt
  STORE 0.00
  TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.crsdeel) TO m.cre_amt
  STORE 0.00
  TO m.deb_amt
ENDIF
STORE gliacc.glinr20
  TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Toegekende premiekorting ...

IF m.brutprm < 0
  * Normale boeking
  STORE ABS(m.korting)
  TO m.deb_amt
  STORE 0.00
  TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.korting)
  TO m.cre_amt
  STORE 0.00
  TO m.deb_amt
ENDIF
STORE gliacc.glinr26
  TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Uitgekeerde premie korting .
IF m.brutprm < 0
  * Normale boeking

```

```

        STORE 0.00
        TO m.deb_amt
        STORE ABS(m.korting)
        TO m.cre_amt
    ELSE
        * Terugboeking
        STORE 0.00
        TO m.cre_amt
        STORE ABS(m.korting)
        TO m.deb_amt
    ENDIF
    STORE gliacc.glinr24
    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

* 07 NOTA voor uitbetaling provisies aan tussenpersonen cash

IF mut_type = "07"

    * ..... Opbrengst provisie kantoor

    IF m.brutprm < 0
        * Normale boeking
        STORE ABS(m.brutprm) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ELSE
        * T.B.
        STORE m.brutprm TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ENDIF

    STORE gliacc.glinr15 TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * Tussenpersoon ...

    IF m.brutprm < 0
        * Norm. boeking
        STORE ABS(m.brutprm) TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ELSE
        * TB
        STORE m.brutprm TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ENDIF
    STORE gliacc.glinr01 TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 09 Schade RESERVE aan betaal opdrachten

IF mut_type = "09"

```

```

* .... schade RESERVE .... Credit boeking van aard
IF m.schade_bedrag < 0
  * Opboeking
  STORE ABS(m.schade_bedrag) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.schade_bedrag) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF

STORE gliacc.glinr13 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ... Schade uitbetalings opdracht ...
* ... OF; Nog uit te keren schade ....

IF m.schade_bedrag < 0
  * Opboeking
  STORE 0.00 TO m.deb_amt
  STORE ABS(m.schade_bedrag) TO m.cre_amt
ELSE
  * Terugboeking
  STORE 0.00 TO m.cre_amt
  STORE ABS(m.schade_bedrag) TO m.deb_amt
ENDIF
STORE gliacc.glinr09 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

* 10 Credit NOTA Eigen Risico

IF mut_type = "10"

  * .... Opbrengst Eigen Risico ....

  IF m.brutprm < 0
    * Norm. boeking
    STORE ABS(m.brutprm) TO m.deb_amt
    STORE 0.00 TO m.cre_amt
  ELSE
    * TB
    STORE ABS(m.brutprm) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
  ENDIF
  STORE gliacc.glinr14 TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

  * .... Tussenpersonen .....
  IF m.brutprm < 0
    * Norm. boeking
    STORE 0.00 TO m.deb_amt
    STORE ABS(m.brutprm) + ABS(m.mij_nao) TO m.cre_amt
  ELSE
    * TB
    STORE 0.00 TO m.cre_amt
  
```

```

        STORE ABS(m.brutprm) + ABS(m.mij_nao)                                TO m.deb_amt
    ENDIF
    STORE tussenpersoon                                                    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * ..... Af te dragen OB .....

    IF m.brutprm < 0
        * Norm. boeking
        STORE ABS(m.mij_nao)                                                TO m.deb_amt
        STORE 0                                                            TO m.cre_amt
    ELSE
        * TB
        STORE ABS(m.mij_nao)                                                TO m.cre_amt
        STORE 0                                                            TO m.deb_amt
    ENDIF
    STORE gliacc.glinr06                                                    TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 11 Teruggave Eigen Risico per kas_bank_giro .....

IF mut_type = "11"

    * .. Tussenpersoon / kantoor ..
    IF m.brutprm > 0
        * Norm. boeking
        STORE ABS(m.brutprm) + ABS(m.mij_nao)                            TO m.deb_amt
        STORE 0.00                                                         TO m.cre_amt
    ELSE
        * TB
        STORE ABS(m.brutprm) + ABS(m.mij_nao)                            TO m.cre_amt
        STORE 0.00                                                         TO m.deb_amt
    ENDIF
    STORE m.tussenpersoon                                                  TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * .... Uitgeschr. cheques .....
    IF m.brutprm > 0
        * Norm. boeking
        STORE ABS(m.brutprm) + ABS(m.mij_nao)                            TO m.cre_amt
        STORE 0.00                                                         TO m.deb_amt
    ELSE
        * TB
        STORE ABS(m.brutprm) + ABS(m.mij_nao)                            TO m.deb_amt
        STORE 0.00                                                         TO m.cre_amt
    ENDIF

    STORE gliacc.glinr16                                                  TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 14 Debetnota Eigen Risico

```

```

IF mut_type = "14"
* ..... Tussenpersonen .....
IF m.brutprm > 0
* Norm. boeking
STORE (m.brutprm + m.mij_nao) TO m.deb_amt
STORE 0.00 TO m.cre_amt
ELSE
* TB
STORE ABS(m.brutprm) + ABS(m.mij_nao) TO m.cre_amt
STORE 0.00 TO m.deb_amt
ENDIF
STORE m.tussenpersoon TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* opbrengst E.R. Premie
IF m.brutprm > 0
* Norm. boeking
STORE 0.00 TO m.deb_amt
STORE m.brutprm TO m.cre_amt
ELSE
* TB
STORE 0.00 TO m.cre_amt
STORE ABS(m.brutprm) TO m.deb_amt
ENDIF
STORE gliacc.glinr14 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* .. Af te dragen OB .....
IF m.brutprm > 0
* Norm. boeking
STORE 0.00 TO m.deb_amt
STORE m.mij_nao TO m.cre_amt
ELSE
* TB
STORE 0.00 TO m.cre_amt
STORE ABS(m.mij_nao) TO m.deb_amt
ENDIF
STORE gliacc.glinr06 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 15 Ontvangst Eigen risico
IF mut_type = "15"

* Kas bank giro
IF m.brutprm < 0
* Norm. boeking
STORE ABS(m.brutprm) + ABS(m.mij_nao) TO m.deb_amt
STORE 0.00 TO m.cre_amt
ELSE
* TB
STORE ABS(m.brutprm) + ABS(m.mij_nao) TO m.cre_amt
STORE 0.00 TO m.deb_amt
ENDIF

```

```

STORE m.kas_bank_giro TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* Tussenpersonen
IF m.brutprm < 0
  * Norm. boeking
  STORE 0.00 TO m.deb_amt
  STORE ABS(m.brutprm) + ABS(m.mij_nao) TO m.cre_amt
ELSE
  * TB
  STORE 0.00 TO m.cre_amt
  STORE ABS(m.brutprm) + ABS(m.mij_nao) TO m.deb_amt
ENDIF
STORE m.tussenpersoon TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)

ENDIF

* 16 Afboeking wegens oninbaarheid
IF mut_type = "16"

  * Tussenpersonen
  IF m.brutprm > 0
    * Norm. boeking
    STORE ABS(m.brutprm) TO m.deb_amt
    STORE 0.00 TO m.cre_amt
  ELSE
    * TB
    STORE ABS(m.brutprm) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
  ENDIF

  STORE m.tussenpersoon TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
  THISFORM.Check_Balance(m.checkdeb , m.checkcre)

  * Betalingsverschillen
  IF m.brutprm > 0
    * Norm. boeking
    STORE ABS(m.brutprm) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
  ELSE
    * TB
    STORE ABS(m.brutprm) TO m.deb_amt
    STORE 0.00 TO m.cre_amt
  ENDIF
  STORE m.voorziening TO m.acc_num
  DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

ENDIF

* 17 Schade uitkering aan klient via kas / bank

IF mut_type = "17"
  * Uit te betalen schade
  IF m.schade_bedrag > 0

```

```

    * Opboeking
    STORE m.schade_bedrag TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ELSE
    * Terugboeking
    STORE ABS(m.schade_bedrag) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ENDIF
STORE gliacc.glinr09 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* Uitgeschreven cheques
IF m.schade_bedrag > 0
    * Opboeking
    STORE 0.00 TO m.deb_amt
    STORE m.schade_bedrag TO m.cre_amt
ELSE
    * Terugboeking
    STORE 0.00 TO m.cre_amt
    STORE ABS(m.schade_bedrag) TO m.deb_amt
ENDIF
STORE gliacc.glinr16 TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

IF m.mut_type = "19"
    * uitgeschr. cheques .....

    IF m.schade_bedrag < 0
        * Opboeking
        STORE ABS(m.schade_bedrag) TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ELSE
        * Terugboeking
        STORE ABS(m.schade_bedrag) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ENDIF
    STORE gliacc.glinr16 TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * uit te betalen schade
    IF m.schade_bedrag < 0
        * Opboeking
        STORE 0.00 TO m.deb_amt
        STORE ABS(m.schade_bedrag) TO m.cre_amt
    ELSE
        * Terugboeking
        STORE 0.00 TO m.cre_amt
        STORE ABS(m.schade_bedrag) TO m.deb_amt
    ENDIF
    STORE gliacc.glinr09 TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

```

```

IF m.mut_type = "20"

    * ..... Verschuldigde provisie .....
    IF m.brutprm > 0
        * Normale boeking
        STORE m.brutprm                                TO m.deb_amt
        STORE 0.00                                      TO m.cre_amt
    ELSE
        * T.B.
        STORE ABS(m.brutprm)                            TO m.cre_amt
        STORE 0.00                                       TO m.deb_amt
    ENDIF
    STORE gliacc.glinr27                                TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

    * ..... Uitgeschreven ch=ues .....
    IF m.brutprm > 0
        * Normale boeking
        STORE 0                                          TO m.deb_amt
        STORE m.brutprm                                TO m.cre_amt
    ELSE
        * TB
        STORE 0                                          TO m.cre_amt
        STORE ABS(m.brutprm)                            TO m.deb_amt
    ENDIF
    STORE gliacc.glinr01                                TO m.acc_num
    DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife
    THISFORM.Check_Balance(m.checkdeb , m.checkcre)
ENDIF

SELECT msthis
m.tel = m.tel + 1
THISFORM.mon.meterValue = INT((m.tel / m.aantal) * 100)
THISFORM.mon.REFRESH()

ENDSCAN

* -----
* ----- Boeking op Rek. Courant -----
* -----

WAIT "Bezig met exclusieve Rek. Courant mutaties ..... " WINDOW AT 14,30
NOWAIT NOCLEAR

THISFORM.mon.meterValue = -1
m.tel = 0

* Journaal uit Rek. Courant
IF NOT USED('curacc')
    USE curacc IN 0
ENDIF

* Boek provisie nota
SELECT curacc
COUNT ALL FOR YEAR(TR_DATE) = glsys.gl_year AND MONTH(TR_DATE) =
glsys.gl_month AND tr_type = "CPN" TO m.aantal

```



```

GOTO TOP
SCAN ALL FOR YEAR(TR_DATE) = glsys.gl_year AND MONTH(TR_DATE) =
glsys.gl_month AND tr_type = "CPN"

SELECT curacc
SCATTER MEMVAR

* ... Vooruitbetaalde provisie ...

IF m.provisi > 0
    * Normale boeking
    STORE m.provisi TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ELSE
    * terugboeking
    STORE ABS(m.provisi) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ENDIF
STORE gliacc.glinr04
    TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... tussenpersoon (1) .....
IF m.provisi > 0
    * Normale boeking
    STORE m.provisi
    TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ELSE
    * terugboeking
    STORE ABS(m.provisi)
    TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ENDIF
STORE m.tussenpersoon TO m.acc_num
DO save_curjour WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

m.tel = m.tel + 1
THISFORM.mon.meterValue = INT((m.tel / m.aantal) * 100)
THISFORM.mon.REFRESH()
ENDSCAN

* boek afdracht R/C QIB van Giro of BDC (1230/1220) Rek naar ASKA
Tussenpersonen (1000)
THISFORM.mon.meterValue = -1
m.tel = 0

SELECT curacc
COUNT ALL FOR YEAR(TR_DATE) = glsys.gl_year AND MONTH(TR_DATE) =
glsys.gl_month AND tr_type = "CBQ" TO m.aantal
GOTO TOP
SCAN ALL FOR YEAR(TR_DATE) = glsys.gl_year AND MONTH(TR_DATE) = glsys.gl_month
AND tr_type = "CBQ"

SELECT curacc
SCATTER MEMVAR

```

```

SEEK curacc.agentnr ORDER agentnr IN compan

m.aska_bank_rek = ""
DO CASE
  CASE curacc.paywith = 2
    * Rek. BDC
    m.aska_bank_rek = "1220"

  CASE curacc.paywith = 3
    * Rek. GIRO
    m.aska_bank_rek = "1230"

  OTHERWISE
    * Foutieve boeking
    m.aska_bank_rek = "9999"
ENDCASE

* ... Giro of BDC ...
IF m.nettpm > 0
  * Normale boeking
  STORE ABS(m.nettpm) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * terugboeking
  STORE ABS(m.nettpm) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF
STORE m.aska_bank_rek TO m.acc_num
DO save_jouraal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Tussenpersoon .....

IF m.provisi > 0
  * Normale boeking
  STORE m.provisi TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ELSE
  * terugboeking
  STORE ABS(m.provisi) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ENDIF

STORE m.tussenpersoon TO m.acc_num
DO save_curjour WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

m.tel = m.tel + 1
THISFORM.mon.meterValue = INT((m.tel / m.aantal) * 100)
ENDSCAN

* -----
* --- Betalingen in ABAS journaliseren ---
* --- By R.R.R.R. Okt. 2008 -----
* -----

* Purpose of this journal entry is to include payments done
* in ABAS in the journal to match in suspense acc.

```

```

WAIT " Reading ABAS Payment Transactions ..... " WINDOW AT 14,30 NOWAIT
NOCLEAR
IF NOT USED('abmstacc')
    USE winicas!abmstacc IN 0
ELSE
    SELECT abmstacc
    REQUERY()
ENDIF

IF NOT USED('system')
    USE winicas!system IN 0
ENDIF

* start with clean prog bar
THISFORM.mon.meterValue = -1
m.tel = 0

COUNT ALL FOR YEAR(abmstacc.TR_DATE) = glsys.gl_year ;
    AND MONTH(abmstacc.TR_DATE) = glsys.gl_month ;
    AND ALLTRIM(abmstacc.tr_type) $ system.kastype ;
    AND ALLTRIM(abmstacc.tr_type) <> 'CVR' TO m.aantal

SELECT abmstacc
SCAN ALL FOR YEAR(abmstacc.TR_DATE) = glsys.gl_year ;
    AND MONTH(abmstacc.TR_DATE) = glsys.gl_month ;
    AND ALLTRIM(abmstacc.tr_type) $ system.kastype ;
    AND ALLTRIM(abmstacc.tr_type) <> 'CVR'

* Initialize Ins Type variable
m.genlife = 'G'                && default general Insurance

SEEK abmstacc.polisnr ORDER polisnr IN policy

IF FOUND('policy')
    m.genlife = IIF(LEFT(policy.branchnr, 1) = '7' , 'L' , 'G')
ELSE
    SEEK abmstacc.polisnr ORDER polisnr IN polhis
    IF FOUND('polhis')
        m.genlife = IIF(LEFT(polhis.branchnr, 1) = '7' , 'L' , 'G')
    ENDIF
ENDIF

* set amounts to be used
m.brutprm = abmstacc.amt_deb - abmstacc.amt_cre

* determine cash or bank
IF abmstacc.bnk_key = 0
    m.qib_tus_rek = "1005"                && is kas boeking
ELSE
    m.qib_tus_rek = "1006"                && is bank boeking
ENDIF

* ... Tussenrekening Kas / Bank ontvangsten QIB

IF m.brutprm < 0
    * Normale boeking

```

```

        STORE ABS(m.brutprm)                TO m.deb_amt
        STORE 0.00                          TO m.cre_amt
ELSE
    * T.B.
        STORE ABS(m.brutprm)                TO m.cre_amt
        STORE 0.00                          TO m.deb_amt
ENDIF

STORE m.qib_tus_rek                        TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

* ..... Tussenpersoon .....
IF m.brutprm < 0
    * Normale boeking
        STORE ABS(m.brutprm)                TO m.cre_amt
        STORE 0.00                          TO m.deb_amt
ELSE
    * terugboeking
        STORE ABS(m.brutprm)                TO m.deb_amt
        STORE 0.00                          TO m.cre_amt
ENDIF

STORE m.tussenpersoon                      TO m.acc_num
DO save_journaal WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife

ENDSCAN

* -----
* --- Verdiend en Onverdiende Premie / Provisie -----
* -----

WAIT CLEAR
WAIT "Bezig met voorbereiding verdiend/onverdiende bedragen ..... " WINDOW AT
14,30 NOWAIT NOCLEAR

THISFORM.mon.meterValue = -1
m.tel = 0

* Remove previous entries in verd. onver. for this transaction nr.
SELECT veronv
DELETE ALL FOR veronv.bookorg = m.boekmaand
PACK

SELECT journal
COUNT FOR LEFT(ALLTRIM(journal.acc_num),4) $ "1500|1550" TO m.aantal
WAIT CLEAR
WAIT STR(m.aantal) + " Mutaties gevonden voor verdiend/onverdiend " WINDOW AT
15,30 NOWAIT NOCLEAR
GOTO TOP

SELECT journal
IF USED('tmpjour')
    SELECT tmpjour
    USE
ENDIF
COPY STRUCTURE TO c:\temp\tmpjour.DBF
USE c:\temp\tmpjour IN 0

```

```

SCAN ALL FOR LEFT (ALLTRIM(journal.acc_num),4) $ "1500|1550"
SELECT journal
SCATTER MEMVAR
* get msthis pointer

SEEK m.pointer ORDER pointer IN msthis

SEEK m.polisnr ORDER polisnr IN policy
SEEK m.agentrnr ORDER agentnr IN compan

IF FOUND('policy')
    m.valterm = policy.valterm
    SEEK policy.branchnr ORDER branchnr IN branch
ELSE
    SEEK m.polisnr ORDER polisnr IN polhis
    IF FOUND('polhis')
        m.valterm = polhis.valterm
        SEEK polhis.branchnr ORDER branchnr IN branch
    ENDIF
ENDIF

* Book new tr. in ved. onver. file
m.maxterm = m.valterm

* Indien auto dan 3/9 mnd = 6 of kwartaal.

IF branch.autoflg = "J"
    IF m.valterm = 3 AND branch.valtrm2 = 9
        m.maxterm = 6
    ENDIF
    IF m.valterm = 9
        m.maxterm = 6
    ENDIF
    IF m.valterm < 3
        m.maxterm = 1
    ENDIF
ENDIF

* Niet prolongerend, direct verdiend
IF branch.prol_fl = "N" AND branchnr <> "129"
    m.maxterm = 1
ENDIF

* Leven direct verdiend
IF "LEVEN" $ branch.glggroup
    m.maxterm = 1
ENDIF

IF LEFT(branch.branchnr, 1) = "7"
    m.maxterm = 1
ENDIF

* Adm. kosten & boeterente direct verdiend
IF journal.tr_type $ "DAD|DBD"
    m.maxterm = 1
ENDIF

```

```

m.startmon    = MONTH(m.TR_DATE)
m.startyear   = YEAR(m.TR_DATE)

m.fullpremie  = journal.amt_cre - journal.amt_deb
m.deelpremie  = (m.fullpremie / m.maxterm)
m.onverdiend  = m.fullpremie
m.verdpremie  = 0.00
m.broktyp     = compan.broktyp

* m.maxterm is the amount of records that will be created in the veronv
file.
* Each record will get a partial amount (premium / m.maxterm) or
(commission/maxterm)
* Each record will contain a separate, consecutive bookmonth
* Earned premium is calculated by summing up all transaction for one
particular bookmonth in the veronv file.

IF m.tr_code <> "T"
  FOR counter = 1 TO m.maxterm
    IF startmon > 12
      m.startyear = m.startyear + 1
      m.startmon  = 1
    ENDIF

    m.newbook = (startyear * 100) + startmon
    m.onverdiend = m.onverdiend - m.deelpremie
    m.verdpremie = m.verdpremie + m.deelpremie

    SELECT veronv
    APPEND BLANK
    REPLACE ;
      acc_num WITH m.acc_num           ,;
      agentnr WITH m.agentnr           ,;
      bookmon WITH m.newbook            ,;
      bookorg WITH m.boekmaand          ,;
      branchnr WITH branch.branchnr    ,;
      broktyp WITH m.broktyp            ,;
      notanum WITH msthis.notanum       ,;
      onvpren WITH m.onverdiend         ,;
      deelpren WITH m.deelpremie        ,;
      verprem WITH m.verdpremie         ,;
      orgprem WITH m.org_amt            ,;
      pointer WITH m.pointer            ,;
      polisnr WITH m.polisnr            ,;
      agentnr WITH m.agentnr            ,;
      termijn WITH m.maxterm            ,;
      tot_prm WITH m.fullpremie         ,;
      TR_DATE WITH m.TR_DATE            ,;
      tr_type WITH m.tr_type            ;
    IN veronv
    m.startmon = m.startmon + 1
  ENDFOR
ELSE
  * Added 09-01-2008 By: RRRR

```

```

* IF the selected transaction is a Reversal (Tr_code = 'T') and exception
on the rule must be applied.
* - The amount already earned must be deducted from the total amount to be
earned.
* - The unearned periods must continue to be created as monthly terms but
only for the resting period.
* - Total earned premium until this bookmonth must be deducted once for
current period.
* - Rest amount must be divided in resting periods

```

```

m.per = (m.bookorg - m.bookmon)
IF m.per > 12
    m.per = m.per - 88
ENDIF

```

```

* calc this months premium including the past periods
m.curamount = (m.per + 1) * m.deelpremie
m.ftime = .T.

```

```

FOR counter = 1 TO (m.maxterm - m.per)

```

```

    IF startmon > 12
        m.startyear = m.startyear + 1
        m.startmon = 1
    ENDIF
    IF m.ftime = .T.
        m.maandpremie = m.curamount
        m.ftime = .F.
    ELSE
        m.maandpremie = m.deelpremie
    ENDIF

```

```

m.newbook = (startyear * 100) + startmon
m.onverdiend = m.onverdiend - m.maandpremie
m.verdpremie = m.verdpremie + m.maandpremie

```

```

SELECT veronv
APPEND BLANK
REPLACE ;

```

```

    acc_num WITH m.acc_num           ,;
    agentnr WITH m.agentnr           ,;
    bookmon WITH m.newbook           ,;
    bookorg WITH m.boekmaand         ,;
    branchnr WITH branch.branchnr    ,;
    broktyp WITH m.broktyp           ,;
    notanum WITH msthis.notanum      ,;
    onvpem WITH m.onverdiend         ,;
    deelpem WITH m.maandpremie       ,;
    verpem WITH m.verdpremie         ,;
    orgpem WITH m.org_amt            ,;
    pointer WITH m.pointer            ,;
    polisnr WITH m.polisnr           ,;
    agentnr WITH m.agentnr           ,;
    termijn WITH m.maxterm           ,;
    tot_pem WITH m.fullpremie        ,;
    TR_DATE WITH m.TR_DATE           ,;
    tr_type WITH m.tr_type           ;

```

```

        IN veronv
        m.startmon = m.startmon + 1
    ENDFOR
ENDIF

* Schade reserve boeking
* Schade reserve is een percentage van de premie (1500-x).
* Dit is per branche groep vastgesteld en staat in het branche relatie
tabel (brnrel)

IF LEFT(journal.acc_num,4) = "1500"

    SELECT journal
    SCATTER MEMVAR
    SEEK branch.detscrn ORDER detscrn IN brnrel

    m.bedrag = ABS(msthis.nettprm) - ABS(msthis.mij_nao) - ABS(msthis.crsdeel)
    IF msthis.nettprm < 0
        m.bedrag = m.bedrag * -1
    ENDIF

    m.reserve = ROUND((m.bedrag / 100) * brnrel.res_per , 2)

    SELECT tmpjour
    * Verwachte schade lasten
    m.acc_num = "5200" + RIGHT(ALLTRIM(journal.acc_num),2)
    m.muttype = "22"
    SEEK m.acc_num ORDER acc_num IN gltabl
    m.accname = gltabl.DESCRIP

    APPEND BLANK IN tmpjour
    IF m.reserve > 0
        * Opboeking
        m.amt_deb = ABS(m.reserve)
        m.amt_cre = 0.00
    ELSE
        * Terugboeking
        m.amt_cre = ABS(m.reserve)
        m.amt_deb = 0.00
    ENDIF
    GATHER MEMVAR

    * Schade reserve
    m.acc_num = "1600" + RIGHT(ALLTRIM(journal.acc_num),2)
    SEEK m.acc_num ORDER acc_num IN gltabl
    m.accname = gltabl.DESCRIP
    m.muttype = "22"

    APPEND BLANK IN tmpjour
    IF m.reserve > 0
        * Opboeking
        m.amt_cre = ABS(m.reserve)
        m.amt_deb = 0.00
    ELSE
        * Terugboeking
        m.amt_deb = ABS(m.reserve)
        m.amt_cre = 0.00
    ENDIF

```



```

ENDIF
GATHER MEMVAR
ENDIF

SELECT journal

m.tel = m.tel + 1
THISFORM.mon.meterValue = INT((m.tel / m.aantal) * 100)
THISFORM.mon.REFRESH()

ENDSCAN

SELECT journal
APPEND FROM c:\temp\tmpjour

* -----
* ----- 21 Premie egalisatie -----
* -----

SELECT veronv
GOTO TOP
FOR m.bnum = 1 TO 6

    m.onvracc = "1500-" + ALLTRIM(STR(m.bnum))
    m.verdacc = "6100-" + ALLTRIM(STR(m.bnum))
    m.genlife = IIF(m.bnum = 3, "L", "G")

    * Opsplitsen in Kantoor, Cash en Krediet Tussenpersonen.

    * -----
    * ----- Kantoor posten -----
    * -----

    m.broker_type = 0
    SELECT veronv
    GOTO TOP
    * Get amount to post by summing up all partial amounts for bookmonth being
    journalized.
    SUM veronv.deelprm ALL ;
    FOR ALLTRIM(veronv.acc_num) = m.onvracc ;
    AND RIGHT(veronv.agentnr, 3) = "061" ;
    AND veronv.bookmon = m.boekmaand ;
    TO totaal

    * Onverdiende premie
    IF m.totaal > 0
        * Opboeking
        STORE m.totaal TO m.deb_amt
        STORE 0.00 TO m.cre_amt
    ELSE
        * Terugboeking
        STORE ABS(m.totaal) TO m.cre_amt
        STORE 0.00 TO m.deb_amt
    ENDIF
    STORE m.onvracc TO m.acc_num

```

```

DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* Verdiende premie
IF m.totaal > 0
    * Opboeking
    STORE m.totaal TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ELSE
    * Terugboeking
    STORE ABS(m.totaal) TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ENDIF
STORE m.verdacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* -----
* ----- Cash Brokers Posten -----
* -----

m.broker_type = 2
SELECT veronv
GOTO TOP
SUM veronv.deelprm ALL ;
    FOR ALLTRIM(veronv.acc_num) = m.onvracc ;
    AND RIGHT(veronv.agentnr,3) <> "061" ;
    AND veronv.broktyp = 2 ;
    AND veronv.bookmon = m.boekmaand ;
    TO totaal

* Onverdiende premie
IF m.totaal > 0
    * Opboeking
    STORE m.totaal TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ELSE
    * Terugboeking
    STORE ABS(m.totaal) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ENDIF
STORE m.onvracc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* Verdiende premie
IF m.totaal > 0
    * Opboeking
    STORE m.totaal TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ELSE
    * Terugboeking
    STORE ABS(m.totaal) TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ENDIF
STORE m.verdacc TO m.acc_num

```

```

DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* -----
* ----- Krediet Brokers posten -----
* -----

m.broker_type = 1
SELECT veronv
GOTO TOP
SUM veronv.deelprm ALL ;
  FOR ALLTRIM(veronv.acc_num) = m.onvracc ;
  AND RIGHT(veronv.agentnr,3) <> "061" ;
  AND veronv.broktyp = 1 ;
  AND veronv.bookmon = m.boekmaand ;
  TO totaal

* Onverdiende premie
IF m.totaal > 0
  * Opboeking
  STORE m.totaal TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF
STORE m.onvracc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* Verdiende premie
IF m.totaal > 0
  * Opboeking
  STORE m.totaal TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ENDIF
STORE m.verdacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

ENDFOR

SELECT veronv
GOTO TOP

* -----
* ----- 21 Provisie egalisatie -----
* -----

FOR m.bnum = 1 TO 6

  m.provacc = "1550-" + ALLTRIM(STR(m.bnum))

```

```

m.lastacc = "5100-" + ALLTRIM(STR(m.bnum))
m.genlife = IIF(m.bnum = 3,"L","G")

* Opsplitsen in Kantoor, Cash en Krediet Tussenpersonen.

* -----
* ----- Kantoor posten -----
* -----

m.broker_type = 0
SELECT veronv
GOTO TOP

* get amount of commission to post
SUM veronv.deelprm ALL FOR ALLTRIM(veronv.acc_num) = m.provacc ;
  AND veronv.bookmon = m.boekmaand ;
  AND RIGHT(veronv.agentnr,3) = "061" ;
  TO m.totaal

* Opsplitsen in Kantoor, Cash en Krediet Tussenpersonen.

* Provisie lasten
IF m.totaal < 0
  * Opboeking
  STORE ABS(m.totaal) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF
STORE m.lastacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* Betaalde provisie
IF m.totaal < 0
  * Opboeking
  STORE ABS(m.totaal) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ENDIF
STORE m.provacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* -----
* ----- Cash Brokers Posten -----
* -----

m.broker_type = 2
SELECT veronv
GOTO TOP
SUM veronv.deelprm ALL FOR ALLTRIM(veronv.acc_num) = m.provacc ;

```

```

AND veronv.bookmon = m.boekmaand ;
AND RIGHT(veronv.agentnr,3) <> "061" ;
AND veronv.broktyp = 2 ;
TO m.totaal

* Opsplitsen in Kantoor, Cash en Krediet Tussenpersonen.

* Provisie lasten
IF m.totaal < 0
  * Opboeking
  STORE ABS(m.totaal) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF
STORE m.lastacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* Betaalde provisie
IF m.totaal < 0
  * Opboeking
  STORE ABS(m.totaal) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ENDIF
STORE m.provacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife,
m.broker_type

* ----- Krediet Brokers posten -----
m.broker_type = 1
SELECT veronv
GOTO TOP
SUM veronv.deelprm ALL FOR ALLTRIM(veronv.acc_num) = m.provacc ;
AND veronv.bookmon = m.boekmaand ;
AND RIGHT(veronv.agentnr,3) <> "061" ;
AND veronv.broktyp = 1 ;
TO m.totaal

* Provisie lasten
IF m.totaal < 0
  * Opboeking
  STORE ABS(m.totaal) TO m.deb_amt
  STORE 0.00 TO m.cre_amt
ELSE
  * Terugboeking
  STORE ABS(m.totaal) TO m.cre_amt
  STORE 0.00 TO m.deb_amt
ENDIF

```

```

STORE m.lastacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife ,
m.broker_type

* Betaalde provisie
IF m.totaal < 0
    * Opboeking
    STORE ABS(m.totaal) TO m.cre_amt
    STORE 0.00 TO m.deb_amt
ELSE
    * Terugboeking
    STORE ABS(m.totaal) TO m.deb_amt
    STORE 0.00 TO m.cre_amt
ENDIF
STORE m.provacc TO m.acc_num
DO save_verdiend WITH m.deb_amt, m.cre_amt, m.acc_num, m.genlife ,
m.broker_type

ENDFOR

WAIT CLEAR
IF THISFORM.Month_Control.VALUE = .F.
    =MESSAGEBOX('K L A A R ',48,"")
    IF USED('tmpjour')
        SELECT tmpjour
        USE
    ENDIF
    IF USED('journal')
        SELECT journal
        USE
    ENDIF
    THISFORM.Command2.CLICK()
ELSE
    IF USED('tmpjour')
        SELECT tmpjour
        USE
    ENDIF
    IF USED('journal')
        SELECT journal
        USE
    ENDIF
ENDIF
ENDIF

```

PROCEDURE save_journaal

```
PARAMETERS m.debet, m.credit, m.acc_nr, m.bran
IF m.debet = 0.00 AND m.credit = 0.00
    * No zero entries
    RETURN
ENDIF

m.checkdeb = m.checkdeb + m.debet
m.checkcre = m.checkcre + m.credit

IF LEN(ALLTRIM(m.acc_nr)) = 0
    =MESSAGEBOX("Geen GB Rek.: " + mut_type + " Polis: " + msthis.polisnr + "
Rek: Nr.: " + m.acc_num )
    RETURN
ENDIF

SEEK m.acc_nr ORDER acc_num IN gltabl

APPEND BLANK IN journal
REPLACE journal.amt_deb WITH m.debet
REPLACE journal.amt_cre WITH m.credit
REPLACE journal.acc_num WITH m.acc_nr
REPLACE journal.polisnr WITH msthis.polisnr
REPLACE journal.tr_type WITH msthis.tr_type
REPLACE journal.tr_code WITH msthis.tr_code
REPLACE journal.tr_date WITH msthis.tr_date
REPLACE journal.notanum WITH msthis.notanum
REPLACE journal.pointer WITH msthis.pointer
REPLACE journal.org_amt WITH (msthis.amt_deb - msthis.amt_cre)
REPLACE journal.inscomp WITH compan.inscomp
REPLACE journal.agentnr WITH compan.agentnr
REPLACE journal.broktyp WITH IIF("061" $ compan.agentnr , 0,
compan.broktyp)
REPLACE journal.muttype WITH m.mut_type
REPLACE journal.bookmon WITH m.bookmon
REPLACE journal.bookorg WITH m.boekmaand
REPLACE journal.brutprm WITH m.brutprm
REPLACE journal.nettprm WITH m.nettprm
REPLACE journal.prv_amt WITH m.provisi
REPLACE journal.crs_amt WITH m.crsdeel
REPLACE journal.aob_amt WITH m.mij_nao
REPLACE journal.tr_remi WITH msthis.tr_remi
REPLACE journal.claimnr WITH msthis.claimnr
REPLACE journal.genlife WITH m.bran
REPLACE journal.accname WITH gltabl.DESCRIP
REPLACE journal.instype WITH branch.instype
REPLACE journal.tr_decr WITH msthis.tr_decr
replace journal.per_van WITH msthis.per_van
replace journal.per_tot WITH msthis.per_tot
RETURN
ENDPROC
```

```

PROCEDURE save_verdiend
  PARAMETERS m.debet, m.credit, m.acc_nr, m.bran, m.brok

  IF m.debet = 0.00 AND m.credit = 0.00
    * No zero entries
    RETURN
  ENDIF

  m.checkdeb = m.checkdeb + m.debet
  m.checkcre = m.checkcre + m.credit

  SEEK m.acc_nr ORDER acc_num IN gltabl
  SELECT journal
  APPEND BLANK
  REPLACE journal.amt_deb WITH m.debet
  REPLACE journal.amt_cre WITH m.credit
  REPLACE journal.acc_num WITH m.acc_nr
  REPLACE journal.polisnr WITH "DIVERSEN"
  REPLACE journal.tr_type WITH "ZZZ"
  REPLACE journal.tr_code WITH "Z"
  REPLACE journal.pointer WITH 0
  REPLACE journal.tr_type WITH "DIV"
  REPLACE journal.org_amt WITH m.debet - m.credit
  REPLACE journal.inscomp WITH "DIVERSEN"
  REPLACE journal.broktyp WITH m.brok
  REPLACE journal.agentnr WITH ICASE(m.brok = 0, "QIB" , m.brok = 1, "CASH"
, m.brok =2, "KRED" )
  REPLACE journal.muttype WITH "21"
  REPLACE journal.bookmon WITH m.boekmaand
  REPLACE journal.bookorg WITH m.boekmaand
  REPLACE journal.genlife WITH m.bran
  REPLACE journal.brutprm WITH m.debet - m.credit
  REPLACE journal.nettprm WITH m.debet - m.credit
  REPLACE journal.prv_amt WITH IIF("1550" $ m.acc_nr, m.debet - m.credit,
0.00)
  REPLACE journal.crs_amt WITH 0.00
  REPLACE journal.aob_amt WITH 0.00
  REPLACE journal.instype WITH branch.instype
  REPLACE journal.accname WITH gltabl.DESCRIP
  REPLACE journal.tr_decr WITH "Accum. uit Verd/Onverd bestand"
  RETURN
ENDPROC

```