



Primero vamos a generar el xml:



Ultima marca:



Posición 4 (la cual no existe en nuestro XML):

The screenshot shows XMLSpy with the XPath query `/concesionario/coche[position(4)]/marca` in the Find bar. The left pane shows a file explorer with 'System32' selected. The main editor shows a single line with the number '1'. The right pane shows a tree view of the XML document with 'marca' selected. The bottom status bar shows an error: 'Unknown function: fn:position (similar: fn:position). Result'. The right sidebar shows an error message: 'Error: Stopped at C:\N [XPST0017] Unl'. The bottom status bar also shows 'Result: - Hit(s): 0 Items - Updated: 0 Iter'.

Coches con precio superior a 8000:

The screenshot shows XMLSpy with the XPath query `/concesionario/coche[precio>8000.00]/modelo` in the Find bar. The left pane shows a file explorer with 'System32' selected. The main editor shows a single line with the number '1'. The right pane shows a tree view of the XML document with 'modelo' selected. The bottom status bar shows '2 Results, 47 b'. The right sidebar shows a result: 'Result: - Hit(s): 2 Iter - Updated: 0 - Printed: 47 - Read Locki - Write Locki'.

Coches con combustible tipo D:

Find

C:/Windows/Sy:  Find contents...

System32

- 0409
- 1033
- AccountHealthAs:
- AdvancedInstalle
- af-ZA
- am-ET
- AMD
- AppLocker
- appraiser
- AppV

Editor

file

1

OK 1 : 1

4 Results, 95 b

Result

Result:

- Hit(s): 4
- Updated:
- Printed: 9
- Read Loc
- Write Loc

Concesionario

concesionario

coche

marca	modelo	año
Volkswagen	Passat	2005
Opel	Astra	