Simulation results:

waveform



Transcript:

#T=7 [Sequencer] Starting WRITE phase...

#T = 7 [Sequencer] Sending write trans no 1

#T = 7 [Sequencer-WR] Address = 3 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 7 [Driver] Starting ....

#

#T=7 [Driver] waiting for item...

#T = 7 [Driver] Address = 3 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 15 [Monitor] Address = 3 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 15 [Scoreboard] Address = 3 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T=15 [Scoreboard] STORE: addr=0x3 data=0x9d885b94

#Subscriber received: Data_in: 9d885b94, Address: 0011

#Subscriber received: Data_out: 0, Valid_out: 0

#T=25 [Driver] waiting for item...

#T = 25 [Monitor] Address = 3 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 25 [Sequencer] Sending write trans no 2

#T = 25 [Sequencer-WR] Address = 4 Wr_En = 1 Data_in = dd0e4a89 Rd_En = 0 Data_out = 0

---------- #

#T = 25 [Scoreboard] Address = 3 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T=25 [Scoreboard] STORE: addr=0x3 data=0x9d885b94

#Subscriber received: Data_in: 9d885b94, Address: 0011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 25 [Driver] Address = 4 Wr_En = 1 Data_in = dd0e4a89 Rd_En = 0 Data_out = 0

---------- #

#T = 35 [Monitor] Address = 4 Wr_En = 1 Data_in = dd0e4a89 Rd_En = 0 Data_out = 0

---------- #

#T = 35 [Scoreboard] Address = 4 Wr_En = 1 Data_in = dd0e4a89 Rd_En = 0 Data_out = 0

---------- #

#T=35 [Scoreboard] STORE: addr=0x4 data=0xdd0e4a89

#Subscriber received: Data_in: dd0e4a89, Address: 0100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 45 [Monitor] Address = 4 Wr_En = 1 Data_in = dd0e4a89 Rd_En = 0 Data_out = 0

---------- #

#T=45 [Driver] waiting for item...

#T = 45 [Scoreboard] Address = 4 Wr_En = 1 Data_in = dd0e4a89 Rd_En = 0 Data_out = 0

---------- #

#T=45 [Scoreboard] STORE: addr=0x4 data=0xdd0e4a89

#Subscriber received: Data_in: dd0e4a89, Address: 0100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 45 [Sequencer] Sending write trans no 3

#T = 45 [Sequencer-WR] Address = 11 Wr_En = 1 Data_in = 94c47441 Rd_En = 0 Data_out = 0

---------- #

#T = 45 [Driver] Address = 11 Wr_En = 1 Data_in = 94c47441 Rd_En = 0 Data_out = 0

---------- #

#T = 55 [Monitor] Address = 11 Wr_En = 1 Data_in = 94c47441 Rd_En = 0 Data_out = 0

---------- #

#T = 55 [Scoreboard] Address = 11 Wr_En = 1 Data_in = 94c47441 Rd_En = 0 Data_out = 0

---------- #

#T=55 [Scoreboard] STORE: addr=0xb data=0x94c47441

#Subscriber received: Data_in: 94c47441, Address: 1011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 65 [Monitor] Address = 11 Wr_En = 1 Data_in = 94c47441 Rd_En = 0 Data_out = 0

---------- #

#T=65 [Driver] waiting for item...

#T = 65 [Scoreboard] Address = 11 Wr_En = 1 Data_in = 94c47441 Rd_En = 0 Data_out = 0

---------- #

#T=65 [Scoreboard] STORE: addr=0xb data=0x94c47441

#Subscriber received: Data_in: 94c47441, Address: 1011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 65 [Sequencer] Sending write trans no 4

#T = 65 [Sequencer-WR] Address = 12 Wr_En = 1 Data_in = 1f05023e Rd_En = 0 Data_out = 0

---------- #

#T = 65 [Driver] Address = 12 Wr_En = 1 Data_in = 1f05023e Rd_En = 0 Data_out = 0

---------- #

#T = 75 [Monitor] Address = 12 Wr_En = 1 Data_in = 1f05023e Rd_En = 0 Data_out = 0

---------- #

#T = 75 [Scoreboard] Address = 12 Wr_En = 1 Data_in = 1f05023e Rd_En = 0 Data_out = 0

---------- #

#T=75 [Scoreboard] STORE: addr=0xc data=0x1f05023e

#Subscriber received: Data_in: 1f05023e, Address: 1100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 85 [Monitor] Address = 12 Wr_En = 1 Data_in = 1f05023e Rd_En = 0 Data_out = 0

---------- #

#T=85 [Driver] waiting for item...

#T = 85 [Scoreboard] Address = 12 Wr_En = 1 Data_in = 1f05023e Rd_En = 0 Data_out = 0

---------- #

#T=85 [Scoreboard] STORE: addr=0xc data=0x1f05023e

#Subscriber received: Data_in: 1f05023e, Address: 1100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 85 [Sequencer] Sending write trans no 5

#T = 85 [Sequencer-WR] Address = 1 Wr_En = 1 Data_in = 71c0be2b Rd_En = 0 Data_out = 0

---------- #

#T = 85 [Driver] Address = 1 Wr_En = 1 Data_in = 71c0be2b Rd_En = 0 Data_out = 0

---------- #

#T = 95 [Monitor] Address = 1 Wr_En = 1 Data_in = 71c0be2b Rd_En = 0 Data_out = 0

---------- #

#T = 95 [Scoreboard] Address = 1 Wr_En = 1 Data_in = 71c0be2b Rd_En = 0 Data_out = 0

---------- #

#T=95 [Scoreboard] STORE: addr=0x1 data=0x71c0be2b

#Subscriber received: Data_in: 71c0be2b, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 105 [Monitor] Address = 1 Wr_En = 1 Data_in = 71c0be2b Rd_En = 0 Data_out = 0

---------- #

#T=105 [Driver] waiting for item...

#T = 105 [Scoreboard] Address = 1 Wr_En = 1 Data_in = 71c0be2b Rd_En = 0 Data_out = 0

---------- #

#T=105 [Scoreboard] STORE: addr=0x1 data=0x71c0be2b

#Subscriber received: Data_in: 71c0be2b, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 105 [Sequencer] Sending write trans no 6

#T = 105 [Sequencer-WR] Address = 9 Wr_En = 1 Data_in = 69777535 Rd_En = 0 Data_out = 0

---------- #

#T = 105 [Driver] Address = 9 Wr_En = 1 Data_in = 69777535 Rd_En = 0 Data_out = 0

---------- #

#T = 115 [Monitor] Address = 9 Wr_En = 1 Data_in = 69777535 Rd_En = 0 Data_out = 0

---------- #

#T = 115 [Scoreboard] Address = 9 Wr_En = 1 Data_in = 69777535 Rd_En = 0 Data_out = 0

---------- #

#T=115 [Scoreboard] STORE: addr=0x9 data=0x69777535

#Subscriber received: Data_in: 69777535, Address: 1001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 125 [Monitor] Address = 9 Wr_En = 1 Data_in = 69777535 Rd_En = 0 Data_out = 0

---------- #

#T=125 [Driver] waiting for item...

#T = 125 [Scoreboard] Address = 9 Wr_En = 1 Data_in = 69777535 Rd_En = 0 Data_out = 0

---------- #

#T=125 [Scoreboard] STORE: addr=0x9 data=0x69777535

#Subscriber received: Data_in: 69777535, Address: 1001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 125 [Sequencer] Sending write trans no 7

#T = 125 [Sequencer-WR] Address = 2 Wr_En = 1 Data_in = ee51a6bf Rd_En = 0 Data_out = 0

---------- #

#T = 125 [Driver] Address = 2 Wr_En = 1 Data_in = ee51a6bf Rd_En = 0 Data_out = 0

---------- #

#T = 135 [Monitor] Address = 2 Wr_En = 1 Data_in = ee51a6bf Rd_En = 0 Data_out = 0

---------- #

#T = 135 [Scoreboard] Address = 2 Wr_En = 1 Data_in = ee51a6bf Rd_En = 0 Data_out = 0

---------- #

#T=135 [Scoreboard] STORE: addr=0x2 data=0xee51a6bf

#Subscriber received: Data_in: ee51a6bf, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 145 [Monitor] Address = 2 Wr_En = 1 Data_in = ee51a6bf Rd_En = 0 Data_out = 0

---------- #

#T=145 [Driver] waiting for item...

#T = 145 [Scoreboard] Address = 2 Wr_En = 1 Data_in = ee51a6bf Rd_En = 0 Data_out = 0

---------- #

#T=145 [Scoreboard] STORE: addr=0x2 data=0xee51a6bf

#Subscriber received: Data_in: ee51a6bf, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 145 [Sequencer] Sending write trans no 8

#T = 145 [Sequencer-WR] Address = 7 Wr_En = 1 Data_in = 7def4e49 Rd_En = 0 Data_out = 0

---------- #

#T = 145 [Driver] Address = 7 Wr_En = 1 Data_in = 7def4e49 Rd_En = 0 Data_out = 0

---------- #

#T = 155 [Monitor] Address = 7 Wr_En = 1 Data_in = 7def4e49 Rd_En = 0 Data_out = 0

---------- #

#T = 155 [Scoreboard] Address = 7 Wr_En = 1 Data_in = 7def4e49 Rd_En = 0 Data_out = 0

---------- #

#T=155 [Scoreboard] STORE: addr=0x7 data=0x7def4e49

#Subscriber received: Data_in: 7def4e49, Address: 0111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 165 [Monitor] Address = 7 Wr_En = 1 Data_in = 7def4e49 Rd_En = 0 Data_out = 0

---------- #

#T=165 [Driver] waiting for item...

#T = 165 [Scoreboard] Address = 7 Wr_En = 1 Data_in = 7def4e49 Rd_En = 0 Data_out = 0

---------- #

#T=165 [Scoreboard] STORE: addr=0x7 data=0x7def4e49

#Subscriber received: Data_in: 7def4e49, Address: 0111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 165 [Sequencer] Sending write trans no 9

#T = 165 [Sequencer-WR] Address = 10 Wr_En = 1 Data_in = 65fbd90 Rd_En = 0 Data_out = 0

---------- #

#T = 165 [Driver] Address = 10 Wr_En = 1 Data_in = 65fbd90 Rd_En = 0 Data_out = 0

---------- #

#T = 175 [Monitor] Address = 10 Wr_En = 1 Data_in = 65fbd90 Rd_En = 0 Data_out = 0

---------- #

#T = 175 [Scoreboard] Address = 10 Wr_En = 1 Data_in = 65fbd90 Rd_En = 0 Data_out = 0

---------- #

#T=175 [Scoreboard] STORE: addr=0xa data=0x65fbd90

#Subscriber received: Data_in: 65fbd90, Address: 1010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 185 [Monitor] Address = 10 Wr_En = 1 Data_in = 65fbd90 Rd_En = 0 Data_out = 0

---------- #

#T=185 [Driver] waiting for item...

#T = 185 [Scoreboard] Address = 10 Wr_En = 1 Data_in = 65fbd90 Rd_En = 0 Data_out = 0

---------- #

#T=185 [Scoreboard] STORE: addr=0xa data=0x65fbd90

#Subscriber received: Data_in: 65fbd90, Address: 1010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 185 [Sequencer] Sending write trans no 10

#T = 185 [Sequencer-WR] Address = 15 Wr_En = 1 Data_in = 2a3e68cd Rd_En = 0 Data_out = 0

---------- #

#T = 185 [Driver] Address = 15 Wr_En = 1 Data_in = 2a3e68cd Rd_En = 0 Data_out = 0

---------- #

#T = 195 [Monitor] Address = 15 Wr_En = 1 Data_in = 2a3e68cd Rd_En = 0 Data_out = 0

---------- #

#T = 195 [Scoreboard] Address = 15 Wr_En = 1 Data_in = 2a3e68cd Rd_En = 0 Data_out = 0

---------- #

#T=195 [Scoreboard] STORE: addr=0xf data=0x2a3e68cd

#Subscriber received: Data_in: 2a3e68cd, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 205 [Monitor] Address = 15 Wr_En = 1 Data_in = 2a3e68cd Rd_En = 0 Data_out = 0

---------- #

#T=205 [Driver] waiting for item...

#T = 205 [Scoreboard] Address = 15 Wr_En = 1 Data_in = 2a3e68cd Rd_En = 0 Data_out = 0

---------- #

#T=205 [Scoreboard] STORE: addr=0xf data=0x2a3e68cd

#Subscriber received: Data_in: 2a3e68cd, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 205 [Sequencer] Sending write trans no 11

#T = 205 [Sequencer-WR] Address = 0 Wr_En = 1 Data_in = 60d8f93c Rd_En = 0 Data_out = 0

---------- #

#T = 205 [Driver] Address = 0 Wr_En = 1 Data_in = 60d8f93c Rd_En = 0 Data_out = 0

---------- #

#T = 215 [Monitor] Address = 0 Wr_En = 1 Data_in = 60d8f93c Rd_En = 0 Data_out = 0

---------- #

#T = 215 [Scoreboard] Address = 0 Wr_En = 1 Data_in = 60d8f93c Rd_En = 0 Data_out = 0

---------- #

#T=215 [Scoreboard] STORE: addr=0x0 data=0x60d8f93c

#Subscriber received: Data_in: 60d8f93c, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 225 [Monitor] Address = 0 Wr_En = 1 Data_in = 60d8f93c Rd_En = 0 Data_out = 0

---------- #

#T=225 [Driver] waiting for item...

#T = 225 [Scoreboard] Address = 0 Wr_En = 1 Data_in = 60d8f93c Rd_En = 0 Data_out = 0

---------- #

#T=225 [Scoreboard] STORE: addr=0x0 data=0x60d8f93c

#Subscriber received: Data_in: 60d8f93c, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 225 [Sequencer] Sending write trans no 12

#T = 225 [Sequencer-WR] Address = 5 Wr_En = 1 Data_in = e1fb3f6 Rd_En = 0 Data_out = 0

---------- #

#T = 225 [Driver] Address = 5 Wr_En = 1 Data_in = e1fb3f6 Rd_En = 0 Data_out = 0

---------- #

#T = 235 [Monitor] Address = 5 Wr_En = 1 Data_in = e1fb3f6 Rd_En = 0 Data_out = 0

---------- #

#T = 235 [Scoreboard] Address = 5 Wr_En = 1 Data_in = e1fb3f6 Rd_En = 0 Data_out = 0

---------- #

#T=235 [Scoreboard] STORE: addr=0x5 data=0xe1fb3f6

#Subscriber received: Data_in: e1fb3f6, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 245 [Monitor] Address = 5 Wr_En = 1 Data_in = e1fb3f6 Rd_En = 0 Data_out = 0

---------- #

#T=245 [Driver] waiting for item...

#T = 245 [Scoreboard] Address = 5 Wr_En = 1 Data_in = e1fb3f6 Rd_En = 0 Data_out = 0

---------- #

#T=245 [Scoreboard] STORE: addr=0x5 data=0xe1fb3f6

#Subscriber received: Data_in: e1fb3f6, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 245 [Sequencer] Sending write trans no 13

#T = 245 [Sequencer-WR] Address = 8 Wr_En = 1 Data_in = f0bba488 Rd_En = 0 Data_out = 0

---------- #

#T = 245 [Driver] Address = 8 Wr_En = 1 Data_in = f0bba488 Rd_En = 0 Data_out = 0

---------- #

#T = 255 [Monitor] Address = 8 Wr_En = 1 Data_in = f0bba488 Rd_En = 0 Data_out = 0

---------- #

#T = 255 [Scoreboard] Address = 8 Wr_En = 1 Data_in = f0bba488 Rd_En = 0 Data_out = 0

---------- #

#T=255 [Scoreboard] STORE: addr=0x8 data=0xf0bba488

#Subscriber received: Data_in: f0bba488, Address: 1000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 265 [Monitor] Address = 8 Wr_En = 1 Data_in = f0bba488 Rd_En = 0 Data_out = 0

---------- #

#T=265 [Driver] waiting for item...

#T = 265 [Scoreboard] Address = 8 Wr_En = 1 Data_in = f0bba488 Rd_En = 0 Data_out = 0

---------- #

#T=265 [Scoreboard] STORE: addr=0x8 data=0xf0bba488

#Subscriber received: Data_in: f0bba488, Address: 1000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 265 [Sequencer] Sending write trans no 14

#T = 265 [Sequencer-WR] Address = 13 Wr_En = 1 Data_in = 5681817e Rd_En = 0 Data_out = 0

---------- #

#T = 265 [Driver] Address = 13 Wr_En = 1 Data_in = 5681817e Rd_En = 0 Data_out = 0

---------- #

#T = 275 [Monitor] Address = 13 Wr_En = 1 Data_in = 5681817e Rd_En = 0 Data_out = 0

---------- #

#T = 275 [Scoreboard] Address = 13 Wr_En = 1 Data_in = 5681817e Rd_En = 0 Data_out = 0

---------- #

#T=275 [Scoreboard] STORE: addr=0xd data=0x5681817e

#Subscriber received: Data_in: 5681817e, Address: 1101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 285 [Monitor] Address = 13 Wr_En = 1 Data_in = 5681817e Rd_En = 0 Data_out = 0

---------- #

#T=285 [Driver] waiting for item...

#T = 285 [Scoreboard] Address = 13 Wr_En = 1 Data_in = 5681817e Rd_En = 0 Data_out = 0

---------- #

#T=285 [Scoreboard] STORE: addr=0xd data=0x5681817e

#Subscriber received: Data_in: 5681817e, Address: 1101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 285 [Sequencer] Sending write trans no 15

#T = 285 [Sequencer-WR] Address = 6 Wr_En = 1 Data_in = d5c79c49 Rd_En = 0 Data_out = 0

---------- #

#T = 285 [Driver] Address = 6 Wr_En = 1 Data_in = d5c79c49 Rd_En = 0 Data_out = 0

---------- #

#T = 295 [Monitor] Address = 6 Wr_En = 1 Data_in = d5c79c49 Rd_En = 0 Data_out = 0

---------- #

#T = 295 [Scoreboard] Address = 6 Wr_En = 1 Data_in = d5c79c49 Rd_En = 0 Data_out = 0

---------- #

#T=295 [Scoreboard] STORE: addr=0x6 data=0xd5c79c49

#Subscriber received: Data_in: d5c79c49, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 305 [Monitor] Address = 6 Wr_En = 1 Data_in = d5c79c49 Rd_En = 0 Data_out = 0

---------- #

#T=305 [Driver] waiting for item...

#T = 305 [Scoreboard] Address = 6 Wr_En = 1 Data_in = d5c79c49 Rd_En = 0 Data_out = 0

---------- #

#T=305 [Scoreboard] STORE: addr=0x6 data=0xd5c79c49

#Subscriber received: Data_in: d5c79c49, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 305 [Sequencer] Sending write trans no 16

#T = 305 [Sequencer-WR] Address = 14 Wr_En = 1 Data_in = dbab60a6 Rd_En = 0 Data_out = 0

---------- #

#T = 305 [Driver] Address = 14 Wr_En = 1 Data_in = dbab60a6 Rd_En = 0 Data_out = 0

---------- #

#T = 315 [Monitor] Address = 14 Wr_En = 1 Data_in = dbab60a6 Rd_En = 0 Data_out = 0

---------- #

#T = 315 [Scoreboard] Address = 14 Wr_En = 1 Data_in = dbab60a6 Rd_En = 0
Data_out = 0

---------- #

#T=315 [Scoreboard] STORE: addr=0xe data=0xdbab60a6

#Subscriber received: Data_in: dbab60a6, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 325 [Monitor] Address = 14 Wr_En = 1 Data_in = dbab60a6 Rd_En = 0
Data_out = 0

---------- #

#T=325 [Driver] waiting for item...

#T = 325 [Scoreboard] Address = 14 Wr_En = 1 Data_in = dbab60a6 Rd_En = 0
Data_out = 0

---------- #

#T=325 [Scoreboard] STORE: addr=0xe data=0xdbab60a6

#Subscriber received: Data_in: dbab60a6, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T=325 [Sequencer] WRITE DONE (16 items(

#T=325 [Sequencer] Starting READ phase...

#T = 325 [Sequencer] Sending READ trans no 1

#T = 325 [Sequencer-RD] Address = 10 Wr_En = 0 Data_in = 72ce917a
Rd_En = 1 Data_out = 0

---------- #

#T = 325 [Driver] Address = 10 Wr_En = 0 Data_in = 72ce917a Rd_En = 1
Data_out = 0

---------- #

#T = 345 [Monitor] Address = 10 Wr_En = 0 Data_in = 72ce917a Rd_En = 1
Data_out = 65fbd90

---------- #

#T=345 [Driver] waiting for item...

#T = 345 [Scoreboard] Address = 10 Wr_En = 0 Data_in = 72ce917a Rd_En = 1 Data_out = 65fbd90

---------- #

#T=345 [Scoreboard] PASS! addr=0xa exp=0x65fbd90 act=0x65fbd90

#Subscriber received: Data_in: 72ce917a, Address: 1010

#Subscriber received: Data_out: 65fbd90, Valid_out: 1

#T = 345 [Sequencer] Sending READ trans no 2

#T = 345 [Sequencer-RD] Address = 1 Wr_En = 0 Data_in = b5f8dacd Rd_En = 1 Data_out = 0

---------- #

#T = 345 [Driver] Address = 1 Wr_En = 0 Data_in = b5f8dacd Rd_En = 1 Data_out = 0

---------- #

#T = 365 [Monitor] Address = 1 Wr_En = 0 Data_in = b5f8dacd Rd_En = 1 Data_out = 71c0be2b

---------- #

#T=365 [Driver] waiting for item...

#T = 365 [Scoreboard] Address = 1 Wr_En = 0 Data_in = b5f8dacd Rd_En = 1 Data_out = 71c0be2b

---------- #

#T=365 [Scoreboard] PASS! addr=0x1 exp=0x71c0be2b act=0x71c0be2b

#Subscriber received: Data_in: b5f8dacd, Address: 0001

#Subscriber received: Data_out: 71c0be2b, Valid_out: 1

#T = 365 [Sequencer] Sending READ trans no 3

#T = 365 [Sequencer-RD] Address = 14 Wr_En = 0 Data_in = 46d97b54 Rd_En = 1 Data_out = 0

---------- #

#T = 365 [Driver] Address = 14 Wr_En = 0 Data_in = 46d97b54 Rd_En = 1 Data_out = 0

---------- #

#T = 385 [Monitor] Address = 14 Wr_En = 0 Data_in = 46d97b54 Rd_En = 1 Data_out = dbab60a6

---------- #

#T=385 [Driver] waiting for item...

#T = 385 [Scoreboard] Address = 14 Wr_En = 0 Data_in = 46d97b54 Rd_En = 1 Data_out = dbab60a6

---------- #

#T=385 [Scoreboard] PASS! addr=0xe exp=0xdbab60a6 act=0xdbab60a6

#Subscriber received: Data_in: 46d97b54, Address: 1110

#Subscriber received: Data_out: dbab60a6, Valid_out: 1

#T = 385 [Sequencer] Sending READ trans no 4

#T = 385 [Sequencer-RD] Address = 5 Wr_En = 0 Data_in = bc4d650a Rd_En = 1 Data_out = 0

---------- #

#T = 385 [Driver] Address = 5 Wr_En = 0 Data_in = bc4d650a Rd_En = 1 Data_out = 0

---------- #

#T = 405 [Monitor] Address = 5 Wr_En = 0 Data_in = bc4d650a Rd_En = 1 Data_out = e1fb3f6

---------- #

#T=405 [Driver] waiting for item...

#T = 405 [Scoreboard] Address = 5 Wr_En = 0 Data_in = bc4d650a Rd_En = 1 Data_out = e1fb3f6

---------- #

#T=405 [Scoreboard] PASS! addr=0x5 exp=0xe1fb3f6 act=0xe1fb3f6

#Subscriber received: Data_in: bc4d650a, Address: 0101

#Subscriber received: Data_out: e1fb3f6, Valid_out: 1

#T = 405 [Sequencer] Sending READ trans no 5

#T = 405 [Sequencer-RD] Address = 2 Wr_En = 0 Data_in = c728cc24 Rd_En = 1 Data_out = 0

---------- #

#T = 405 [Driver] Address = 2 Wr_En = 0 Data_in = c728cc24 Rd_En = 1 Data_out = 0

---------- #

#T = 425 [Monitor] Address = 2 Wr_En = 0 Data_in = c728cc24 Rd_En = 1 Data_out = ee51a6bf

---------- #

#T=425 [Driver] waiting for item...

#T = 425 [Scoreboard] Address = 2 Wr_En = 0 Data_in = c728cc24 Rd_En = 1 Data_out = ee51a6bf

---------- #

#T=425 [Scoreboard] PASS! addr=0x2 exp=0xee51a6bf act=0xee51a6bf

#Subscriber received: Data_in: c728cc24, Address: 0010

#Subscriber received: Data_out: ee51a6bf, Valid_out: 1

#T = 425 [Sequencer] Sending READ trans no 6

#T = 425 [Sequencer-RD] Address = 11 Wr_En = 0 Data_in = dd51ab4c Rd_En = 1 Data_out = 0

---------- #

#T = 425 [Driver] Address = 11 Wr_En = 0 Data_in = dd51ab4c Rd_En = 1 Data_out = 0

---------- #

#T = 445 [Monitor] Address = 11 Wr_En = 0 Data_in = dd51ab4c Rd_En = 1 Data_out = 94c47441

---------- #

#T=445 [Driver] waiting for item...

#T = 445 [Scoreboard] Address = 11 Wr_En = 0 Data_in = dd51ab4c Rd_En = 1 Data_out = 94c47441

---------- #

#T=445 [Scoreboard] PASS! addr=0xb exp=0x94c47441 act=0x94c47441

#Subscriber received: Data_in: dd51ab4c, Address: 1011

#Subscriber received: Data_out: 94c47441, Valid_out: 1

#T = 445 [Sequencer] Sending READ trans no 7

#T = 445 [Sequencer-RD] Address = 6 Wr_En = 0 Data_in = 7a1ed63a Rd_En = 1 Data_out = 0

---------- #

#T = 445 [Driver] Address = 6 Wr_En = 0 Data_in = 7a1ed63a Rd_En = 1 Data_out = 0

---------- #

#T = 465 [Monitor] Address = 6 Wr_En = 0 Data_in = 7a1ed63a Rd_En = 1 Data_out = d5c79c49

---------- #

#T=465 [Driver] waiting for item...

#T = 465 [Scoreboard] Address = 6 Wr_En = 0 Data_in = 7a1ed63a Rd_En = 1 Data_out = d5c79c49

---------- #

#T=465 [Scoreboard] PASS! addr=0x6 exp=0xd5c79c49 act=0xd5c79c49

#Subscriber received: Data_in: 7a1ed63a, Address: 0110

#Subscriber received: Data_out: d5c79c49, Valid_out: 1

#T = 465 [Sequencer] Sending READ trans no 8

#T = 465 [Sequencer-RD] Address = 15 Wr_En = 0 Data_in = 12e3b9d2 Rd_En = 1 Data_out = 0

---------- #

#T = 465 [Driver] Address = 15 Wr_En = 0 Data_in = 12e3b9d2 Rd_En = 1 Data_out = 0

---------- #

#T = 485 [Monitor] Address = 15 Wr_En = 0 Data_in = 12e3b9d2 Rd_En = 1 Data_out = 2a3e68cd

---------- #

#T=485 [Driver] waiting for item...

#T = 485 [Scoreboard] Address = 15 Wr_En = 0 Data_in = 12e3b9d2 Rd_En = 1 Data_out = 2a3e68cd

---------- #

#T=485 [Scoreboard] PASS! addr=0xf exp=0x2a3e68cd act=0x2a3e68cd

#Subscriber received: Data_in: 12e3b9d2, Address: 1111

#Subscriber received: Data_out: 2a3e68cd, Valid_out: 1

#T = 485 [Sequencer] Sending READ trans no 9

#T = 485 [Sequencer-RD] Address = 3 Wr_En = 0 Data_in = 16a260cf Rd_En = 1 Data_out = 0

---------- #

#T = 485 [Driver] Address = 3 Wr_En = 0 Data_in = 16a260cf Rd_En = 1 Data_out = 0

---------- #

#T = 505 [Monitor] Address = 3 Wr_En = 0 Data_in = 16a260cf Rd_En = 1 Data_out = 9d885b94

---------- #

#T=505 [Driver] waiting for item...

#T = 505 [Scoreboard] Address = 3 Wr_En = 0 Data_in = 16a260cf Rd_En = 1 Data_out = 9d885b94

---------- #

#T=505 [Scoreboard] PASS! addr=0x3 exp=0x9d885b94 act=0x9d885b94

#Subscriber received: Data_in: 16a260cf, Address: 0011

#Subscriber received: Data_out: 9d885b94, Valid_out: 1

#T = 505 [Sequencer] Sending READ trans no 10

#T = 505 [Sequencer-RD] Address = 8 Wr_En = 0 Data_in = 4dcc8042 Rd_En = 1 Data_out = 0

---------- #

#T = 505 [Driver] Address = 8 Wr_En = 0 Data_in = 4dcc8042 Rd_En = 1 Data_out = 0

---------- #

#T = 525 [Monitor] Address = 8 Wr_En = 0 Data_in = 4dcc8042 Rd_En = 1 Data_out = f0bba488

---------- #

#T=525 [Driver] waiting for item...

#T = 525 [Scoreboard] Address = 8 Wr_En = 0 Data_in = 4dcc8042 Rd_En = 1 Data_out = f0bba488

---------- #

#T=525 [Scoreboard] PASS! addr=0x8 exp=0xf0bba488 act=0xf0bba488

#Subscriber received: Data_in: 4dcc8042, Address: 1000

#Subscriber received: Data_out: f0bba488, Valid_out: 1

#T = 525 [Sequencer] Sending READ trans no 11

#T = 525 [Sequencer-RD] Address = 7 Wr_En = 0 Data_in = 9516ccff Rd_En = 1 Data_out = 0

---------- #

#T = 525 [Driver] Address = 7 Wr_En = 0 Data_in = 9516ccff Rd_En = 1 Data_out = 0

---------- #

#T = 545 [Monitor] Address = 7 Wr_En = 0 Data_in = 9516ccff Rd_En = 1 Data_out = 7def4e49

---------- #

#T=545 [Driver] waiting for item...

#T = 545 [Scoreboard] Address = 7 Wr_En = 0 Data_in = 9516ccff Rd_En = 1 Data_out = 7def4e49

---------- #

#T=545 [Scoreboard] PASS! addr=0x7 exp=0x7def4e49 act=0x7def4e49

#Subscriber received: Data_in: 9516ccff, Address: 0111

#Subscriber received: Data_out: 7def4e49, Valid_out: 1

#T = 545 [Sequencer] Sending READ trans no 12

#T = 545 [Sequencer-RD] Address = 12 Wr_En = 0 Data_in = 9fa39eda Rd_En = 1 Data_out = 0

---------- #

#T = 545 [Driver] Address = 12 Wr_En = 0 Data_in = 9fa39eda Rd_En = 1 Data_out = 0

---------- #

#T = 565 [Monitor] Address = 12 Wr_En = 0 Data_in = 9fa39eda Rd_En = 1 Data_out = 1f05023e

---------- #

#T=565 [Driver] waiting for item...

#T = 565 [Scoreboard] Address = 12 Wr_En = 0 Data_in = 9fa39eda Rd_En = 1 Data_out = 1f05023e

---------- #

#T=565 [Scoreboard] PASS! addr=0xc exp=0x1f05023e act=0x1f05023e

#Subscriber received: Data_in: 9fa39eda, Address: 1100

#Subscriber received: Data_out: 1f05023e, Valid_out: 1

#T = 565 [Sequencer] Sending READ trans no 13

#T = 565 [Sequencer-RD] Address = 0 Wr_En = 0 Data_in = ddef9a1c Rd_En = 1 Data_out = 0

---------- #

#T = 565 [Driver] Address = 0 Wr_En = 0 Data_in = ddef9a1c Rd_En = 1 Data_out = 0

---------- #

#T = 585 [Monitor] Address = 0 Wr_En = 0 Data_in = ddef9a1c Rd_En = 1 Data_out = 60d8f93c

---------- #

#T=585 [Driver] waiting for item...

#T = 585 [Scoreboard] Address = 0 Wr_En = 0 Data_in = ddef9a1c Rd_En = 1 Data_out = 60d8f93c

---------- #

#T=585 [Scoreboard] PASS! addr=0x0 exp=0x60d8f93c act=0x60d8f93c

#Subscriber received: Data_in: ddef9a1c, Address: 0000

#Subscriber received: Data_out: 60d8f93c, Valid_out: 1

#T = 585 [Sequencer] Sending READ trans no 14

#T = 585 [Sequencer-RD] Address = 9 Wr_En = 0 Data_in = 34926123 Rd_En = 1 Data_out = 0

---------- #

#T = 585 [Driver] Address = 9 Wr_En = 0 Data_in = 34926123 Rd_En = 1 Data_out = 0

---------- #

#T = 605 [Monitor] Address = 9 Wr_En = 0 Data_in = 34926123 Rd_En = 1 Data_out = 69777535

---------- #

#T=605 [Driver] waiting for item...

#T = 605 [Scoreboard] Address = 9 Wr_En = 0 Data_in = 34926123 Rd_En = 1 Data_out = 69777535

---------- #

#T=605 [Scoreboard] PASS! addr=0x9 exp=0x69777535 act=0x69777535

#Subscriber received: Data_in: 34926123, Address: 1001

#Subscriber received: Data_out: 69777535, Valid_out: 1

#T = 605 [Sequencer] Sending READ trans no 15

#T = 605 [Sequencer-RD] Address = 4 Wr_En = 0 Data_in = 14aff73b Rd_En = 1 Data_out = 0

---------- #

#T = 605 [Driver] Address = 4 Wr_En = 0 Data_in = 14aff73b Rd_En = 1 Data_out = 0

---------- #

#T = 625 [Monitor] Address = 4 Wr_En = 0 Data_in = 14aff73b Rd_En = 1 Data_out = dd0e4a89

---------- #

#T=625 [Driver] waiting for item...

#T = 625 [Scoreboard] Address = 4 Wr_En = 0 Data_in = 14aff73b Rd_En = 1 Data_out = dd0e4a89

---------- #

#T=625 [Scoreboard] PASS! addr=0x4 exp=0xdd0e4a89 act=0xdd0e4a89

#Subscriber received: Data_in: 14aff73b, Address: 0100

#Subscriber received: Data_out: dd0e4a89, Valid_out: 1

#T = 625 [Sequencer] Sending READ trans no 16

#T = 625 [Sequencer-RD] Address = 13 Wr_En = 0 Data_in = 44896a1c Rd_En = 1 Data_out = 0

---------- #

#T = 625 [Driver] Address = 13 Wr_En = 0 Data_in = 44896a1c Rd_En = 1 Data_out = 0

---------- #

#T = 645 [Monitor] Address = 13 Wr_En = 0 Data_in = 44896a1c Rd_En = 1 Data_out = 5681817e

---------- #

#T=645 [Driver] waiting for item...

#T = 645 [Scoreboard] Address = 13 Wr_En = 0 Data_in = 44896a1c Rd_En = 1 Data_out = 5681817e

---------- #

#T=645 [Scoreboard] PASS! addr=0xd exp=0x5681817e act=0x5681817e

#Subscriber received: Data_in: 44896a1c, Address: 1101

#Subscriber received: Data_out: 5681817e, Valid_out: 1

#T=645 [Sequencer] READ DONE (16 items(

#T=645 [Sequencer] Starting MIXED phase...

#T = 645 [Sequencer-MIX] Address = 1 Wr_En = 0 Data_in = e5a6387d Rd_En = 0 Data_out = 0

---------- #

#T = 645 [Driver] Address = 1 Wr_En = 0 Data_in = e5a6387d Rd_En = 0 Data_out = 0

---------- #

#T = 655 [Monitor] Address = 1 Wr_En = 0 Data_in = e5a6387d Rd_En = 0 Data_out = 0

---------- #

#T = 655 [Scoreboard] Address = 1 Wr_En = 0 Data_in = e5a6387d Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: e5a6387d, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 665 [Monitor] Address = 1 Wr_En = 0 Data_in = e5a6387d Rd_En = 0 Data_out = 0

---------- #

#T=665 [Driver] waiting for item...

#T = 665 [Scoreboard] Address = 1 Wr_En = 0 Data_in = e5a6387d Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: e5a6387d, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 665 [Sequencer-MIX] Address = 7 Wr_En = 1 Data_in = bbfe1a3 Rd_En = 1 Data_out = 0

---------- #

#T = 665 [Driver] Address = 7 Wr_En = 1 Data_in = bbfe1a3 Rd_En = 1 Data_out = 0

---------- #

#T = 675 [Monitor] Address = 7 Wr_En = 1 Data_in = bbfe1a3 Rd_En = 1 Data_out = 0

---------- #

#T = 675 [Scoreboard] Address = 7 Wr_En = 1 Data_in = bbfe1a3 Rd_En = 1 Data_out = 0

---------- #

#T=675 [Scoreboard] STORE: addr=0x7 data=0xbbfe1a3

#Subscriber received: Data_in: bbfe1a3, Address: 0111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 685 [Monitor] Address = 7 Wr_En = 1 Data_in = bbfe1a3 Rd_En = 1 Data_out = 0

---------- #

#T=685 [Driver] waiting for item...

#T = 685 [Scoreboard] Address = 7 Wr_En = 1 Data_in = bbfe1a3 Rd_En = 1 Data_out = 0

---------- #

#T=685 [Scoreboard] STORE: addr=0x7 data=0xbbfe1a3

#Subscriber received: Data_in: bbfe1a3, Address: 0111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 685 [Sequencer-MIX] Address = 5 Wr_En = 1 Data_in = 35eee2f3 Rd_En = 0 Data_out = 0

---------- #

#T = 685 [Driver] Address = 5 Wr_En = 1 Data_in = 35eee2f3 Rd_En = 0 Data_out = 0

---------- #

#T = 695 [Monitor] Address = 5 Wr_En = 1 Data_in = 35eee2f3 Rd_En = 0 Data_out = 0

---------- #

#T = 695 [Scoreboard] Address = 5 Wr_En = 1 Data_in = 35eee2f3 Rd_En = 0 Data_out = 0

---------- #

#T=695 [Scoreboard] STORE: addr=0x5 data=0x35eee2f3

#Subscriber received: Data_in: 35eee2f3, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 705 [Monitor] Address = 5 Wr_En = 1 Data_in = 35eee2f3 Rd_En = 0 Data_out = 0

---------- #

#T=705 [Driver] waiting for item...

#T = 705 [Scoreboard] Address = 5 Wr_En = 1 Data_in = 35eee2f3 Rd_En = 0 Data_out = 0

---------- #

#T=705 [Scoreboard] STORE: addr=0x5 data=0x35eee2f3

#Subscriber received: Data_in: 35eee2f3, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 705 [Sequencer-MIX] Address = 10 Wr_En = 0 Data_in = 9ccf5ada Rd_En = 1 Data_out = 0

---------- #

#T = 705 [Driver] Address = 10 Wr_En = 0 Data_in = 9ccf5ada Rd_En = 1 Data_out = 0

---------- #

#T = 725 [Monitor] Address = 10 Wr_En = 0 Data_in = 9ccf5ada Rd_En = 1 Data_out = 65fbd90

---------- #

#T=725 [Driver] waiting for item...

#T = 725 [Scoreboard] Address = 10 Wr_En = 0 Data_in = 9ccf5ada Rd_En = 1 Data_out = 65fbd90

---------- #

#T=725 [Scoreboard] PASS! addr=0xa exp=0x65fbd90 act=0x65fbd90

#Subscriber received: Data_in: 9ccf5ada, Address: 1010

#Subscriber received: Data_out: 65fbd90, Valid_out: 1

#T = 725 [Sequencer-MIX] Address = 8 Wr_En = 1 Data_in = f533a8c Rd_En = 1 Data_out = 0

---------- #

#T = 725 [Driver] Address = 8 Wr_En = 1 Data_in = f533a8c Rd_En = 1 Data_out = 0

---------- #

#T = 735 [Monitor] Address = 8 Wr_En = 1 Data_in = f533a8c Rd_En = 1 Data_out = 0

---------- #

#T = 735 [Scoreboard] Address = 8 Wr_En = 1 Data_in = f533a8c Rd_En = 1 Data_out = 0

---------- #

#T=735 [Scoreboard] STORE: addr=0x8 data=0xf533a8c

#Subscriber received: Data_in: f533a8c, Address: 1000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 745 [Monitor] Address = 8 Wr_En = 1 Data_in = f533a8c Rd_En = 1 Data_out = 0

---------- #

#T=745 [Driver] waiting for item...

#T = 745 [Scoreboard] Address = 8 Wr_En = 1 Data_in = f533a8c Rd_En = 1 Data_out = 0

---------- #

#T=745 [Scoreboard] STORE: addr=0x8 data=0xf533a8c

#Subscriber received: Data_in: f533a8c, Address: 1000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 745 [Sequencer-MIX] Address = 14 Wr_En = 1 Data_in = 9d68be25 Rd_En = 0 Data_out = 0

---------- #

#T = 745 [Driver] Address = 14 Wr_En = 1 Data_in = 9d68be25 Rd_En = 0 Data_out = 0

---------- #

#T = 755 [Monitor] Address = 14 Wr_En = 1 Data_in = 9d68be25 Rd_En = 0 Data_out = 0

---------- #

#T = 755 [Scoreboard] Address = 14 Wr_En = 1 Data_in = 9d68be25 Rd_En = 0 Data_out = 0

---------- #

#T=755 [Scoreboard] STORE: addr=0xe data=0x9d68be25

#Subscriber received: Data_in: 9d68be25, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 765 [Monitor] Address = 14 Wr_En = 1 Data_in = 9d68be25 Rd_En = 0 Data_out = 0

---------- #

#T=765 [Driver] waiting for item...

#T = 765 [Scoreboard] Address = 14 Wr_En = 1 Data_in = 9d68be25 Rd_En = 0 Data_out = 0

---------- #

#T=765 [Scoreboard] STORE: addr=0xe data=0x9d68be25

#Subscriber received: Data_in: 9d68be25, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 765 [Sequencer-MIX] Address = 12 Wr_En = 0 Data_in = 8fb26d23 Rd_En = 1 Data_out = 0

---------- #

#T = 765 [Driver] Address = 12 Wr_En = 0 Data_in = 8fb26d23 Rd_En = 1 Data_out = 0

---------- #

#T = 785 [Monitor] Address = 12 Wr_En = 0 Data_in = 8fb26d23 Rd_En = 1 Data_out = 1f05023e

---------- #

#T=785 [Driver] waiting for item...

#T = 785 [Scoreboard] Address = 12 Wr_En = 0 Data_in = 8fb26d23 Rd_En = 1 Data_out = 1f05023e

---------- #

#T=785 [Scoreboard] PASS! addr=0xc exp=0x1f05023e act=0x1f05023e

#Subscriber received: Data_in: 8fb26d23, Address: 1100

#Subscriber received: Data_out: 1f05023e, Valid_out: 1

#T = 785 [Sequencer-MIX] Address = 2 Wr_En = 1 Data_in = aca74946 Rd_En = 1 Data_out = 0

---------- #

#T = 785 [Driver] Address = 2 Wr_En = 1 Data_in = aca74946 Rd_En = 1 Data_out = 0

---------- #

#T = 795 [Monitor] Address = 2 Wr_En = 1 Data_in = aca74946 Rd_En = 1 Data_out = 0

---------- #

#T = 795 [Scoreboard] Address = 2 Wr_En = 1 Data_in = aca74946 Rd_En = 1 Data_out = 0

---------- #

#T=795 [Scoreboard] STORE: addr=0x2 data=0xaca74946

#Subscriber received: Data_in: aca74946, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 805 [Monitor] Address = 2 Wr_En = 1 Data_in = aca74946 Rd_En = 1 Data_out = 0

---------- #

#T=805 [Driver] waiting for item...

#T = 805 [Scoreboard] Address = 2 Wr_En = 1 Data_in = aca74946 Rd_En = 1 Data_out = 0

---------- #

#T=805 [Scoreboard] STORE: addr=0x2 data=0xaca74946

#Subscriber received: Data_in: aca74946, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 805 [Sequencer-MIX] Address = 0 Wr_En = 0 Data_in = 69956a55 Rd_En = 0 Data_out = 0

---------- #

#T = 805 [Driver] Address = 0 Wr_En = 0 Data_in = 69956a55 Rd_En = 0 Data_out = 0

---------- #

#T = 815 [Monitor] Address = 0 Wr_En = 0 Data_in = 69956a55 Rd_En = 0 Data_out = 0

---------- #

#T = 815 [Scoreboard] Address = 0 Wr_En = 0 Data_in = 69956a55 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 69956a55, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 825 [Monitor] Address = 0 Wr_En = 0 Data_in = 69956a55 Rd_En = 0 Data_out = 0

---------- #

#T=825 [Driver] waiting for item...

#T = 825 [Scoreboard] Address = 0 Wr_En = 0 Data_in = 69956a55 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 69956a55, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 825 [Sequencer-MIX] Address = 6 Wr_En = 1 Data_in = 15a15a1c Rd_En = 1 Data_out = 0

---------- #

#T = 825 [Driver] Address = 6 Wr_En = 1 Data_in = 15a15a1c Rd_En = 1 Data_out = 0

---------- #

#T = 835 [Monitor] Address = 6 Wr_En = 1 Data_in = 15a15a1c Rd_En = 1 Data_out = 0

---------- #

#T = 835 [Scoreboard] Address = 6 Wr_En = 1 Data_in = 15a15a1c Rd_En = 1 Data_out = 0

---------- #

#T=835 [Scoreboard] STORE: addr=0x6 data=0x15a15a1c

#Subscriber received: Data_in: 15a15a1c, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 845 [Monitor] Address = 6 Wr_En = 1 Data_in = 15a15a1c Rd_En = 1 Data_out = 0

---------- #

#T=845 [Driver] waiting for item...

#T = 845 [Scoreboard] Address = 6 Wr_En = 1 Data_in = 15a15a1c Rd_En = 1 Data_out = 0

---------- #

#T=845 [Scoreboard] STORE: addr=0x6 data=0x15a15a1c

#Subscriber received: Data_in: 15a15a1c, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 845 [Sequencer-MIX] Address = 4 Wr_En = 0 Data_in = 6d02b012 Rd_En = 0 Data_out = 0

---------- #

#T = 845 [Driver] Address = 4 Wr_En = 0 Data_in = 6d02b012 Rd_En = 0 Data_out = 0

---------- #

#T = 855 [Monitor] Address = 4 Wr_En = 0 Data_in = 6d02b012 Rd_En = 0 Data_out = 0

---------- #

#T = 855 [Scoreboard] Address = 4 Wr_En = 0 Data_in = 6d02b012 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 6d02b012, Address: 0100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 865 [Monitor] Address = 4 Wr_En = 0 Data_in = 6d02b012 Rd_En = 0 Data_out = 0

---------- #

#T=865 [Driver] waiting for item...

#T = 865 [Scoreboard] Address = 4 Wr_En = 0 Data_in = 6d02b012 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 6d02b012, Address: 0100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 865 [Sequencer-MIX] Address = 11 Wr_En = 1 Data_in = 7aff5c71 Rd_En = 0 Data_out = 0

---------- #

#T = 865 [Driver] Address = 11 Wr_En = 1 Data_in = 7aff5c71 Rd_En = 0 Data_out = 0

---------- #

#T = 875 [Monitor] Address = 11 Wr_En = 1 Data_in = 7aff5c71 Rd_En = 0 Data_out = 0

---------- #

#T = 875 [Scoreboard] Address = 11 Wr_En = 1 Data_in = 7aff5c71 Rd_En = 0 Data_out = 0

---------- #

#T=875 [Scoreboard] STORE: addr=0xb data=0x7aff5c71

#Subscriber received: Data_in: 7aff5c71, Address: 1011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 885 [Monitor] Address = 11 Wr_En = 1 Data_in = 7aff5c71 Rd_En = 0 Data_out = 0

---------- #

#T=885 [Driver] waiting for item...

#T = 885 [Scoreboard] Address = 11 Wr_En = 1 Data_in = 7aff5c71 Rd_En = 0 Data_out = 0

---------- #

#T=885 [Scoreboard] STORE: addr=0xb data=0x7aff5c71

#Subscriber received: Data_in: 7aff5c71, Address: 1011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 885 [Sequencer-MIX] Address = 9 Wr_En = 0 Data_in = efea1ed9 Rd_En = 0 Data_out = 0

---------- #

#T = 885 [Driver] Address = 9 Wr_En = 0 Data_in = efea1ed9 Rd_En = 0 Data_out = 0

---------- #

#T = 895 [Monitor] Address = 9 Wr_En = 0 Data_in = efea1ed9 Rd_En = 0 Data_out = 0

---------- #

#T = 895 [Scoreboard] Address = 9 Wr_En = 0 Data_in = efea1ed9 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: efea1ed9, Address: 1001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 905 [Monitor] Address = 9 Wr_En = 0 Data_in = efea1ed9 Rd_En = 0 Data_out = 0

---------- #

#T=905 [Driver] waiting for item...

#T = 905 [Scoreboard] Address = 9 Wr_En = 0 Data_in = efea1ed9 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: efea1ed9, Address: 1001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 905 [Sequencer-MIX] Address = 15 Wr_En = 0 Data_in = 4abe56da Rd_En = 0 Data_out = 0

---------- #

#T = 905 [Driver] Address = 15 Wr_En = 0 Data_in = 4abe56da Rd_En = 0 Data_out = 0

---------- #

#T = 915 [Monitor] Address = 15 Wr_En = 0 Data_in = 4abe56da Rd_En = 0 Data_out = 0

---------- #

#T = 915 [Scoreboard] Address = 15 Wr_En = 0 Data_in = 4abe56da Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 4abe56da, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 925 [Monitor] Address = 15 Wr_En = 0 Data_in = 4abe56da Rd_En = 0 Data_out = 0

---------- #

#T=925 [Driver] waiting for item...

#T = 925 [Scoreboard] Address = 15 Wr_En = 0 Data_in = 4abe56da Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 4abe56da, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 925 [Sequencer-MIX] Address = 13 Wr_En = 0 Data_in = 6fd344a3 Rd_En = 1 Data_out = 0

---------- #

#T = 925 [Driver] Address = 13 Wr_En = 0 Data_in = 6fd344a3 Rd_En = 1 Data_out = 0

---------- #

#T = 945 [Monitor] Address = 13 Wr_En = 0 Data_in = 6fd344a3 Rd_En = 1 Data_out = 5681817e

---------- #

#T=945 [Driver] waiting for item...

#T = 945 [Scoreboard] Address = 13 Wr_En = 0 Data_in = 6fd344a3 Rd_En = 1 Data_out = 5681817e

---------- #

#T=945 [Scoreboard] PASS! addr=0xd exp=0x5681817e act=0x5681817e

#Subscriber received: Data_in: 6fd344a3, Address: 1101

#Subscriber received: Data_out: 5681817e, Valid_out: 1

#T = 945 [Sequencer-MIX] Address = 3 Wr_En = 1 Data_in = f988e86f Rd_En = 1 Data_out = 0

---------- #

#T = 945 [Driver] Address = 3 Wr_En = 1 Data_in = f988e86f Rd_En = 1 Data_out = 0

---------- #

```
#T = 955 [Monitor]        Address = 3       Wr_En = 1         Data_in = f988e86f        Rd_En = 1
          Data_out = 0

------------------------------------------------------------ #

#T = 955 [Scoreboard]   Address = 3       Wr_En = 1         Data_in = f988e86f        Rd_En = 1
          Data_out = 0

------------------------------------------------------------ #

#T=955 [Scoreboard] STORE: addr=0x3 data=0xf988e86f

#Subscriber received: Data_in: f988e86f, Address: 0011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 965 [Monitor]        Address = 3       Wr_En = 1         Data_in = f988e86f        Rd_En = 1
          Data_out = 0

------------------------------------------------------------ #

#T=965 [Driver] waiting for item...

#T = 965 [Scoreboard]   Address = 3       Wr_En = 1         Data_in = f988e86f        Rd_En = 1
          Data_out = 0

------------------------------------------------------------ #

#T=965 [Scoreboard] STORE: addr=0x3 data=0xf988e86f

#Subscriber received: Data_in: f988e86f, Address: 0011

#Subscriber received: Data_out: 0, Valid_out: 0

#T=965 [Sequencer] MIXED DONE (16 items(

** #Note: $stop    : tb_top.sv(35(

#    Time: 975 ns  Iteration: 0  Instance: /tb_top
```