Simulation results:

waveform





Transcript

T=7 [Sequencer] Starting WRITE phase...

#T = 7 [Sequencer] Sending write trans no 1

#T = 7 [Sequencer-WR] Address = 0 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 7 [Driver] Starting ....

#

#T=7 [Driver] waiting for item...

#T = 7 [Driver] Address = 0 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 15 [Monitor] Address = 0 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 15 [Scoreboard] Address = 0 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T=15 [Scoreboard] Store addr=0x0 wr=0x1 data=0x9d885b94

#Subscriber received: Data_in: 9d885b94, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T=25 [Driver] waiting for item...

#T = 25 [Monitor] Address = 0 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T = 25 [Sequencer] Sending write trans no 2

#T = 25 [Sequencer-WR] Address = 1 Wr_En = 1 Data_in = ff4eb12b Rd_En = 0 Data_out = 0

---------- #

#T = 25 [Scoreboard] Address = 0 Wr_En = 1 Data_in = 9d885b94 Rd_En = 0 Data_out = 0

---------- #

#T=25 [Scoreboard] Store addr=0x0 wr=0x1 data=0x9d885b94

#Subscriber received: Data_in: 9d885b94, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 25 [Driver] Address = 1 Wr_En = 1 Data_in = ff4eb12b Rd_En = 0 Data_out = 0

---------- #

#T = 35 [Monitor] Address = 1 Wr_En = 1 Data_in = ff4eb12b Rd_En = 0 Data_out = 0

---------- #

#T = 35 [Scoreboard] Address = 1 Wr_En = 1 Data_in = ff4eb12b Rd_En = 0 Data_out = 0

---------- #

#T=35 [Scoreboard] Store addr=0x1 wr=0x1 data=0xff4eb12b

#Subscriber received: Data_in: ff4eb12b, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 45 [Monitor] Address = 1 Wr_En = 1 Data_in = ff4eb12b Rd_En = 0 Data_out = 0

---------- #

#T=45 [Driver] waiting for item...

#T = 45 [Scoreboard] Address = 1 Wr_En = 1 Data_in = ff4eb12b Rd_En = 0 Data_out = 0

---------- #

#T=45 [Scoreboard] Store addr=0x1 wr=0x1 data=0xff4eb12b

#Subscriber received: Data_in: ff4eb12b, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 45 [Sequencer] Sending write trans no 3

#T = 45 [Sequencer-WR] Address = 2 Wr_En = 1 Data_in = d4b6f20d Rd_En = 0 Data_out = 0

---------- #

#T = 45 [Driver] Address = 2 Wr_En = 1 Data_in = d4b6f20d Rd_En = 0 Data_out = 0

---------- #

#T = 55 [Monitor] Address = 2 Wr_En = 1 Data_in = d4b6f20d Rd_En = 0 Data_out = 0

---------- #

#T = 55 [Scoreboard] Address = 2 Wr_En = 1 Data_in = d4b6f20d Rd_En = 0 Data_out = 0

---------- #

#T=55 [Scoreboard] Store addr=0x2 wr=0x1 data=0xd4b6f20d

#Subscriber received: Data_in: d4b6f20d, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 65 [Monitor] Address = 2 Wr_En = 1 Data_in = d4b6f20d Rd_En = 0 Data_out = 0

---------- #

#T=65 [Driver] waiting for item...

#T = 65 [Scoreboard] Address = 2 Wr_En = 1 Data_in = d4b6f20d Rd_En = 0 Data_out = 0

---------- #

#T=65 [Scoreboard] Store addr=0x2 wr=0x1 data=0xd4b6f20d

#Subscriber received: Data_in: d4b6f20d, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 65 [Sequencer] Sending write trans no 4

#T = 65 [Sequencer-WR] Address = 3 Wr_En = 1 Data_in = 85186a98 Rd_En = 0 Data_out = 0

---------- #

#T = 65 [Driver] Address = 3 Wr_En = 1 Data_in = 85186a98 Rd_En = 0 Data_out = 0

---------- #

#T = 75 [Monitor] Address = 3 Wr_En = 1 Data_in = 85186a98 Rd_En = 0 Data_out = 0

---------- #

#T = 75 [Scoreboard] Address = 3 Wr_En = 1 Data_in = 85186a98 Rd_En = 0 Data_out = 0

---------- #

#T=75 [Scoreboard] Store addr=0x3 wr=0x1 data=0x85186a98

#Subscriber received: Data_in: 85186a98, Address: 0011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 85 [Monitor] Address = 3 Wr_En = 1 Data_in = 85186a98 Rd_En = 0 Data_out = 0

---------- #

#T=85 [Driver] waiting for item...

#T = 85 [Scoreboard] Address = 3 Wr_En = 1 Data_in = 85186a98 Rd_En = 0 Data_out = 0

---------- #

#T=85 [Scoreboard] Store addr=0x3 wr=0x1 data=0x85186a98

#Subscriber received: Data_in: 85186a98, Address: 0011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 85 [Sequencer] Sending write trans no 5

#T = 85 [Sequencer-WR] Address = 4 Wr_En = 1 Data_in = 898d3ae8 Rd_En = 0 Data_out = 0

---------- #

#T = 85 [Driver] Address = 4 Wr_En = 1 Data_in = 898d3ae8 Rd_En = 0 Data_out = 0

---------- #

#T = 95 [Monitor] Address = 4 Wr_En = 1 Data_in = 898d3ae8 Rd_En = 0 Data_out = 0

---------- #

#T = 95 [Scoreboard] Address = 4 Wr_En = 1 Data_in = 898d3ae8 Rd_En = 0 Data_out = 0

---------- #

#T=95 [Scoreboard] Store addr=0x4 wr=0x1 data=0x898d3ae8

#Subscriber received: Data_in: 898d3ae8, Address: 0100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 105 [Monitor] Address = 4 Wr_En = 1 Data_in = 898d3ae8 Rd_En = 0 Data_out = 0

---------- #

#T=105 [Driver] waiting for item...

#T = 105 [Scoreboard] Address = 4 Wr_En = 1 Data_in = 898d3ae8 Rd_En = 0 Data_out = 0

---------- #

#T=105 [Scoreboard] Store addr=0x4 wr=0x1 data=0x898d3ae8

#Subscriber received: Data_in: 898d3ae8, Address: 0100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 105 [Sequencer] Sending write trans no 6

#T = 105 [Sequencer-WR] Address = 5 Wr_En = 1 Data_in = f68155ed Rd_En = 0 Data_out = 0

---------- #

#T = 105 [Driver] Address = 5 Wr_En = 1 Data_in = f68155ed Rd_En = 0 Data_out = 0

---------- #

#T = 115 [Monitor] Address = 5 Wr_En = 1 Data_in = f68155ed Rd_En = 0 Data_out = 0

---------- #

#T = 115 [Scoreboard] Address = 5 Wr_En = 1 Data_in = f68155ed Rd_En = 0 Data_out = 0

---------- #

#T=115 [Scoreboard] Store addr=0x5 wr=0x1 data=0xf68155ed

#Subscriber received: Data_in: f68155ed, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 125 [Monitor] Address = 5 Wr_En = 1 Data_in = f68155ed Rd_En = 0 Data_out = 0

---------- #

#T=125 [Driver] waiting for item...

#T = 125 [Scoreboard] Address = 5 Wr_En = 1 Data_in = f68155ed Rd_En = 0 Data_out = 0

---------- #

#T=125 [Scoreboard] Store addr=0x5 wr=0x1 data=0xf68155ed

#Subscriber received: Data_in: f68155ed, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 125 [Sequencer] Sending write trans no 7

#T = 125 [Sequencer-WR] Address = 6 Wr_En = 1 Data_in = c889fd21 Rd_En = 0 Data_out = 0

---------- #

#T = 125 [Driver] Address = 6 Wr_En = 1 Data_in = c889fd21 Rd_En = 0 Data_out = 0

---------- #

#T = 135 [Monitor] Address = 6 Wr_En = 1 Data_in = c889fd21 Rd_En = 0 Data_out = 0

---------- #

#T = 135 [Scoreboard] Address = 6 Wr_En = 1 Data_in = c889fd21 Rd_En = 0
Data_out = 0

---------- #

#T=135 [Scoreboard] Store addr=0x6 wr=0x1 data=0xc889fd21

#Subscriber received: Data_in: c889fd21, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 145 [Monitor] Address = 6 Wr_En = 1 Data_in = c889fd21 Rd_En = 0
Data_out = 0

---------- #

#T=145 [Driver] waiting for item...

#T = 145 [Scoreboard] Address = 6 Wr_En = 1 Data_in = c889fd21 Rd_En = 0
Data_out = 0

---------- #

#T=145 [Scoreboard] Store addr=0x6 wr=0x1 data=0xc889fd21

#Subscriber received: Data_in: c889fd21, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 145 [Sequencer] Sending write trans no 8

#T = 145 [Sequencer-WR] Address = 7 Wr_En = 1 Data_in = 398e945f
Rd_En = 0 Data_out = 0

---------- #

#T = 145 [Driver] Address = 7 Wr_En = 1 Data_in = 398e945f Rd_En = 0
Data_out = 0

---------- #

#T = 155 [Monitor] Address = 7 Wr_En = 1 Data_in = 398e945f Rd_En = 0
Data_out = 0

---------- #

#T = 155 [Scoreboard] Address = 7 Wr_En = 1 Data_in = 398e945f Rd_En = 0
Data_out = 0

---------- #

#T=155 [Scoreboard] Store addr=0x7 wr=0x1 data=0x398e945f

#Subscriber received: Data_in: 398e945f, Address: 0111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 165 [Monitor] Address = 7 Wr_En = 1 Data_in = 398e945f Rd_En = 0 Data_out = 0

---------- #

#T=165 [Driver] waiting for item...

#T = 165 [Scoreboard] Address = 7 Wr_En = 1 Data_in = 398e945f Rd_En = 0 Data_out = 0

---------- #

#T=165 [Scoreboard] Store addr=0x7 wr=0x1 data=0x398e945f

#Subscriber received: Data_in: 398e945f, Address: 0111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 165 [Sequencer] Sending write trans no 9

#T = 165 [Sequencer-WR] Address = 8 Wr_En = 1 Data_in = 5f401b84 Rd_En = 0 Data_out = 0

---------- #

#T = 165 [Driver] Address = 8 Wr_En = 1 Data_in = 5f401b84 Rd_En = 0 Data_out = 0

---------- #

#T = 175 [Monitor] Address = 8 Wr_En = 1 Data_in = 5f401b84 Rd_En = 0 Data_out = 0

---------- #

#T = 175 [Scoreboard] Address = 8 Wr_En = 1 Data_in = 5f401b84 Rd_En = 0 Data_out = 0

---------- #

#T=175 [Scoreboard] Store addr=0x8 wr=0x1 data=0x5f401b84

#Subscriber received: Data_in: 5f401b84, Address: 1000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 185 [Monitor] Address = 8 Wr_En = 1 Data_in = 5f401b84 Rd_En = 0 Data_out = 0

---------- #

#T=185 [Driver] waiting for item...

#T = 185 [Scoreboard] Address = 8 Wr_En = 1 Data_in = 5f401b84 Rd_En = 0 Data_out = 0

---------- #

#T=185 [Scoreboard] Store addr=0x8 wr=0x1 data=0x5f401b84

#Subscriber received: Data_in: 5f401b84, Address: 1000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 185 [Sequencer] Sending write trans no 10

#T = 185 [Sequencer-WR] Address = 9 Wr_En = 1 Data_in = 746e7d2f Rd_En = 0 Data_out = 0

---------- #

#T = 185 [Driver] Address = 9 Wr_En = 1 Data_in = 746e7d2f Rd_En = 0 Data_out = 0

---------- #

#T = 195 [Monitor] Address = 9 Wr_En = 1 Data_in = 746e7d2f Rd_En = 0 Data_out = 0

---------- #

#T = 195 [Scoreboard] Address = 9 Wr_En = 1 Data_in = 746e7d2f Rd_En = 0 Data_out = 0

---------- #

#T=195 [Scoreboard] Store addr=0x9 wr=0x1 data=0x746e7d2f

#Subscriber received: Data_in: 746e7d2f, Address: 1001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 205 [Monitor] Address = 9 Wr_En = 1 Data_in = 746e7d2f Rd_En = 0 Data_out = 0

---------- #

#T=205 [Driver] waiting for item...

#T = 205 [Scoreboard] Address = 9 Wr_En = 1 Data_in = 746e7d2f Rd_En = 0 Data_out = 0

---------- #

#T=205 [Scoreboard] Store addr=0x9 wr=0x1 data=0x746e7d2f

#Subscriber received: Data_in: 746e7d2f, Address: 1001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 205 [Sequencer] Sending write trans no 11

#T = 205 [Sequencer-WR] Address = 10 Wr_En = 1 Data_in = d7bde730 Rd_En = 0 Data_out = 0

---------- #

#T = 205 [Driver] Address = 10 Wr_En = 1 Data_in = d7bde730 Rd_En = 0 Data_out = 0

---------- #

#T = 215 [Monitor] Address = 10 Wr_En = 1 Data_in = d7bde730 Rd_En = 0 Data_out = 0

---------- #

#T = 215 [Scoreboard] Address = 10 Wr_En = 1 Data_in = d7bde730 Rd_En = 0 Data_out = 0

---------- #

#T=215 [Scoreboard] Store addr=0xa wr=0x1 data=0xd7bde730

#Subscriber received: Data_in: d7bde730, Address: 1010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 225 [Monitor] Address = 10 Wr_En = 1 Data_in = d7bde730 Rd_En = 0 Data_out = 0

---------- #

#T=225 [Driver] waiting for item...

#T = 225 [Scoreboard] Address = 10 Wr_En = 1 Data_in = d7bde730 Rd_En = 0 Data_out = 0

---------- #

#T=225 [Scoreboard] Store addr=0xa wr=0x1 data=0xd7bde730

#Subscriber received: Data_in: d7bde730, Address: 1010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 225 [Sequencer] Sending write trans no 12

#T = 225 [Sequencer-WR] Address = 11 Wr_En = 1 Data_in = 3d3754e8 Rd_En = 0 Data_out = 0

---------- #

#T = 225 [Driver] Address = 11 Wr_En = 1 Data_in = 3d3754e8 Rd_En = 0 Data_out = 0

---------- #

#T = 235 [Monitor] Address = 11 Wr_En = 1 Data_in = 3d3754e8 Rd_En = 0 Data_out = 0

---------- #

#T = 235 [Scoreboard] Address = 11 Wr_En = 1 Data_in = 3d3754e8 Rd_En = 0 Data_out = 0

---------- #

#T=235 [Scoreboard] Store addr=0xb wr=0x1 data=0x3d3754e8

#Subscriber received: Data_in: 3d3754e8, Address: 1011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 245 [Monitor] Address = 11 Wr_En = 1 Data_in = 3d3754e8 Rd_En = 0 Data_out = 0

---------- #

#T=245 [Driver] waiting for item...

#T = 245 [Scoreboard] Address = 11 Wr_En = 1 Data_in = 3d3754e8 Rd_En = 0 Data_out = 0

---------- #

#T=245 [Scoreboard] Store addr=0xb wr=0x1 data=0x3d3754e8

#Subscriber received: Data_in: 3d3754e8, Address: 1011

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 245 [Sequencer] Sending write trans no 13

#T = 245 [Sequencer-WR] Address = 12 Wr_En = 1 Data_in = 20a0f220 Rd_En = 0 Data_out = 0

---------- #

#T = 245 [Driver] Address = 12 Wr_En = 1 Data_in = 20a0f220 Rd_En = 0 Data_out = 0

---------- #

#T = 255 [Monitor] Address = 12 Wr_En = 1 Data_in = 20a0f220 Rd_En = 0 Data_out = 0

---------- #

#T = 255 [Scoreboard] Address = 12 Wr_En = 1 Data_in = 20a0f220 Rd_En = 0 Data_out = 0

---------- #

#T=255 [Scoreboard] Store addr=0xc wr=0x1 data=0x20a0f220

#Subscriber received: Data_in: 20a0f220, Address: 1100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 265 [Monitor] Address = 12 Wr_En = 1 Data_in = 20a0f220 Rd_En = 0 Data_out = 0

---------- #

#T=265 [Driver] waiting for item...

#T = 265 [Scoreboard] Address = 12 Wr_En = 1 Data_in = 20a0f220 Rd_En = 0 Data_out = 0

---------- #

#T=265 [Scoreboard] Store addr=0xc wr=0x1 data=0x20a0f220

#Subscriber received: Data_in: 20a0f220, Address: 1100

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 265 [Sequencer] Sending write trans no 14

#T = 265 [Sequencer-WR] Address = 13 Wr_En = 1 Data_in = c0bcdec9 Rd_En = 0 Data_out = 0

---------- #

#T = 265 [Driver] Address = 13 Wr_En = 1 Data_in = c0bcdec9 Rd_En = 0 Data_out = 0

---------- #

#T = 275 [Monitor] Address = 13 Wr_En = 1 Data_in = c0bcdec9 Rd_En = 0 Data_out = 0

---------- #

#T = 275 [Scoreboard] Address = 13 Wr_En = 1 Data_in = c0bcdec9 Rd_En = 0 Data_out = 0

---------- #

#T=275 [Scoreboard] Store addr=0xd wr=0x1 data=0xc0bcdec9

#Subscriber received: Data_in: c0bcdec9, Address: 1101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 285 [Monitor] Address = 13 Wr_En = 1 Data_in = c0bcdec9 Rd_En = 0 Data_out = 0

---------- #

#T=285 [Driver] waiting for item...

#T = 285 [Scoreboard] Address = 13 Wr_En = 1 Data_in = c0bcdec9 Rd_En = 0 Data_out = 0

---------- #

#T=285 [Scoreboard] Store addr=0xd wr=0x1 data=0xc0bcdec9

#Subscriber received: Data_in: c0bcdec9, Address: 1101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 285 [Sequencer] Sending write trans no 15

#T = 285 [Sequencer-WR] Address = 14 Wr_En = 1 Data_in = fc1922c9 Rd_En = 0 Data_out = 0

---------- #

#T = 285 [Driver] Address = 14 Wr_En = 1 Data_in = fc1922c9 Rd_En = 0 Data_out = 0

---------- #

#T = 295 [Monitor] Address = 14 Wr_En = 1 Data_in = fc1922c9 Rd_En = 0 Data_out = 0

---------- #

#T = 295 [Scoreboard] Address = 14 Wr_En = 1 Data_in = fc1922c9 Rd_En = 0 Data_out = 0

---------- #

#T=295 [Scoreboard] Store addr=0xe wr=0x1 data=0xfc1922c9

#Subscriber received: Data_in: fc1922c9, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 305 [Monitor] Address = 14 Wr_En = 1 Data_in = fc1922c9 Rd_En = 0 Data_out = 0

---------- #

#T=305 [Driver] waiting for item...

#T = 305 [Scoreboard] Address = 14 Wr_En = 1 Data_in = fc1922c9 Rd_En = 0 Data_out = 0

---------- #

#T=305 [Scoreboard] Store addr=0xe wr=0x1 data=0xfc1922c9

#Subscriber received: Data_in: fc1922c9, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 305 [Sequencer] Sending write trans no 16

#T = 305 [Sequencer-WR] Address = 15 Wr_En = 1 Data_in = 71b419e5 Rd_En = 0 Data_out = 0

---------- #

#T = 305 [Driver] Address = 15 Wr_En = 1 Data_in = 71b419e5 Rd_En = 0 Data_out = 0

---------- #

#T = 315 [Monitor] Address = 15 Wr_En = 1 Data_in = 71b419e5 Rd_En = 0 Data_out = 0

---------- #

#T = 315 [Scoreboard] Address = 15 Wr_En = 1 Data_in = 71b419e5 Rd_En = 0 Data_out = 0

---------- #

#T=315 [Scoreboard] Store addr=0xf wr=0x1 data=0x71b419e5

#Subscriber received: Data_in: 71b419e5, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 325 [Monitor] Address = 15 Wr_En = 1 Data_in = 71b419e5 Rd_En = 0 Data_out = 0

---------- #

#T=325 [Driver] waiting for item...

#T = 325 [Scoreboard] Address = 15 Wr_En = 1 Data_in = 71b419e5 Rd_En = 0 Data_out = 0

---------- #

#T=325 [Scoreboard] Store addr=0xf wr=0x1 data=0x71b419e5

#Subscriber received: Data_in: 71b419e5, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T=325 [Sequencer] WRITE DONE (16 items(

#T=325 [Sequencer] Starting READ phase...

#T = 325 [Sequencer] Sending READ trans no 1

#T = 325 [Sequencer-RD] Address = 0 Wr_En = 0 Data_in = 9de8efec Rd_En = 1 Data_out = 0

---------- #

#T = 325 [Driver] Address = 0 Wr_En = 0 Data_in = 9de8efec Rd_En = 1 Data_out = 0

---------- #

#T = 345 [Monitor] Address = 0 Wr_En = 0 Data_in = 9de8efec Rd_En = 1 Data_out = 9d885b94

---------- #

#T=345 [Driver] waiting for item...

#T = 345 [Scoreboard] Address = 0 Wr_En = 0 Data_in = 9de8efec Rd_En = 1 Data_out = 9d885b94

---------- #

#T=345 [Scoreboard] correct addr=0x0 exp=0x9d885b94 act=0x9d885b94

#Subscriber received: Data_in: 9de8efec, Address: 0000

#Subscriber received: Data_out: 9d885b94, Valid_out: 1

#T = 345 [Sequencer] Sending READ trans no 2

#T = 345 [Sequencer-RD] Address = 1 Wr_En = 0 Data_in = 19247ba0 Rd_En = 1 Data_out = 0

---------- #

#T = 345 [Driver] Address = 1 Wr_En = 0 Data_in = 19247ba0 Rd_En = 1 Data_out = 0

---------- #

#T = 365 [Monitor] Address = 1 Wr_En = 0 Data_in = 19247ba0 Rd_En = 1 Data_out = ff4eb12b

---------- #

#T=365 [Driver] waiting for item...

#T = 365 [Scoreboard] Address = 1 Wr_En = 0 Data_in = 19247ba0 Rd_En = 1 Data_out = ff4eb12b

---------- #

#T=365 [Scoreboard] correct addr=0x1 exp=0xff4eb12b act=0xff4eb12b

#Subscriber received: Data_in: 19247ba0, Address: 0001

#Subscriber received: Data_out: ff4eb12b, Valid_out: 1

#T = 365 [Sequencer] Sending READ trans no 3

#T = 365 [Sequencer-RD] Address = 2 Wr_En = 0 Data_in = ac3fd6ef Rd_En = 1 Data_out = 0

---------- #

#T = 365 [Driver] Address = 2 Wr_En = 0 Data_in = ac3fd6ef Rd_En = 1 Data_out = 0

---------- #

#T = 385 [Monitor] Address = 2 Wr_En = 0 Data_in = ac3fd6ef Rd_En = 1 Data_out = d4b6f20d

---------- #

#T=385 [Driver] waiting for item...

#T = 385 [Scoreboard] Address = 2 Wr_En = 0 Data_in = ac3fd6ef Rd_En = 1 Data_out = d4b6f20d

---------- #

#T=385 [Scoreboard] correct addr=0x2 exp=0xd4b6f20d act=0xd4b6f20d

#Subscriber received: Data_in: ac3fd6ef, Address: 0010

#Subscriber received: Data_out: d4b6f20d, Valid_out: 1

#T = 385 [Sequencer] Sending READ trans no 4

#T = 385 [Sequencer-RD] Address = 3 Wr_En = 0 Data_in = 30741e76 Rd_En = 1 Data_out = 0

---------- #

#T = 385 [Driver] Address = 3 Wr_En = 0 Data_in = 30741e76 Rd_En = 1 Data_out = 0

---------- #

#T = 405 [Monitor] Address = 3 Wr_En = 0 Data_in = 30741e76 Rd_En = 1 Data_out = 85186a98

---------- #

#T=405 [Driver] waiting for item...

#T = 405 [Scoreboard] Address = 3 Wr_En = 0 Data_in = 30741e76 Rd_En = 1 Data_out = 85186a98

---------- #

#T=405 [Scoreboard] correct addr=0x3 exp=0x85186a98 act=0x85186a98

#Subscriber received: Data_in: 30741e76, Address: 0011

#Subscriber received: Data_out: 85186a98, Valid_out: 1

#T = 405 [Sequencer] Sending READ trans no 5

#T = 405 [Sequencer-RD] Address = 4 Wr_En = 0 Data_in = 38739cb7 Rd_En = 1 Data_out = 0

---------- #

#T = 405 [Driver] Address = 4 Wr_En = 0 Data_in = 38739cb7 Rd_En = 1 Data_out = 0

---------- #

#T = 425 [Monitor] Address = 4 Wr_En = 0 Data_in = 38739cb7 Rd_En = 1 Data_out = 898d3ae8

---------- #

#T=425 [Driver] waiting for item...

#T = 425 [Scoreboard] Address = 4 Wr_En = 0 Data_in = 38739cb7 Rd_En = 1 Data_out = 898d3ae8

---------- #

#T=425 [Scoreboard] correct addr=0x4 exp=0x898d3ae8 act=0x898d3ae8

#Subscriber received: Data_in: 38739cb7, Address: 0100

#Subscriber received: Data_out: 898d3ae8, Valid_out: 1

#T = 425 [Sequencer] Sending READ trans no 6

#T = 425 [Sequencer-RD] Address = 5 Wr_En = 0 Data_in = 34d8eb30 Rd_En = 1 Data_out = 0

---------- #

#T = 425 [Driver] Address = 5 Wr_En = 0 Data_in = 34d8eb30 Rd_En = 1 Data_out = 0

---------- #

#T = 445 [Monitor] Address = 5 Wr_En = 0 Data_in = 34d8eb30 Rd_En = 1 Data_out = f68155ed

---------- #

#T=445 [Driver] waiting for item...

#T = 445 [Scoreboard] Address = 5 Wr_En = 0 Data_in = 34d8eb30 Rd_En = 1 Data_out = f68155ed

---------- #

#T=445 [Scoreboard] correct addr=0x5 exp=0xf68155ed act=0xf68155ed

#Subscriber received: Data_in: 34d8eb30, Address: 0101

#Subscriber received: Data_out: f68155ed, Valid_out: 1

#T = 445 [Sequencer] Sending READ trans no 7

#T = 445 [Sequencer-RD] Address = 6 Wr_En = 0 Data_in = e597441b Rd_En = 1 Data_out = 0

---------- #

#T = 445 [Driver] Address = 6 Wr_En = 0 Data_in = e597441b Rd_En = 1 Data_out = 0

---------- #

#T = 465 [Monitor] Address = 6 Wr_En = 0 Data_in = e597441b Rd_En = 1 Data_out = c889fd21

---------- #

#T=465 [Driver] waiting for item...

#T = 465 [Scoreboard] Address = 6 Wr_En = 0 Data_in = e597441b Rd_En = 1 Data_out = c889fd21

---------- #

#T=465 [Scoreboard] correct addr=0x6 exp=0xc889fd21 act=0xc889fd21

#Subscriber received: Data_in: e597441b, Address: 0110

#Subscriber received: Data_out: c889fd21, Valid_out: 1

#T = 465 [Sequencer] Sending READ trans no 8

#T = 465 [Sequencer-RD] Address = 7 Wr_En = 0 Data_in = 20188838 Rd_En = 1 Data_out = 0

---------- #

#T = 465 [Driver] Address = 7 Wr_En = 0 Data_in = 20188838 Rd_En = 1 Data_out = 0

---------- #

#T = 485 [Monitor] Address = 7 Wr_En = 0 Data_in = 20188838 Rd_En = 1 Data_out = 398e945f

---------- #

#T=485 [Driver] waiting for item...

#T = 485 [Scoreboard] Address = 7 Wr_En = 0 Data_in = 20188838 Rd_En = 1 Data_out = 398e945f

---------- #

#T=485 [Scoreboard] correct addr=0x7 exp=0x398e945f act=0x398e945f

#Subscriber received: Data_in: 20188838, Address: 0111

#Subscriber received: Data_out: 398e945f, Valid_out: 1

#T = 485 [Sequencer] Sending READ trans no 9

#T = 485 [Sequencer-RD] Address = 8 Wr_En = 0 Data_in = 91bbe2bd Rd_En = 1 Data_out = 0

---------- #

#T = 485 [Driver] Address = 8 Wr_En = 0 Data_in = 91bbe2bd Rd_En = 1 Data_out = 0

---------- #

#T = 505 [Monitor] Address = 8 Wr_En = 0 Data_in = 91bbe2bd Rd_En = 1 Data_out = 5f401b84

---------- #

#T=505 [Driver] waiting for item...

#T = 505 [Scoreboard] Address = 8 Wr_En = 0 Data_in = 91bbe2bd Rd_En = 1 Data_out = 5f401b84

---------- #

#T=505 [Scoreboard] correct addr=0x8 exp=0x5f401b84 act=0x5f401b84

#Subscriber received: Data_in: 91bbe2bd, Address: 1000

#Subscriber received: Data_out: 5f401b84, Valid_out: 1

#T = 505 [Sequencer] Sending READ trans no 10

#T = 505 [Sequencer-RD] Address = 9 Wr_En = 0 Data_in = 584c02f3 Rd_En = 1 Data_out = 0

---------- #

#T = 505 [Driver] Address = 9 Wr_En = 0 Data_in = 584c02f3 Rd_En = 1 Data_out = 0

---------- #

#T = 525 [Monitor] Address = 9 Wr_En = 0 Data_in = 584c02f3 Rd_En = 1 Data_out = 746e7d2f

---------- #

#T=525 [Driver] waiting for item...

#T = 525 [Scoreboard] Address = 9 Wr_En = 0 Data_in = 584c02f3 Rd_En = 1 Data_out = 746e7d2f

---------- #

#T=525 [Scoreboard] correct addr=0x9 exp=0x746e7d2f act=0x746e7d2f

#Subscriber received: Data_in: 584c02f3, Address: 1001

#Subscriber received: Data_out: 746e7d2f, Valid_out: 1

#T = 525 [Sequencer] Sending READ trans no 11

#T = 525 [Sequencer-RD] Address = 10 Wr_En = 0 Data_in = eedd431d Rd_En = 1 Data_out = 0

---------- #

#T = 525 [Driver] Address = 10 Wr_En = 0 Data_in = eedd431d Rd_En = 1 Data_out = 0

---------- #

#T = 545 [Monitor] Address = 10 Wr_En = 0 Data_in = eedd431d Rd_En = 1 Data_out = d7bde730

---------- #

#T=545 [Driver] waiting for item...

#T = 545 [Scoreboard] Address = 10 Wr_En = 0 Data_in = eedd431d Rd_En = 1 Data_out = d7bde730

---------- #

#T=545 [Scoreboard] correct addr=0xa exp=0xd7bde730 act=0xd7bde730

#Subscriber received: Data_in: eedd431d, Address: 1010

#Subscriber received: Data_out: d7bde730, Valid_out: 1

#T = 545 [Sequencer] Sending READ trans no 12

#T = 545 [Sequencer-RD] Address = 11 Wr_En = 0 Data_in = eb1348dc Rd_En = 1 Data_out = 0

---------- #

#T = 545 [Driver] Address = 11 Wr_En = 0 Data_in = eb1348dc Rd_En = 1 Data_out = 0

---------- #

#T = 565 [Monitor] Address = 11 Wr_En = 0 Data_in = eb1348dc Rd_En = 1 Data_out = 3d3754e8

---------- #

#T=565 [Driver] waiting for item...

#T = 565 [Scoreboard] Address = 11 Wr_En = 0 Data_in = eb1348dc Rd_En = 1 Data_out = 3d3754e8

---------- #

#T=565 [Scoreboard] correct addr=0xb exp=0x3d3754e8 act=0x3d3754e8

#Subscriber received: Data_in: eb1348dc, Address: 1011

#Subscriber received: Data_out: 3d3754e8, Valid_out: 1

#T = 565 [Sequencer] Sending READ trans no 13

#T = 565 [Sequencer-RD] Address = 12 Wr_En = 0 Data_in = 1b40bb24 Rd_En = 1 Data_out = 0

---------- #

#T = 565 [Driver] Address = 12 Wr_En = 0 Data_in = 1b40bb24 Rd_En = 1 Data_out = 0

---------- #

#T = 585 [Monitor] Address = 12 Wr_En = 0 Data_in = 1b40bb24 Rd_En = 1 Data_out = 20a0f220

---------- #

#T=585 [Driver] waiting for item...

#T = 585 [Scoreboard] Address = 12 Wr_En = 0 Data_in = 1b40bb24 Rd_En = 1 Data_out = 20a0f220

---------- #

#T=585 [Scoreboard] correct addr=0xc exp=0x20a0f220 act=0x20a0f220

#Subscriber received: Data_in: 1b40bb24, Address: 1100

#Subscriber received: Data_out: 20a0f220, Valid_out: 1

#T = 585 [Sequencer] Sending READ trans no 14

#T = 585 [Sequencer-RD] Address = 13 Wr_En = 0 Data_in = c59439fe Rd_En = 1 Data_out = 0

---------- #

#T = 585 [Driver] Address = 13 Wr_En = 0 Data_in = c59439fe Rd_En = 1 Data_out = 0

---------- #

#T = 605 [Monitor] Address = 13 Wr_En = 0 Data_in = c59439fe Rd_En = 1 Data_out = c0bcdec9

---------- #

#T=605 [Driver] waiting for item...

#T = 605 [Scoreboard] Address = 13 Wr_En = 0 Data_in = c59439fe Rd_En = 1 Data_out = c0bcdec9

---------- #

#T=605 [Scoreboard] correct addr=0xd exp=0xc0bcdec9 act=0xc0bcdec9

#Subscriber received: Data_in: c59439fe, Address: 1101

#Subscriber received: Data_out: c0bcdec9, Valid_out: 1

#T = 605 [Sequencer] Sending READ trans no 15

#T = 605 [Sequencer-RD] Address = 14 Wr_En = 0 Data_in = 18e9dba6 Rd_En = 1 Data_out = 0

---------- #

#T = 605 [Driver] Address = 14 Wr_En = 0 Data_in = 18e9dba6 Rd_En = 1 Data_out = 0

---------- #

#T = 625 [Monitor] Address = 14 Wr_En = 0 Data_in = 18e9dba6 Rd_En = 1 Data_out = fc1922c9

---------- #

#T=625 [Driver] waiting for item...

#T = 625 [Scoreboard] Address = 14 Wr_En = 0 Data_in = 18e9dba6 Rd_En = 1 Data_out = fc1922c9

---------- #

#T=625 [Scoreboard] correct addr=0xe exp=0xfc1922c9 act=0xfc1922c9

#Subscriber received: Data_in: 18e9dba6, Address: 1110

#Subscriber received: Data_out: fc1922c9, Valid_out: 1

#T = 625 [Sequencer] Sending READ trans no 16

#T = 625 [Sequencer-RD] Address = 15 Wr_En = 0 Data_in = 2055eb86 Rd_En = 1 Data_out = 0

---------- #

#T = 625 [Driver] Address = 15 Wr_En = 0 Data_in = 2055eb86 Rd_En = 1 Data_out = 0

---------- #

#T = 645 [Monitor] Address = 15 Wr_En = 0 Data_in = 2055eb86 Rd_En = 1 Data_out = 71b419e5

---------- #

#T=645 [Driver] waiting for item...

#T = 645 [Scoreboard] Address = 15 Wr_En = 0 Data_in = 2055eb86 Rd_En = 1 Data_out = 71b419e5

---------- #

#T=645 [Scoreboard] correct addr=0xf exp=0x71b419e5 act=0x71b419e5

#Subscriber received: Data_in: 2055eb86, Address: 1111

#Subscriber received: Data_out: 71b419e5, Valid_out: 1

#T=645 [Sequencer] READ DONE (16 items(

#T=645 [Sequencer] Starting MIXED phase...

#T = 645 [Sequencer-MIX] Address = 0 Wr_En = 0 Data_in = a5e24953 Rd_En = 0 Data_out = 0

---------- #

#T = 645 [Driver] Address = 0 Wr_En = 0 Data_in = a5e24953 Rd_En = 0 Data_out = 0

---------- #

#T = 655 [Monitor] Address = 0 Wr_En = 0 Data_in = a5e24953 Rd_En = 0 Data_out = 0

---------- #

#T = 655 [Scoreboard] Address = 0 Wr_En = 0 Data_in = a5e24953 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: a5e24953, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 665 [Monitor] Address = 0 Wr_En = 0 Data_in = a5e24953 Rd_En = 0 Data_out = 0

---------- #

#T=665 [Driver] waiting for item...

#T = 665 [Scoreboard] Address = 0 Wr_En = 0 Data_in = a5e24953 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: a5e24953, Address: 0000

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 665 [Sequencer-MIX] Address = 1 Wr_En = 1 Data_in = 82bb54b9 Rd_En = 1 Data_out = 0

---------- #

#T = 665 [Driver] Address = 1 Wr_En = 1 Data_in = 82bb54b9 Rd_En = 1 Data_out = 0

---------- #

#T = 675 [Monitor] Address = 1 Wr_En = 1 Data_in = 82bb54b9 Rd_En = 1 Data_out = 0

---------- #

#T = 675 [Scoreboard] Address = 1 Wr_En = 1 Data_in = 82bb54b9 Rd_En = 1 Data_out = 0

---------- #

#T=675 [Scoreboard] Store addr=0x1 wr=0x1 data=0x82bb54b9

#Subscriber received: Data_in: 82bb54b9, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 685 [Monitor] Address = 1 Wr_En = 1 Data_in = 82bb54b9 Rd_En = 1 Data_out = 0

---------- #

#T=685 [Driver] waiting for item...

#T = 685 [Scoreboard] Address = 1 Wr_En = 1 Data_in = 82bb54b9 Rd_En = 1 Data_out = 0

---------- #

#T=685 [Scoreboard] Store addr=0x1 wr=0x1 data=0x82bb54b9

#Subscriber received: Data_in: 82bb54b9, Address: 0001

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 685 [Sequencer-MIX] Address = 2 Wr_En = 0 Data_in = 33e54e97 Rd_En = 0 Data_out = 0

---------- #

#T = 685 [Driver] Address = 2 Wr_En = 0 Data_in = 33e54e97 Rd_En = 0 Data_out = 0

---------- #

#T = 695 [Monitor] Address = 2 Wr_En = 0 Data_in = 33e54e97 Rd_En = 0 Data_out = 0

---------- #

#T = 695 [Scoreboard] Address = 2 Wr_En = 0 Data_in = 33e54e97 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 33e54e97, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 705 [Monitor] Address = 2 Wr_En = 0 Data_in = 33e54e97 Rd_En = 0 Data_out = 0

---------- #

#T=705 [Driver] waiting for item...

#T = 705 [Scoreboard] Address = 2 Wr_En = 0 Data_in = 33e54e97 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 33e54e97, Address: 0010

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 705 [Sequencer-MIX] Address = 3 Wr_En = 0 Data_in = 1eebc77a Rd_En = 1 Data_out = 0

---------- #

#T = 705 [Driver] Address = 3 Wr_En = 0 Data_in = 1eebc77a Rd_En = 1 Data_out = 0

---------- #

#T = 725 [Monitor] Address = 3 Wr_En = 0 Data_in = 1eebc77a Rd_En = 1 Data_out = 85186a98

---------- #

#T=725 [Driver] waiting for item...

#T = 725 [Scoreboard] Address = 3 Wr_En = 0 Data_in = 1eebc77a Rd_En = 1 Data_out = 85186a98

---------- #

#T=725 [Scoreboard] correct addr=0x3 exp=0x85186a98 act=0x85186a98

#Subscriber received: Data_in: 1eebc77a, Address: 0011

#Subscriber received: Data_out: 85186a98, Valid_out: 1

#T = 725 [Sequencer-MIX] Address = 4 Wr_En = 0 Data_in = 73e28f20 Rd_En = 1 Data_out = 0

---------- #

#T = 725 [Driver] Address = 4 Wr_En = 0 Data_in = 73e28f20 Rd_En = 1 Data_out = 0

---------- #

#T = 745 [Monitor] Address = 4 Wr_En = 0 Data_in = 73e28f20 Rd_En = 1 Data_out = 898d3ae8

---------- #

#T=745 [Driver] waiting for item...

#T = 745 [Scoreboard] Address = 4 Wr_En = 0 Data_in = 73e28f20 Rd_En = 1 Data_out = 898d3ae8

---------- #

#T=745 [Scoreboard] correct addr=0x4 exp=0x898d3ae8 act=0x898d3ae8

#Subscriber received: Data_in: 73e28f20, Address: 0100

#Subscriber received: Data_out: 898d3ae8, Valid_out: 1

#T = 745 [Sequencer-MIX] Address = 5 Wr_En = 0 Data_in = 2ebe4dd5 Rd_En = 0 Data_out = 0

---------- #

#T = 745 [Driver] Address = 5 Wr_En = 0 Data_in = 2ebe4dd5 Rd_En = 0 Data_out = 0

---------- #

#T = 755 [Monitor] Address = 5 Wr_En = 0 Data_in = 2ebe4dd5 Rd_En = 0 Data_out = 0

---------- #

#T = 755 [Scoreboard] Address = 5 Wr_En = 0 Data_in = 2ebe4dd5 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 2ebe4dd5, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 765 [Monitor] Address = 5 Wr_En = 0 Data_in = 2ebe4dd5 Rd_En = 0 Data_out = 0

---------- #

#T=765 [Driver] waiting for item...

#T = 765 [Scoreboard] Address = 5 Wr_En = 0 Data_in = 2ebe4dd5 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 2ebe4dd5, Address: 0101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 765 [Sequencer-MIX] Address = 6 Wr_En = 0 Data_in = 60a98bf1 Rd_En = 0 Data_out = 0

---------- #

#T = 765 [Driver] Address = 6 Wr_En = 0 Data_in = 60a98bf1 Rd_En = 0 Data_out = 0

---------- #

#T = 775 [Monitor] Address = 6 Wr_En = 0 Data_in = 60a98bf1 Rd_En = 0 Data_out = 0

---------- #

#T = 775 [Scoreboard] Address = 6 Wr_En = 0 Data_in = 60a98bf1 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 60a98bf1, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 785 [Monitor] Address = 6 Wr_En = 0 Data_in = 60a98bf1 Rd_En = 0 Data_out = 0

---------- #

#T=785 [Driver] waiting for item...

#T = 785 [Scoreboard] Address = 6 Wr_En = 0 Data_in = 60a98bf1 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 60a98bf1, Address: 0110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 785 [Sequencer-MIX] Address = 7 Wr_En = 0 Data_in = d6db045e Rd_En = 1 Data_out = 0

---------- #

#T = 785 [Driver] Address = 7 Wr_En = 0 Data_in = d6db045e Rd_En = 1 Data_out = 0

---------- #

#T = 805 [Monitor] Address = 7 Wr_En = 0 Data_in = d6db045e Rd_En = 1 Data_out = 398e945f

---------- #

#T=805 [Driver] waiting for item...

#T = 805 [Scoreboard] Address = 7 Wr_En = 0 Data_in = d6db045e Rd_En = 1 Data_out = 398e945f

---------- #

#T=805 [Scoreboard] correct addr=0x7 exp=0x398e945f act=0x398e945f

#Subscriber received: Data_in: d6db045e, Address: 0111

#Subscriber received: Data_out: 398e945f, Valid_out: 1

#T = 805 [Sequencer-MIX] Address = 8 Wr_En = 0 Data_in = 42ae6041 Rd_En = 1 Data_out = 0

---------- #

#T = 805 [Driver] Address = 8 Wr_En = 0 Data_in = 42ae6041 Rd_En = 1 Data_out = 0

---------- #

#T = 825 [Monitor] Address = 8 Wr_En = 0 Data_in = 42ae6041 Rd_En = 1 Data_out = 5f401b84

---------- #

#T=825 [Driver] waiting for item...

#T = 825 [Scoreboard] Address = 8 Wr_En = 0 Data_in = 42ae6041 Rd_En = 1 Data_out = 5f401b84

---------- #

#T=825 [Scoreboard] correct addr=0x8 exp=0x5f401b84 act=0x5f401b84

#Subscriber received: Data_in: 42ae6041, Address: 1000

#Subscriber received: Data_out: 5f401b84, Valid_out: 1

#T = 825 [Sequencer-MIX] Address = 9 Wr_En = 0 Data_in = 3676ae1c Rd_En = 1 Data_out = 0

---------- #

#T = 825 [Driver] Address = 9 Wr_En = 0 Data_in = 3676ae1c Rd_En = 1 Data_out = 0

---------- #

#T = 845 [Monitor] Address = 9 Wr_En = 0 Data_in = 3676ae1c Rd_En = 1 Data_out = 746e7d2f

---------- #

#T=845 [Driver] waiting for item...

#T = 845 [Scoreboard] Address = 9 Wr_En = 0 Data_in = 3676ae1c Rd_En = 1 Data_out = 746e7d2f

---------- #

#T=845 [Scoreboard] correct addr=0x9 exp=0x746e7d2f act=0x746e7d2f

#Subscriber received: Data_in: 3676ae1c, Address: 1001

#Subscriber received: Data_out: 746e7d2f, Valid_out: 1

#T = 845 [Sequencer-MIX] Address = 10 Wr_En = 0 Data_in = a9cad2ff Rd_En = 1 Data_out = 0

---------- #

#T = 845 [Driver] Address = 10 Wr_En = 0 Data_in = a9cad2ff Rd_En = 1 Data_out = 0

---------- #

#T = 865 [Monitor] Address = 10 Wr_En = 0 Data_in = a9cad2ff Rd_En = 1 Data_out = d7bde730

---------- #

#T=865 [Driver] waiting for item...

#T = 865 [Scoreboard] Address = 10 Wr_En = 0 Data_in = a9cad2ff Rd_En = 1 Data_out = d7bde730

---------- #

#T=865 [Scoreboard] correct addr=0xa exp=0xd7bde730 act=0xd7bde730

#Subscriber received: Data_in: a9cad2ff, Address: 1010

#Subscriber received: Data_out: d7bde730, Valid_out: 1

#T = 865 [Sequencer-MIX] Address = 11 Wr_En = 0 Data_in = b99d011 Rd_En = 1 Data_out = 0

---------- #

#T = 865 [Driver] Address = 11 Wr_En = 0 Data_in = b99d011 Rd_En = 1 Data_out = 0

---------- #

#T = 885 [Monitor] Address = 11 Wr_En = 0 Data_in = b99d011 Rd_En = 1 Data_out = 3d3754e8

---------- #

#T=885 [Driver] waiting for item...

#T = 885 [Scoreboard] Address = 11 Wr_En = 0 Data_in = b99d011 Rd_En = 1 Data_out = 3d3754e8

---------- #

#T=885 [Scoreboard] correct addr=0xb exp=0x3d3754e8 act=0x3d3754e8

#Subscriber received: Data_in: b99d011, Address: 1011

#Subscriber received: Data_out: 3d3754e8, Valid_out: 1

#T = 885 [Sequencer-MIX] Address = 12 Wr_En = 0 Data_in = ff639179 Rd_En = 1 Data_out = 0

---------- #

#T = 885 [Driver] Address = 12 Wr_En = 0 Data_in = ff639179 Rd_En = 1 Data_out = 0

---------- #

#T = 905 [Monitor] Address = 12 Wr_En = 0 Data_in = ff639179 Rd_En = 1 Data_out = 20a0f220

---------- #

#T=905 [Driver] waiting for item...

#T = 905 [Scoreboard] Address = 12 Wr_En = 0 Data_in = ff639179 Rd_En = 1 Data_out = 20a0f220

---------- #

#T=905 [Scoreboard] correct addr=0xc exp=0x20a0f220 act=0x20a0f220

#Subscriber received: Data_in: ff639179, Address: 1100

#Subscriber received: Data_out: 20a0f220, Valid_out: 1

#T = 905 [Sequencer-MIX] Address = 13 Wr_En = 1 Data_in = 404e650c Rd_En = 1 Data_out = 0

---------- #

#T = 905 [Driver] Address = 13 Wr_En = 1 Data_in = 404e650c Rd_En = 1 Data_out = 0

---------- #

#T = 915 [Monitor] Address = 13 Wr_En = 1 Data_in = 404e650c Rd_En = 1 Data_out = 0

---------- #

#T = 915 [Scoreboard] Address = 13 Wr_En = 1 Data_in = 404e650c Rd_En = 1 Data_out = 0

---------- #

#T=915 [Scoreboard] Store addr=0xd wr=0x1 data=0x404e650c

#Subscriber received: Data_in: 404e650c, Address: 1101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 925 [Monitor] Address = 13 Wr_En = 1 Data_in = 404e650c Rd_En = 1 Data_out = 0

---------- #

#T=925 [Driver] waiting for item...

#T = 925 [Scoreboard] Address = 13 Wr_En = 1 Data_in = 404e650c Rd_En = 1 Data_out = 0

---------- #

#T=925 [Scoreboard] Store addr=0xd wr=0x1 data=0x404e650c

#Subscriber received: Data_in: 404e650c, Address: 1101

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 925 [Sequencer-MIX] Address = 14 Wr_En = 0 Data_in = 3d4338cf Rd_En = 0 Data_out = 0

---------- #

#T = 925 [Driver] Address = 14 Wr_En = 0 Data_in = 3d4338cf Rd_En = 0 Data_out = 0

---------- #

#T = 935 [Monitor] Address = 14 Wr_En = 0 Data_in = 3d4338cf Rd_En = 0 Data_out = 0

---------- #

#T = 935 [Scoreboard] Address = 14 Wr_En = 0 Data_in = 3d4338cf Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 3d4338cf, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 945 [Monitor] Address = 14 Wr_En = 0 Data_in = 3d4338cf Rd_En = 0 Data_out = 0

---------- #

#T=945 [Driver] waiting for item...

#T = 945 [Scoreboard] Address = 14 Wr_En = 0 Data_in = 3d4338cf Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 3d4338cf, Address: 1110

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 945 [Sequencer-MIX] Address = 15 Wr_En = 0 Data_in = 256a85e1 Rd_En = 0 Data_out = 0

---------- #

#T = 945 [Driver] Address = 15 Wr_En = 0 Data_in = 256a85e1 Rd_En = 0 Data_out = 0

---------- #

#T = 955 [Monitor] Address = 15 Wr_En = 0 Data_in = 256a85e1 Rd_En = 0 Data_out = 0

---------- #

#T = 955 [Scoreboard] Address = 15 Wr_En = 0 Data_in = 256a85e1 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 256a85e1, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T = 965 [Monitor] Address = 15 Wr_En = 0 Data_in = 256a85e1 Rd_En = 0 Data_out = 0

---------- #

#T=965 [Driver] waiting for item...

#T = 965 [Scoreboard] Address = 15 Wr_En = 0 Data_in = 256a85e1 Rd_En = 0 Data_out = 0

---------- #

#Subscriber received: Data_in: 256a85e1, Address: 1111

#Subscriber received: Data_out: 0, Valid_out: 0

#T=965 [Sequencer] MIXED DONE (16 items)

** #Note: $finish : tb_top.sv(34)

Time: 965 ns Iteration: 0 Instance: /tb_top