

Fix frontend test issue

08/10/2026 20:04:36

Thinking ● Choosing merge method I'm recommending **Create a mer...
ok, now give me issue desc for the number 1, make markdown 1 thing...
Fix `npm run check` dependency ordering for contracts ## Descripti...
ur markdown broke up in the middle!

Yep — the inner code blocks broke the outer markdown block. Here it is...
ok, how to do it?

Thinking 🌐 Inspecting Repository Package Configurations ● Planning t...
its #116

Perfect — use #116 everywhere. Create the branch with: git switch mai...
Pasted text(6).txt

Thinking ● Confirming the fix The check is passing: the clean contracts...
write the PR for me

Your verification output confirms the full npm run check completed...



Thinking

- **Choosing merge method**

I'm recommending ****Create a merge commit**** because it preserves both commits exactly, including their separate history and attribution. I'd use the web interface rather than VS Code; only choose another option if the project specifically requires linear history or squashing.

- **Chose a merge method**

✓ Worked for 11s

Yes - you can do it **directly on Gitea**. You do not need VS Code for the merge.

Choose:

☒ Create merge commit (When checks succeeded)

That is the best option for this PR because it preserves your two commits exactly as they are:

```
fix(frontend): restore jsdom storage on Node 25
docs(evidence): record AI usage for issue 108
```

That matters especially because your code commit contains the required **Assisted-by: ChatGPT-Web[GPT-5.6 Sol]** declaration. **ai_policy_20_jul.pdf**

I would **not** choose squash, because it would combine the code and AI-evidence commits. I also wouldn't rebase here because there's no benefit now and it rewrites the branch history.

One catch: your button says **"When checks succeeded."** If your CI still shows:

```
Continuous Integration / quality
Waiting to run
```

and you genuinely have no runner, Gitea may queue the merge and then sit there forever waiting for that check. That's a separate branch-protection/runner problem, not something you solve by choosing a different merge type.

So: **click** `Create merge commit (When checks succeeded)` . If it then gets stuck waiting for CI, send me the next screen and we'll sort out that setting.

8/10/2026, 6:03:35 PM



ok, now give me issue desc for the number 1, make markdown 1 thing properly

8/10/2026, 6:04:30 PM



```
# Fix `npm run check` dependency ordering for contracts
```

```
## Description
```

`npm run check` fails on a clean checkout because the repository runs workspace typechecking before the `@sport-analytics/contracts` package has been built.

The backend and frontend depend on `@sport-analytics/contracts`, whose package entry points resolve to generated files in its `dist` directory. On a clean checkout these build artifacts do not yet exist.

As a result, `npm run check` can fail during typechecking with an error such as:

```
```text
Cannot find module '@sport-analytics/contracts'
```

The current workaround is to manually build the contracts package first:

```
npm run build --workspace=@sport-analytics/contracts
npm run check
```

The root check process should handle this dependency automatically.

## Reproduction

From a clean checkout:

```
npm ci
npm run check
```

The check process reaches typechecking before the contracts package has been built, causing dependent workspaces to fail to resolve `@sport-analytics/contracts`.

Running the following first allows the dependent checks to proceed:

```
npm run build --workspace=@sport-analytics/contracts
```

## Motivation

`npm run check` is the project's primary local quality and merge gate while no CI runner is available.

Contributors should be able to run it successfully from a clean checkout without knowing about or manually performing additional build steps.

A check command that fails because of repository task ordering makes it difficult to distinguish genuine branch failures from an existing repository setup problem.

## Proposed Fix

Update the root check/build workflow so that `@sport-analytics/contracts` is built before any dependent workspace typechecking or other tasks that require its generated output.

The fix should address the dependency ordering rather than changing backend, frontend, or public-read application code.

## Acceptance Criteria

- ☐ `@sport-analytics/contracts` is built before dependent workspace typechecking occurs
- ☐ `npm run check` no longer requires a manual contracts build first
- ☐ `npm run check` works from a clean checkout when the repository is otherwise valid
- ☐ Existing lint, typecheck, test, OpenAPI and build checks are still executed
- ☐ No backend or public-read application code is changed solely to work around package resolution
- ☐ The cause of the failure is documented
- ☐ Before-and-after command output is recorded as evidence

- ☐ A Pull Request is linked to this issue

## Evidence

Evidence should include:

1. `npm run check` output from before the fix showing the `@sport-analytics/contracts` resolution failure
2. The relevant root script/configuration change
3. `npm run check` output after the fix showing that the contracts dependency is handled automatically

## AI Declaration

The preceding issue was generated with the assistance of ChatGPT-Web[GPT-5.6 Sol].

```

8/10/2026, 6:04:38 PM



ur markdown broke up in the middle!

8/10/2026, 6:04:56 PM



Yep — the inner code blocks broke the outer markdown block. Here it is properly wrapped as **one copy-paste block**:

```
# Fix `npm run check` dependency ordering for contracts
```

```
## Description
```

```
`npm run check` fails on a clean checkout because the repository runs workspace typechecking before the `@sport-analytics/contracts` package has been built.
```

```
The backend and frontend depend on `@sport-analytics/contracts`, whose package entry points resolve to generated files in its `dist` directory. On a clean checkout these build artifacts do not yet exist.
```

```
As a result, `npm run check` can fail during typechecking with an error such as:
```

```
```text
Cannot find module '@sport-analytics/contracts'
```
```

```
The current workaround is to manually build the contracts package first:
```

```
```bash
npm run build --workspace=@sport-analytics/contracts
npm run check
```
```

```
The root check process should handle this dependency automatically.
```

```
## Reproduction
```

```
From a clean checkout:
```

```
```bash
npm ci
npm run check
```
```

The check process reaches typechecking before the contracts package has been built, causing dependent workspaces to fail to resolve `@sport-analytics/contracts`.

Running the following first allows the dependent checks to proceed:

```
```bash
npm run build --workspace=@sport-analytics/contracts
```
```

Motivation

`npm run check` is the project's primary local quality and merge gate while no CI runner is available.

Contributors should be able to run it successfully from a clean checkout without knowing about or manually performing additional build steps.

A check command that fails because of repository task ordering makes it difficult to distinguish genuine branch failures from an existing repository setup problem.

Proposed Fix

Update the root check/build workflow so that `@sport-analytics/contracts` is built before any dependent workspace typechecking or other tasks that require its generated output.

The fix should address the dependency ordering rather than changing backend, frontend, or public-read application code.

Acceptance Criteria

- [] `@sport-analytics/contracts` is built before dependent workspace typechecking occurs
- [] `npm run check` no longer requires a manual contracts build first

- [] ``npm run check`` works from a clean checkout when the repository is otherwise valid
- [] Existing lint, typecheck, test, OpenAPI and build checks are still executed
- [] No backend or public-read application code is changed solely to work around package resolution
- [] The cause of the failure is documented
- [] Before-and-after command output is recorded as evidence
- [] A Pull Request is linked to this issue

Evidence

Evidence should include:

1. ``npm run check`` output from before the fix showing the ``@sport-analytics/contracts`` resolution failure
2. The relevant root script/configuration change
3. ``npm run check`` output after the fix showing that the contracts dependency is handled automatically

AI Declaration

The preceding issue was generated with the assistance of ChatGPT-Web[GPT-5.6 Sol].

8/10/2026, 6:05:08 PM



ok, how to do it?

8/10/2026, 6:06:06 PM



Thinking



Inspecting Repository Package Configurations

- **Planning the fix**

I'm outlining a branch from updated `main` after issue #108 merges. The likely minimal change is building `@sport-analytics/contracts` before dependent typechecking, then verifying the check script from a clean checkout without leaving generated artifacts.

- **Planned the fix**

- **Inspected repository package configurations**

✓ Worked for 24s

Yes. This one should be much quicker than #108.

First, make sure **#108 has actually merged into** `main` before starting this new issue. Then work from a fresh branch for the new issue.

1. Get onto latest `main`

In your normal repo:

```
git switch main
git pull origin main
```

Check:

```
git status
```

You want a clean working tree.

Then create the branch using the new issue number. For example, if Gitea gives this issue **#109**:

```
git switch -c fix/109-contracts-check-order
```

Replace `109` if the actual number is different.

2. Reproduce the problem properly

Because you've already built contracts locally before, the `dist` folder probably exists. We need to remove those generated files so we're genuinely testing the clean-checkout problem.

Run:

```
Remove-Item -Recurse -Force packages\contracts\dist -ErrorAction  
SilentlyContinue
```

Confirm it is gone:

```
Test-Path packages\contracts\dist
```

You want:

```
False
```

Now run:

```
npm.cmd run check
```

It should eventually fail around typechecking because `@sport-analytics/contracts` cannot be resolved.

Save/copy that output. That's your before evidence.

3. Make the actual fix

Open the **root**:

```
package.json
```

Find this:

```
"check": "npm run structure:check && npm run format:check && npm run lint &&
npm run typecheck && npm run test && npm run openapi:lint && npm run build"
```

Change **only that line** to:

```
"check": "npm run structure:check && npm run format:check && npm run lint &&
npm run build --workspace=@sport-analytics/contracts && npm run typecheck &&
npm run test && npm run openapi:lint && npm run build"
```

That's the minimal fix.

The important new part is:

```
npm run build --workspace=@sport-analytics/contracts
```

immediately before:

```
npm run typecheck
```

Why here? Because the contracts package declares its entry points as:

```
"main": "dist/index.js",
"types": "dist/index.d.ts"
```

so dependent packages need `dist` to exist before TypeScript tries to resolve `@sport-analytics/contracts`.

We're **not changing public-read, backend code, frontend code, or the contracts source**. We're just fixing the root task ordering.

4. Format/check the changed file

Because JSON will probably already be formatted correctly:

```
npx.cmd prettier --write package.json
```

Then:

```
git diff --check  
git diff
```

Make sure the only functional change is the `check` script.

5. Test the important case

Delete `dist` **again** so the test starts from the same clean state:

```
Remove-Item -Recurse -Force packages\contracts\dist -ErrorAction  
SilentlyContinue  
Test-Path packages\contracts\dist
```

Again, you want:

```
False
```

Now run **only**:

```
npm.cmd run check
```

Do **not** manually build contracts first this time.

If the fix is correct, you should see `check` itself reach:

```
npm run build --workspace=@sport-analytics/contracts
```

before typechecking, create `packages/contracts/dist`, and then continue.

That is the key acceptance test.

One thing to expect

The contracts package will technically be built **twice** during `check`:

1. once before typecheck;
2. again when the existing final `npm run build` runs.

That's slightly redundant, but for this small bug fix I prefer it because it makes the smallest possible change and doesn't disturb the existing overall build process. We

can refactor build scripts later if there is a reason to.

So for now do through **Step 5**. If `npm.cmd run check` passes, send me the final section of the output and we'll do the AI evidence + exact commit command.

8/10/2026, 6:06:12 PM



its #116

8/10/2026, 6:07:09 PM



Perfect — use **#116** everywhere.

Create the branch with:

```
git switch main
git pull origin main
git switch -c fix/116-contracts-check-order
```

Then follow the same reproduction steps:

```
Remove-Item -Recurse -Force packages\contracts\dist -ErrorAction
SilentlyContinue
Test-Path packages\contracts\dist
npm.cmd run check
```

After you capture the failing output, edit the root `package.json` and change the `check` script to include:

```
npm run build --workspace=@sport-analytics/contracts
```

before `npm run typecheck`.

Then format:

```
npx.cmd prettier --write package.json
```

and retest from a clean contracts state:

```
Remove-Item -Recurse -Force packages\contracts\dist -ErrorAction
SilentlyContinue
npm.cmd run check
```

For the eventual commit, use:

```
git commit -m "fix(build): build contracts before typecheck" -m "Refs #116" -m  
"Assisted-by: ChatGPT-Web[GPT-5.6 Sol]"
```

Don't commit until the final `npm.cmd run check` has passed and we've added the AI evidence for #116.

8/10/2026, 6:07:14 PM



Pasted text(6).txt

8/10/2026, 6:10:03 PM



Thinking

- **Confirming the fix**

The check is passing: the clean contracts build completes successfully, including the failing path from issue #116. I'm treating the warning as non-blocking and would now preserve this log as verification evidence before committing and opening the pull request.

- **Confirmed the fix**

✓ Worked for 12s

Perfect - **#116 is fixed and fully verified.**

Your log proves the important acceptance criterion: you deleted

`packages/contracts/dist`, confirmed it was absent, then ran `npm.cmd run check`

without manually building contracts first. The updated `check` script built `@sport-analytics/contracts` before typechecking, and the entire gate completed successfully: structure, formatting, lint, typecheck, backend tests, 32 frontend tests, 15 API tests, 17 contract tests, OpenAPI lint, and all builds passed. `Pasted text.txt`

The Vite message about a JavaScript chunk being over 500 kB is only a **warning**, not a failure and not related to #116.

Now do these in order:

1. Check your change:

```
git status
git diff --check
git diff
```

You should basically see the root `package.json` change plus whatever AI evidence you add.

2. Add the AI transcript for this conversation, e.g.:

```
evidence/ai/transcripts/shayna-underslak/2026-08-10-issue-116-contracts-check-order.pdf
```

3. Add a row to your AI register for #116. A suitable entry is:

```
"2026-08-10","Shayna Underslak","ChatGPT Web","GPT-5.6 Sol","Debugging; code generation; testing guidance","Issue #116: fix npm run check dependency ordering for contracts","Root package.json check-script change to build @sport-analytics/contracts before workspace typechecking","Reproduced the clean contracts state by deleting packages/contracts/dist; updated the check ordering; verified npm run check automatically built contracts before typecheck and completed the full repository quality gate successfully","evidence/ai/transcripts/shayna-underslak/2026-08-10-issue-116-contracts-check-order.pdf; Issue #116; linked Pull Request"
```

4. Stage everything:

```
git add package.json
git add evidence/ai/registers/shayna-underslak.csv
git add evidence/ai/transcripts/shayna-underslak/2026-08-10-issue-116-contracts-check-order.pdf
```

Then check:

```
git status
```

If those are the only intended files, commit with:

```
git commit -m "fix(build): build contracts before typecheck" -m "Refs #116" -m "Assisted-by: ChatGPT-Web[GPT-5.6 Sol]"
```

And push:

```
git push -u origin fix/116-contracts-check-order
```

After that I can give you the **full #116 PR description in one properly copyable Markdown block.**

8/10/2026, 6:10:06 PM



write the PR for me

8/10/2026, 8:03:09 PM



Your verification output confirms the full `npm run check` completed successfully from a state where `packages/contracts/dist` had first been removed, including lint, typecheck, all test suites, OpenAPI lint, and production builds. `Pasted text.txt`

Copy-paste this as the PR description:

Related Issue

Fixes #116

Purpose

Fix the root repository quality-check ordering so that ``npm run check`` works from a clean checkout without requiring contributors to manually build ``@sport-analytics/contracts`` first.

Root Cause

The backend and frontend depend on ``@sport-analytics/contracts``, whose package entry points resolve to generated files in its ``dist`` directory.

On a clean checkout, those generated files do not yet exist.

The root ``check`` script previously ran:

```
```text
lint → typecheck → test → build
```
```

This meant workspace typechecking could attempt to resolve ``@sport-analytics/contracts`` before the contracts package had been built, resulting in errors such as:

```
```text
```

```
Cannot find module '@sport-analytics/contracts'
```

```
```
```

The existing workaround was to manually run:

```
```bash
```

```
npm run build --workspace=@sport-analytics/contracts
```

```
```
```

before running the repository quality gate.

Summary of Changes

Updated the root `package.json` check workflow to build the contracts workspace before dependent workspace typechecking occurs.

The check sequence now includes:

```
```text
```

```
structure check
```

```
→ format check
```

```
→ lint
```

```
→ build @sport-analytics/contracts
```

```
→ typecheck
```

```
→ tests
```

```
→ OpenAPI lint
```

```
→ full build
```

```
```
```

This keeps the existing repository checks intact while ensuring the generated contracts package is available when dependent workspaces are typechecked.

No backend, frontend, public-read, or contracts application source code was changed to work around the resolution failure.

Verification

The contracts build output was removed before verification:

```
```powershell
```

```
Remove-Item -Recurse -Force packages\contracts\dist -ErrorAction
```

```
SilentlyContinue
Test-Path packages\contracts\dist
```
```

Result:

```
```text
False
```
```

`npm run check` was then executed directly, without manually building the contracts package first.

The check automatically built `@sport-analytics/contracts` before typechecking and completed successfully.

Verified:

- Repository structure check passed
- Prettier formatting check passed
- Backend, frontend and contracts lint passed
- Contracts package built before workspace typechecking
- Backend, frontend and contracts typechecking passed
- Backend unit tests: 11 passed
- Frontend tests: 32 passed
- API tests: 15 passed
- Contracts tests: 17 passed
- OpenAPI validation passed
- Contracts production build passed
- Backend production build passed
- Frontend production build passed

The existing Vite chunk-size message remains a non-failing build warning and is unrelated to this change.

Result

`npm run check` can now handle the contracts dependency itself rather than relying on contributors to know and perform a separate manual build step first.

This restores the repository quality gate as a reliable command for clean-

checkout verification.

AI Declaration

The preceding Pull Request description was generated with the assistance of ChatGPT-Web[GPT-5.6 Sol].

8/10/2026, 8:03:17 PM