SCHOOL OF COMPUTER SCIENCE AND ARTIFICIAL INTELLIGENCE			DEPARTMENT OF COMPUTER SCIENCE ENGINEERING	
ProgramName: <mark>B. Tech</mark>		Assignn	Assignment Type: Lab AcademicYear:2025-	
CourseCoordinatorName		Venkataramana	a Veeramsetty	
Instructor(s)Name		 Dr. Mohammed Ali Shaik Dr. T Sampath Kumar Mr. S Naresh Kumar Dr. V. Rajesh Dr. Brij Kishore Dr Pramoda Patro Dr. Venkataramana Dr. Ravi Chander Dr. Jagjeeth Singh 		
CourseCode Year/Sem	24CS002PC215 II/I	CourseTitle Regulation	AI Assisted Cod	ing
Date and Day of Assignment		Time(s)		
Duration	2 Hours	Applicableto Batches		
AssignmentNum	ा n be r: <mark>3.3(Present as</mark>	ा <mark>signment numb</mark> e	er)/ 24 (Total numbe	r of assignments)

Q.No.	Question	Expected Time to complete
1	Lab 3: Prompt Engineering – Improving Prompts and Context Management Lab Objectives: To understand how prompt structure and wording influence AI-generated code. To explore how context (like comments and function names) helps AI generate relevant output. To evaluate the quality and accuracy of code based on prompt clarity. To develop effective prompting strategies for AI-assisted programming. Lab Outcomes (LOs): After completing this lab, students will be able to: Generate Python code using Google Gemini in Google Colab. Analyze the effectiveness of code explanations and suggestions by Gemini. Set up and use Cursor AI for AI-powered coding assistance. Evaluate and refactor code using Cursor AI features. Compare AI tool behavior and code quality across different platforms.	03.08.2025 EOD

• Try 3 different prompts to generate a factorial function.

Expected Output#1

• Comparison of AI-generated code styles

Task Description#2

• Provide a clear example input-output prompt to generate a sorting function.

Expected Output#2

• Functional sorting code from AI

Task Description#3

 Start with the vague prompt "Generate python code to calculate power bill" and improve it step-by-step

Expected Output#3

• Enhanced AI output with clearer prompts

Task Description#4

Write structured comments to help AI generate two linked functions (e.g., login_user() and register_user()).

Expected Output#4

• Consistent functions with shared logic

Task Description#5

 Analyzing Prompt Specificity: Improving Temperature Conversion Function with Clear Instructions

Expected Output#5

• Code quality difference analysis for various prompts

Note: Report should be submitted a word document for all tasks in a single document with prompts, comments & code explanation, and output and if required, screenshots

Evaluation Criteria:

Criteria	Max Marks
Factorial Function (Task#1)	0.5
Sorting Function (Task#2)	0.5
Vogue Vs. Specific Prompting (Task #3)	0.5
Linked Functions (Task #4)	0.5
Temperature Conversion Function (Task #5)	0.5
Total	2.5 Marks

• Try 3 different prompts to generate a factorial function.

Expected Output#1

• Comparison of AI-generated code styles

Prompt-1:

Generate a function that prints factorial of a given number

Code:

```
† task1.py > 

↑ main
      def factorial(n):
          if n < 0:
             return "Factorial is not defined for negative numbers"
          elif n == 0 or n == 1:
             return 1
             result = 1
              for i in range(2, n + 1):
                 result *= i
             return result
      def main():
             # Get input from user
              user_input = input("Enter a number to calculate factorial: ")
             number = int(user_input)
              # Calculate factorial
              result = factorial(number)
              if isinstance(result, str):
                  print(result)
                  print(f"Factorial of {number} is: {result}")
          except ValueError:
             print("Error: Please enter a valid integer")
          except Exception as e:
             print(f"An error occurred: {e}")
      if name == " main ":
          main()
```

Output:

```
Enter a number to calculate factorial: 5
Factorial of 5 is: 120
PS C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3> & C:\Users\thoop\AppData\Local\Programs\Python\Python313\python.exe c:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3\task1.py
Enter a number to calculate factorial: 8
Factorial of 8 is: 40320
```

Prompt 2:

Write a simple python function to find factorial of a number ,collect input from the console

Code:

```
task2.py
      def factorial(n):
          if n < 0:
             return 1
             result = 1
             for i in range(2, n + 1):
             return result
      user_input = input("Enter a number to calculate factorial: ")
         number = int(user_input)
       result = factorial(number)
        print(f"Factorial of {number} is: {result}")
     print("Error: Please enter a valid integer")
Problems Output Debug Console Terminal Ports
                                                                                           PS C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3> & C:\Users/thoop/AppData/Local/Programs/Python/Python313/python.exe c:/Users/thoop
/OneDrive/文档/AIAC LAB /Lab3/task2.py
Enter a number to calculate factorial: 5
Factorial of 5 is: 120
PS C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3> [
```

Prompt-3:

Create a simple python function that gives factorial of a number, use input from the programmer

```
def factorial(n):
          Calculate the factorial of a given number.
          elif n == 0 or n == 1:
             for i in range(2, n + 1):
    result *= i
             return result
    # Programmer provides the input number here
number = 5 # Change this number to calculate factorial of different numbers
19 result = factorial(number)
     print(f"Factorial of {number} is: {result}")
                                                                                                       ∑ Python 十∨ Ⅲ ⑪ ··· へ
Problems Output Debug Console Terminal Ports
/OneDrive/文档/AIAC_LAB_/Lab3/task2.py
Factorial of 5 is: 120
?S C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3> & C:/Users/thoop/AppData/Local/Programs/Python/Python313/python.exe c:/Users/thoop
/OneDrive/文档/AIAC_LAB_/Lab3/task2.py
Factorial of 5 is: 120
 'S C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3> [
```

• Provide a clear example input-output prompt to generate a sorting function.

Expected Output#2

• Functional sorting code from AI

Prompt:

Generate a python code that takes a input list from the user and sort the list Ascending order

Code along with output:

```
sort list ascending():
               Function to take input list from user and sort it in ascending order
                    print("Enter numbers separated by spaces (e.g., 5 2 8 1 9):")
user_input = input("Enter your list: ")
                    # Convert input string to list of integers
numbers = [int(x) for x in user_input.split()]
                     sorted_list = sorted(numbers)
                    print(f"Original list: {numbers}")
print(f"Sorted list (ascending): {sorted_list}")
               except ValueError:
                    print("Error: Please enter valid numbers separated by spaces")
                     print(f"An error occurred: {e}")
        def sort_list_with_builtin():
                    print("Enter numbers separated by spaces:")
user_input = input("Enter your list: ")
                     numbers = [int(x) for x in user_input.split()]
        numbers_copy = numbers.copy()
def sort_list_with_builtin():
                   # Convert input string to list of integers
numbers = [int(x) for x in user_input.split()]
                    # Create a copy to avoid modifying original list
numbers_copy = numbers.copy()
                   # Sort the list in ascending order using sort() method
numbers_copy.sort()
                   print(f"Original list: {numbers}")
print(f"Sorted list (ascending): {numbers_copy}")
              except ValueError:
    print("Error: Please enter valid numbers separated by spaces")
       # Main execution
if __name__ == "__main__":
    print("=== List Sorting Program ===")
    print("Method 1: Using sorted() function")
    sort_list_ascending()
             print("\n" + "="*40 + "\n")
             print("Method 2: Using sort() method")
sort_list_with_builtin()
                                                                                                                                            ∑ Python + ∨ [] ii ··· ^ >
   oblems Output Debug Console Terminal Ports
Method 1: Using sorted() function
Enter numbers separated by spaces (e.g., 5 2 8 1 9):
Enter your list: 5 66 4 22 3 8 99 0 33
Driginal list: [5, 66, 4, 22, 3, 8, 99, 0, 33]
Sorted list (ascending): [0, 3, 4, 5, 8, 22, 33, 66, 99]
```

- Start with the vague prompt "Generate python code to
- calculate power bill" and improve it step-by-step

prompt:

generate a python code to calculate powerbill containing previous units ,present units ,read input units from the console

code:

```
# Get input from user
print("=== Power Bill Calculator ===")
           # Get present units
present_units = float(input("Enter present month units: "))
           # Calculate units consumed
units_consumed = present_units - previous_units
           if units_consumed <= 0:
    print("Error: Present units should be greater than previous units")
           # Define rate structure (example rates - can be modified)
if units_consumed <= 100:</pre>
           rate_per_unit = 2.50
elif units_consumed <= 200:
rate_per_unit = 3.50
elif units_consumed <= 300:
           # Calculate total bill
total_bill = units_consumed * rate_per_unit
           # Display the results
print("\n=== Bill Details ===")
             print(f"Previous month units: {previous_units}")
            print(f"Present month units: {present_units}")
print(f"Units consumed: {units_consumed}")
print(f"Rate per unit: ${rate_per_unit}")
print(f"Total bill: ${total_bill:.2f}")
      except ValueError:
    print("Error: Please enter valid numbers")
def calculate_power_bill_with_tax():
            # Get input from user
previous_units = float(input("Enter previous month units: "))
present_units = float(input("Enter present month units: "))
            # Calculate units consumed
units_consumed = present_units - previous_units
                   rate_per_unit = 2.50
             elif units_consumed <= 200:
             elif units_consumed <= 300:
```

```
rate_per_unit = 4.50
else:
    rate_per_unit = 5.50

base_bill = units_consumed * rate_per_unit

# Calculate tax (example: 10% tax)
tax_rate = 0.10
tax_amount = base_bill * tax_rate

# Calculate total bill with tax
total_bill = base_bill + tax_amount

# Display detailed results
print(f"n== Detailed Bill ===")
print(f"Previous month units: (prevent_units)")
print(f"roresent month units: (prevent_units)")
print(f"lase bill: ${base_bill: 2f}")
print(f"Rase bill: ${base_bill: 2f}")

print(f"Tax ({tax_rate*100})%: ${tax_amount:.2f}")
print(f"Total bill: ${total_bill:.2f}")

except ValueError:
print(f"Toror: Please enter valid numbers")
except Exception as e:
print(f"An error occurred: {e}")

# Main execution
if __name__ == "__main__":
    # Run pasic power bill calculator
calculate_power_bill()

# Run power bill calculator with tax
calculate_power_bill()

# Run power_bill()

# Run pow
```

• Write structured comments to help AI generate two linked functions (e.g., login_user() and register_user()).

Prompt:

Generate simple two python linked functions one is for register user and login user for account creation

Code:

```
# Global dictionary to store user accounts
user_accounts = {}
def register_user():
    print("=== Account Registration ===")
    username = input("Enter username for your account: ").strip()
     if username in user_accounts:
        print("Error: Username already exists! Please choose a different username.")
    password = input("Enter password for your account: ")
    user_accounts[username] = password
    print(f"Username: {username}")
def login_user():
    username = input("Enter your username: ").strip()
password = input("Enter your password: ")
     # Check if account exists and password matches
if username in user_accounts and user_accounts[username] == password:
    print("Login successful!")
          print("Please check your account credentials.")
return False
# Main execution for account management
if __name__ == "__main__":
         print("1. Create Account")
print("2. Login to Account")
print("3. Exit")
          choice = input("Enter your choice (1-3): ").strip()
          if choice == '1':
              register_user()
          elif choice == '3':
    print("Thank you for using Account Management System!")
             print("Invalid choice! Please try again.")
```

Output:

```
=== User Registration ===
Enter username: 2403a51057
Enter password: hary66
Confirm password: hary66
Enter email: 57@gmail.com
Enter full name: HarichandanaThoopukari
Enter phone number: 1236661230
=== Registration Successful ===
Username: 2403a51057
Email: 57@gmail.com
Full Name: HarichandanaThoopukari
Phone: 1236661230
Registration Date: 2024-01-01
Status: Active
=== User Management System ===
1. Register User
2. Login User
3. Display All Users
4. Exit
Enter your choice (1-4): 2
=== User Login ===
Enter username: 2403a51057
Enter password: hary66
=== Login Successful ===
Welcome back, HarichandanaThoopukari!
Username: 2403a51057
Email: 57@gmail.com
Full Name: HarichandanaThoopukari
Phone: 1236661230
Registration Date: 2024-01-01
Status: Logged In
Last Login: Current Session
```

• Analyzing Prompt Specificity: Improving Temperature Conversion Function with Clear Instructions

Prompt1:

Write a Python function to convert temperature from Celsius to Fahrenheit or vice-versa as for the user's selection

Code:

```
task5.py > ...
     def convert_temperature():
         Converts temperature between Celsius and Fahrenheit based on user input.
         try:
             print("Temperature Converter")
             temp = float(input("Enter the temperature value: "))
             unit = input("Is this in Celsius or Fahrenheit? (C/F): ").strip().upper()
             if unit == 'C':
                 converted = (temp * 9/5) + 32
                 print(f"{temp}°C is {converted:.2f}°F")
             elif unit == 'F':
                converted = (temp - 32) * 5/9
                 print(f"{temp}°F is {converted:.2f}°C")
                 print("Invalid unit. Please enter 'C' for Celsius or 'F' for Fahrenheit.")
         except ValueError:
             print("Invalid input. Please enter a numeric temperature value.")
     if __name__ == "__main__":
         convert_temperature()
Problems Output Debug Console Terminal Ports
' '--' 'c:\Users\thoop\OneDrive\文档\AIAC LAB \Lab3\task5.py'
Temperature Converter
nter the temperature value: 15
[s this in Celsius or Fahrenheit? (C/F): c
L5.0°C is 59.00°F
PS C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3>
```

Prompt2:

Write a Python function to convert temperature from Celsius to Fahrenheit or vice-versa as for the user's selection.

Code along with output:

```
def convert_temperature():
                                Converts temperature between Celsius and Fahrenheit based on user's selection.
                                           print("Temperature Converter")
                                           print("Select conversion type:")
                                            print("1. Celsius to Fahrenheit")
                                            print("2. Fahrenheit to Celsius")
                                            choice = input("Enter 1 or 2: ").strip()
                                            if choice == '1':
                                                       celsius = float(input("Enter temperature in Celsius: "))
                                                        fahrenheit = (celsius * 9/5) + 32
                                                       print(f"{celsius}°C is {fahrenheit:.2f}°F")
                                            elif choice == '2':
                                                        fahrenheit = float(input("Enter temperature in Fahrenheit: "))
                                                        celsius = (fahrenheit - 32) * 5/9
                                                        print(f"{fahrenheit}°F is {celsius:.2f}°C")
                                                        print("Invalid selection. Please enter 1 or 2.")
                                          print("Invalid input. Please enter a numeric temperature value.")
                   if __name__ == "__main__":
                          convert_temperature()
Problems Output Debug Console Terminal Ports
Select conversion type:
                                                                                                                                                                                                                                                                                                                                                 ≥ powe
1. Celsius to Fahrenheit

    Pythological Pythologi
 2. Fahrenheit to Celsius
                                                                                                                                                                                                                                                                                                                                                没 Pytho
Enter 1 or 2: 1
Enter temperature in Celsius: 35
35.0°C is 95.00°F
 PS C:\Users\thoop\OneDrive\文档\AIAC_LAB_\Lab3> []
```