Problem Statement:

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

Input Format

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

Output Format

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

118.185.187.137

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>

int findPair(int a[], int left, int right, int x, int *num1, int *num2) {
    if (left >= right)
        return 0;

    if (a[left] + a[right] == x) {
        *num1 = a[left];
        *num2 = a[right];
        return 1;
    }

    if (a[left] + a[right] > x)
        return findPair(a, left, right - 1, x, num1, num2);

    return findPair(a, left + 1, right, x, num1, num2);
}

int main() {
    int n, x;
    scanf("%d", &n);

    int a[n];
    int i = 0;

    while (i < n) {
        scanf("%d", &a[i]);
        i = i + 1;
    }

    scanf("%d", &x);

    int num1, num2;

    if (findPair(a, 0, n - 1, x, &num1, &num2)) {
        printf("%d\n", num1);
        printf("%d\n", num2);
    } else {
        printf("No");
    }

    return 0;
}
```

	Input	Expected	Got	
✔	4 2 4 8 10 14	4 10	4 10	✔
✔	5 2 4 6 8 10 100	No	No	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.