


RELATÓRIO - LAB 9

Nome: Nádia Matias

Número: 22401551



```
PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git pull origin main
From https://github.com/Nadja-rcm/microservices-project
* branch main -> FETCH_HEAD
Already up to date.

PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git checkout -b feature/sqs
Switched to a new branch 'feature/sqs'

PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git push origin feature/sqs
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/Nadja-rcm/microservices-project.git/'

PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git remote set-url origin https://Nadja-rcm:qhp_0r4m0C0d8jxJWtHS8yaVS6xtMejCFW@mlxz6qgithub.com/Nadja-rcm/microservices-project.git


PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git checkout -b feature/sqs
fatal: a branch named 'feature/sqs' already exists

PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git push origin feature/sqs
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/sqs' on GitHub by visiting:
remote: https://github.com/Nadja-rcm/microservices-project/pull/new/feature/sqs
remote:
To https://github.com/Nadja-rcm/microservices-project.git
* [new branch] feature/sqs -> feature/sqs

PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc> git branch
* feature/sqs
main
master

PS C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>
```

- Voltei a fazer aquilo do token porque não acessava ao meu git e criei o feacture porque não havia. Abaixo queue criada com dados default





Queue **cn-course-product-events-dlq** created successfully. You can now send and receive messages.

cn-course-product-events-dlq [Edit] [Delete] [Purge] [Send and receive messages] [Start DLQ redrive]

Details		
Name cn-course-product-events-dlq	Type Standard	ARN arn:aws:sqs:eu-west-1:719588290390:cn-course-product-events-dlq
Encryption Amazon SQS key (SSE-SQS)	URL https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq	Dead-letter queue -

- A principal criada ja associada



Actividade 2

```
C:\Windows\System32\cmd.e X + v

Microsoft Windows [Version 10.0.26200.8457]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>git fetch origin
From https://github.com/Nadja-rcm/microservices-project
* [new branch]      feature/sqs -> origin/feature/sqs

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>git checkout feature/sqs
branch 'feature/sqs' set up to track 'origin/feature/sqs'.
Switched to a new branch 'feature/sqs'

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>git branch
* feature/sqs
  main

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws --version
aws-cli/2.34.26 Python/3.14.3 Windows/11 exe/AMD64

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws sts get-caller-identity
{
  "UserId": "AIDA2PCWN55LICSXHGPC2",
  "Account": "719588290390",
  "Arn": "arn:aws:iam::719588290390:user/cli-user"
}
```

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws --version
aws-cli/2.34.26 Python/3.14.3 Windows/11 exe/AMD64

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws sqs create-queue --queue-name cn-course-product-
events-dlq --region eu-west-1
{
  "QueueUrl": "https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq"
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>
```

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws sts get-caller-identity --query Account --output text
719588290390


C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws sqs get-queue-attributes --queue-url https://sqs.eu-west-1.amazonaws.com/719
588290390/cn-course-product-events --attribute-names QueueArn --region eu-west-1
{
  "Attributes": {
    "QueueArn": "arn:aws:sqs:eu-west-1:719588290390:cn-course-product-events"
  }
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws sqs get-queue-attributes --queue-url https://sqs.eu-west-1.amazonaws.com/719
588290390/cn-course-product-events-dlq --attribute-names QueueArn --region eu-west-1
{
  "Attributes": {
    "QueueArn": "arn:aws:sqs:eu-west-1:719588290390:cn-course-product-events-dlq"
  }
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>
```

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>aws sqs get-queue-attributes --queue-url https://sqs.eu-west-1.amazonaws.com/719
588290390/cn-course-product-events --attribute-names RedrivePolicy --region eu-west-1
{
  "Attributes": {
    "RedrivePolicy": "{\"deadLetterTargetArn\":\"arn:aws:sqs:eu-west-1:719588290390:cn-course-product-events-dlq\",\"maxReceiveCount\":5}"
  }
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project>
```



- TF init

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project\infra\week9-sqs>cd "C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-
project-comp-nuvm\microservices-project-ofc\infra\week9-sqs"

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuvm\microservices-project-ofc\infra\week9-sqs>terraform init
Initializing the backend...
Initializing provider plugins...
- Reusing previous version of hashicorp/aws from the dependency lock file
- Using previously-installed hashicorp/aws v6.45.0

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuvm\microservices-project-ofc\infra\week9-sqs>terraform plan
```

- Importei as filas existentes porque estava com erro no apply

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>terraform import aws_sqs_queue.dlq https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq
aws_sqs_queue.dlq: Importing from ID "https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq"...
aws_sqs_queue.dlq: Import prepared!
  Prepared aws_sqs_queue for import
aws_sqs_queue.dlq: Refreshing state... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq]

Import successful!

The resources that were imported are shown above. These resources are now in
your Terraform state and will henceforth be managed by Terraform.

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>terraform import aws_sqs_queue.main https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events
aws_sqs_queue.main: Importing from ID "https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events"...
aws_sqs_queue.main: Import prepared!
  Prepared aws_sqs_queue for import
aws_sqs_queue.main: Refreshing state... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events]

Import successful!

The resources that were imported are shown above. These resources are now in
your Terraform state and will henceforth be managed by Terraform.
```

- TF plan

```
C:\Windows\System32\cmd.exe X + - v
+ resource "aws_sqs_queue" "main" {
+   arn                                = (known after apply)
+   content_based_deduplication        = false
+   deduplication_scope                = (known after apply)
+   delay_seconds                      = 0
+   fifo_queue                         = false
+   fifo_throughput_limit              = (known after apply)
+   id                                 = (known after apply)
+   kms_data_key_reuse_period_seconds = (known after apply)
+   max_message_size                   = 262144
+   message_retention_seconds          = 345600
+   name                               = "cn-course-product-events-tf"
+   name_prefix                        = (known after apply)
+   policy                             = (known after apply)
+   receive_wait_time_seconds          = 20
+   redrive_allow_policy               = (known after apply)
+   redrive_policy                     = (known after apply)
+   region                             = "eu-west-1"
+   sqs_managed_sse_enabled            = (known after apply)
+   tags_all                           = (known after apply)
+   url                                = (known after apply)
+   visibility_timeout_seconds         = 60
+ }

Plan: 2 to add, 0 to change, 0 to destroy.

Changes to Outputs:
+ product_events_queue_url = (known after apply)

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>
```

- TF apply

```
C:\Windows\System32\cmd.exe

Only 'yes' will be accepted to approve.

Enter a value: yes

aws_sqs_queue.main: Destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 00m10s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 00m20s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 00m30s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 00m40s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 00m50s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 01m00s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 01m10s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 01m20s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 01m30s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 01m40s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 01m50s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 02m00s elapsed]
aws_sqs_queue.main: Still destroying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events, 02m10s elapsed]
aws_sqs_queue.main: Destruction complete after 2m11s
aws_sqs_queue.dlq: Modifying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq]
aws_sqs_queue.dlq: Still modifying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq, 00m10s elapsed]
aws_sqs_queue.dlq: Still modifying... [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq, 00m20s elapsed]
aws_sqs_queue.dlq: Modifications complete after 25s [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-dlq]
aws_sqs_queue.main: Creating...
aws_sqs_queue.main: Still creating... [00m10s elapsed]
aws_sqs_queue.main: Still creating... [00m20s elapsed]
aws_sqs_queue.main: Creation complete after 26s [id=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf]

Apply complete! Resources: 1 added, 1 changed, 1 destroyed.

Outputs:

product_events_queue_url = "https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf"

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>
```

The screenshot shows the AWS IAM console interface. The left sidebar contains navigation links for Identity and Access Management (IAM), Access Management, and Access reports. The main content area displays the details for the 'cn-course-sqs-policy'. The 'Policy details' section shows the policy type as 'Customer managed', creation and edited times as 'May 20, 2026, 10:33 (UTC+01:00)', and the ARN as 'arn:aws:iam::719588290390:policy/cn-course-sqs-policy'. Below this, the 'Permissions defined in this policy' section shows a JSON snippet defining permissions for 'sqs:SendMessage', 'sqs:GetQueueUrl', 'sqs:ReceiveMessage', 'sqs:DeleteMessage', and 'sqs:GetQueueAttributes'.

cli-user

The screenshot shows the AWS IAM console interface. The left sidebar contains navigation links for Identity and Access Management (IAM), Access Management, and Access reports. The main content area displays the details for the 'cli-user'. The 'Summary' section shows the user's ARN as 'arn:aws:iam::719588290390:user/cli-user', creation time as 'April 13, 2026, 20:22 (UTC+01:00)', and console access status as 'Disabled'. Below this, the 'Permissions policies (2)' section shows a list of policies attached to the user, including 'AdministratorAccess' and 'cn-course-sqs-policy'.

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>git branch
* feature/sqs
  main
  master

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>git fetch origin

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>git checkout feature/sqs
Already on 'feature/sqs'

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>set AWS_REGION=eu-west-1

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>set CLOUD_SQS_PRODUCT_EVENTS_ENABLED=true

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>set CLOUD_SQS_PRODUCT_EVENTS_QUEUE_URL=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>set CLOUD_SQS_PRODUCT_EVENTS_CONSUMER_ENABLED=true

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>set CLOUD_SQS_PRODUCT_EVENTS_CONSUMER_QUEUE_URL=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>set CLOUD_SQS
CLOUD_SQS_PRODUCT_EVENTS_CONSUMER_ENABLED=true
CLOUD_SQS_PRODUCT_EVENTS_CONSUMER_QUEUE_URL=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf
CLOUD_SQS_PRODUCT_EVENTS_ENABLED=true
CLOUD_SQS_PRODUCT_EVENTS_QUEUE_URL=https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>|
```

- TF output e a policy

```
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc>cd "C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs"

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>terraform output
product_events_queue_url = "https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf"
```

```
C:\Windows\System32\cmd.exe X + v

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>aws iam list-attached-user-policies --user-name cli-user
{
  "AttachedPolicies": [
    {
      "PolicyName": "cn-course-sqs-policy",
      "PolicyArn": "arn:aws:iam::719588290390:policy/cn-course-sqs-policy"
    },
    {
      "PolicyName": "AdministratorAccess",
      "PolicyArn": "arn:aws:iam::aws:policy/AdministratorAccess"
    }
  ]
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>aws iam list-policies --scope Local --query "Policies[?PolicyName=='cn-course-sqs-policy']"
[
  {
    "PolicyName": "cn-course-sqs-policy",
    "PolicyId": "ANPA2PCWINS5LGSMQFWQP3",
    "Arn": "arn:aws:iam::719588290390:policy/cn-course-sqs-policy",
    "Path": "/",
    "DefaultVersionId": "v1",
    "AttachmentCount": 1,
    "PermissionsBoundaryUsageCount": 0,
    "IsAttachable": true,
    "CreateDate": "2026-05-20T09:33:07+00:00",
    "UpdateDate": "2026-05-20T09:33:07+00:00"
  }
]

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>|
```

Atividade 5

- Starting ProductServiceApplication e o OrderServiceApplication

```

C:\Users\HP 15-da\jdk\corretto-23.0.2\bin\java.exe ...

:: Spring Boot :: (v3.4.0)

2026-05-20T15:43:52.465+01:00 INFO 18220 --- [order-service] [ restartedMain] p.u.o.OrderServiceApplication : Starting OrderServiceApplication
2026-05-20T15:43:52.469+01:00 INFO 18220 --- [order-service] [ restartedMain] p.u.o.OrderServiceApplication : No active profile set, falling
2026-05-20T15:43:52.615+01:00 INFO 18220 --- [order-service] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : DevTools property defaults acti
2026-05-20T15:43:52.615+01:00 INFO 18220 --- [order-service] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logg
2026-05-20T15:43:54.874+01:00 INFO 18220 --- [order-service] [ restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA r
2026-05-20T15:43:54.987+01:00 INFO 18220 --- [order-service] [ restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository
2026-05-20T15:43:55.396+01:00 INFO 18220 --- [order-service] [ restartedMain] o.s.c.cloud.context.scope.GenericScope : BeanFactory id=9d3157f8-aa5c-30
2026-05-20T15:43:56.631+01:00 INFO 18220 --- [order-service] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port 80
2026-05-20T15:43:56.656+01:00 INFO 18220 --- [order-service] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-05-20T15:43:56.657+01:00 INFO 18220 --- [order-service] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apach
2026-05-20T15:43:56.760+01:00 INFO 18220 --- [order-service] [ restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded We
2026-05-20T15:43:56.762+01:00 INFO 18220 --- [order-service] [ restartedMain] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: ini
2026-05-20T15:43:57.091+01:00 INFO 18220 --- [order-service] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...

```

```

C:\Users\HP 15-da\jdk\corretto-23.0.2\bin\java.exe ...

:: Spring Boot :: (v3.4.0)

2026-05-20T15:43:45.568+01:00 INFO 14776 --- [product-service] [ restartedMain] p.u.p.ProductServiceApplication : Starting ProductServiceApplic
2026-05-20T15:43:45.553+01:00 DEBUG 14776 --- [product-service] [ restartedMain] p.u.p.ProductServiceApplication : Running with Spring Boot v3.4
2026-05-20T15:43:45.555+01:00 INFO 14776 --- [product-service] [ restartedMain] p.u.p.ProductServiceApplication : No active profile set, fallin
2026-05-20T15:43:45.718+01:00 INFO 14776 --- [product-service] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : DevTools property defaults ac
2026-05-20T15:43:45.718+01:00 INFO 14776 --- [product-service] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related lo
2026-05-20T15:43:49.009+01:00 INFO 14776 --- [product-service] [ restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA
2026-05-20T15:43:49.171+01:00 INFO 14776 --- [product-service] [ restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data reposito
2026-05-20T15:43:51.371+01:00 INFO 14776 --- [product-service] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port
2026-05-20T15:43:51.404+01:00 INFO 14776 --- [product-service] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-05-20T15:43:51.404+01:00 INFO 14776 --- [product-service] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apa
2026-05-20T15:43:51.552+01:00 INFO 14776 --- [product-service] [ restartedMain] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded
2026-05-20T15:43:51.555+01:00 INFO 14776 --- [product-service] [ restartedMain] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: i
2026-05-20T15:43:51.968+01:00 INFO 14776 --- [product-service] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...

```

Atividade 6

- End message

```

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuvm\microservices-project-ofc\infra\week9-sqs>aws sqs send-message --queu
e-url https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf --message-body "test message for DLQ" --region eu-west-1
{
  "MD5OfMessageBody": "29bd3a8e62f357744aa251c1ca5d81a5",
  "MessageId": "4676dfc2-77c2-44a8-81b0-c8d621ff98d6"
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuvm\microservices-project-ofc\infra\week9-sqs>

```


- Enviei a mensagem 5 vezes, a cada 60 segundos, e depois n aconteceu nada


```
C:\Windows\System32\cmd.e x + v

"Messages": [
  {
    "MessageId": "4676dfc2-77c2-44a8-81b0-c8d621ff98d6",
    "ReceiptHandle": "AQEB2+uJo84uZVYmH2HqJ1jbza88H8T+E046+4yT+DkLytGkeZcRqNLSZmVserR6CXAt/BAQ6856f2yr78U3U7EnLo9dCaVP7nJjkXa0DyVjpr+ttjwCEZ
oyw09CPxCVSvvanzm1SBw033eLkq2aBHQm0P3TScUW1PGGvkJ781D1w7wLbngA8o9LWpk0snLUuW4QFKLLcFzmZ3Dp0xrKgy1E0MQcH8vEDNgqYmSYbNtyfLQgrRHjj6nNe00H94QAE3NR1prGs6
RgBIXrVGBcd0EmYPEhXauko38VZiBhc0YwBPnJ/9G1e43jiGKvpKJfo/zRamoDNn/2rYBJd+KA00ZoB88RUqF9k9EpyUGtZ0qn3w77qE9ZC09KRmk3n/c2UVYageovWypoTdqqUjHLQngOs3quT
Xwr43XEnIhtjRb1a8=",
    "MD5OfBody": "29bd3a8e62f357744aa251c1ca5d81a5",
    "Body": "test message for DLQ"
  }
]

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>aws sqs receive-message --q
ueue-url https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf --region eu-west-1
{
  "Messages": [
    {
      "MessageId": "4676dfc2-77c2-44a8-81b0-c8d621ff98d6",
      "ReceiptHandle": "AQEBkpeIwAC8Sx9NIhh612ac9ouLiUkcUtTDhKLW2Ghy+ga+/Zo8PUFjRwAf/U4D0cRUtwQzK7N2LWtTwm00mBF3qZJrCJ+BtE2QNE82IIE6PuiyEfISx
HfhW6nooNqpe0AWT31VnvbRgc6CdBL3vDd+znWKPuXf/eGpmZBRTxoqXb2e5bFckLHDUYstNxK0a4Lo4cMPFS/sSZCGC878+JV/mVjo+6wL24go1MdQz2UXZ/Y/1j+m28eZNLuQX1A30wbrBqYF
tvCNxuPx+2gsoGf/sLPNNSqbDvFEzwaP8WxbSncGX++8gSIY248QfJ3UrKzSJWik1VMFF+60pW0zWNCLoXMezBDu76DNc3IstybApNs9Ew0DwRoYYOhhIgoFExy79rHnpktKkaICQvtsS52ajQLK
Hy5c67UA7ex+mLBq8=",
      "MD5OfBody": "29bd3a8e62f357744aa251c1ca5d81a5",
      "Body": "test message for DLQ"
    }
  ]
}

C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>aws sqs receive-message --q
ueue-url https://sqs.eu-west-1.amazonaws.com/719588290390/cn-course-product-events-tf --region eu-west-1
C:\Users\HP 15-da\Desktop\computação na nuvem\microservices-project-comp-nuven\microservices-project-ofc\infra\week9-sqs>
```

- Id utilizando no envio confirmado



Actividade 7

- As filas Standard oferecem throughput ilimitado mas não garantem ordenação e podem entregar mensagens duplicadas, já as filas FIFO garantem ordenação exata e entrega única de cada mensagem, sendo ideais para transações financeiras ou comandos sequenciais, mas têm um limite de 3000 ms.