


ECG Signal - Minute 1 (0-30s)




ECG Signal - Minute 1 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25




ECG Signal - Minute 2 (0-30s)




ECG Signal - Minute 2 (30-60s)




ECG Signal - Minute 3 (0-30s) 1.00 0.75 0.50^{-2} Amplitude 0.00




ECG Signal - Minute 3 (30-60s)




ECG Signal - Minute 4 (0-30s)




ECG Signal - Minute 4 (30-60s)




ECG Signal - Minute 5 (0-30s)




ECG Signal - Minute 5 (30-60s)




ECG Signal - Minute 6 (0-30s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ −0.25




ECG Signal - Minute 6 (30-60s)




ECG Signal - Minute 7 (0-30s) 1.00 0.75 0.50



ECG Signal - Minute 7 (30-60s)



ECG Signal - Minute 8 (0-30s)



ECG Signal - Minute 8 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ −0.25 -0.50 · -0.75-1.00 ·

465

Time (s)

470

475


480

460


450

455


ECG Signal - Minute 9 (0-30s)



ECG Signal - Minute 9 (30-60s)



ECG Signal - Minute 10 (0-30s) 1.00 0.75



ECG Signal - Minute 10 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50-0.75

585

Time (s)

595

590

600


580

-1.00 ·

570

575


ECG Signal - Minute 11 (0-30s) 1.00 0.75 0.50



ECG Signal - Minute 11 (30-60s) 1.00 0.75 0.50 ECG Amplitude 0.00 --0.50 · -0.75-1.00 · 630 635 655 660 640 645 650

Time (s)

ECG Signal - Minute 12 (0-30s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ −0.25 -0.50 -0.75



ECG Signal - Minute 12 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50 · -0.75 -1.00

705

Time (s)

710


720

715

690


695

ECG Signal - Minute 13 (0-30s) 1.00 0.75 0.50




ECG Signal - Minute 13 (30-60s) 1.00 0.75 0.50^{-2} ECG Amplitude 0.00 --0.50 = -0.50-0.75 · -1.00 · 750 755 760 775 780 765 770 Time (s)


ECG Signal - Minute 14 (0-30s)



ECG Signal - Minute 14 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ −0.25




ECG Signal - Minute 15 (0-30s)




ECG Signal - Minute 15 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50 · -0.75-1.00 · 870 875 880 895 900 885 890 Time (s)

ECG Signal - Minute 16 (0-30s)




ECG Signal - Minute 16 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50 · -0.75-1.00 · 930 940 955 960 935 945 950 Time (s)


ECG Signal - Minute 17 (0-30s) 1.00 0.75 0.50




ECG Signal - Minute 17 (30-60s)




ECG Signal - Minute 18 (0-30s)




ECG Signal - Minute 18 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50 ·




ECG Signal - Minute 19 (0-30s)



ECG Signal - Minute 19 (30-60s)



ECG Signal - Minute 20 (0-30s)



ECG Signal - Minute 20 (30-60s) 1.00 0.75 0.50

