

ECG Signal - Minute 1 (0-30s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.75-1.0010 Time (s)


ECG Signal - Minute 1 (30-60s)




ECG Signal - Minute 2 (0-30s)




ECG Signal - Minute 2 (30-60s)




ECG Signal - Minute 3 (0-30s)




ECG Signal - Minute 3 (30-60s)



ECG Signal - Minute 4 (0-30s)




ECG Signal - Minute 4 (30-60s)




ECG Signal - Minute 5 (0-30s) 1.00 0.75 0.50 Amplitude 0.00 <u>9</u> –0.25 -0.75-1.00240 245 250 255 260 265 270

Time (s)


ECG Signal - Minute 5 (30-60s)




ECG Signal - Minute 6 (0-30s)




ECG Signal - Minute 6 (30-60s)




ECG Signal - Minute 7 (0-30s)




ECG Signal - Minute 7 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50 = -0.50




ECG Signal - Minute 8 (0-30s) 1.00 0.75 0.50




ECG Signal - Minute 8 (30-60s)




ECG Signal - Minute 9 (0-30s)




ECG Signal - Minute 9 (30-60s)




ECG Signal - Minute 10 (0-30s)




ECG Signal - Minute 10 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 $-0.50 = \frac{1}{2}$




ECG Signal - Minute 11 (0-30s)




ECG Signal - Minute 11 (30-60s) 1.00 -0.75 0.50




ECG Signal - Minute 12 (0-30s)




ECG Signal - Minute 12 (30-60s)




ECG Signal - Minute 13 (0-30s)



ECG Signal - Minute 13 (30-60s) 1.00 -0.75 0.50




ECG Signal - Minute 14 (0-30s)



ECG Signal - Minute 14 (30-60s) 1.00 0.75 0.50 ე —0.25 -0.75-1.00810 815 820 825 830 835 840 Time (s)

ECG Signal - Minute 15 (0-30s)



ECG Signal - Minute 15 (30-60s) 1.00 -0.75 0.50 Amplitude 0.00 ე —0.25 -0.75-1.00 -

885

Time (s)

890


895

880


870

875

ECG Signal - Minute 16 (0-30s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25




ECG Signal - Minute 16 (30-60s)




ECG Signal - Minute 17 (0-30s) 1.00 -0.75 0.50 Amplitude 0.00 ე —0.25 -0.75-1.00960 965 970 975 980 985 990

Time (s)


ECG Signal - Minute 17 (30-60s) 1.00 0.75 0.50 Amplitude 0.00




ECG Signal - Minute 18 (0-30s)



ECG Signal - Minute 18 (30-60s) 1.00 0.75 0.50



ECG Signal - Minute 19 (0-30s) 1.00 0.75 0.50



ECG Signal - Minute 19 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 -0.75-1.00

1125

Time (s)

1135

1140


1130

1120

1110

1115

ECG Signal - Minute 20 (0-30s)



ECG Signal - Minute 20 (30-60s)

