


ECG Signal - Minute 1 (0-30s)




ECG Signal - Minute 1 (30-60s) 0.04







ECG Signal - Minute 2 (0-30s)




ECG Signal - Minute 2 (30-60s)




ECG Signal - Minute 3 (0-30s)




ECG Signal - Minute 3 (30-60s) 1.00 0.75 0.50




ECG Signal - Minute 4 (0-30s)




ECG Signal - Minute 4 (30-60s) 1.00 0.75 0.50 0.25 0.00



ECG Signal - Minute 5 (0-30s) 1.00 0.75 0.50 Amplitude 0.00




ECG Signal - Minute 5 (30-60s) 1.00 0.75 0.50 o.25 0.25 0.00 ⊕ –0.25





ECG Signal - Minute 6 (0-30s) 0.04





ECG Signal - Minute 6 (30-60s) 0.04






ECG Signal - Minute 7 (0-30s) 0.04





ECG Signal - Minute 7 (30-60s) 1.00 0.75 0.50 Amplitude 0.00




ECG Signal - Minute 8 (0-30s) 1.00 0.75 0.50 Amplitude 0.00 უ −0.25 <del>-</del>0.50 · -0.75-1.00420 425 430 435 440 445 450 Time (s)

ECG Signal - Minute 8 (30-60s) 0.04






ECG Signal - Minute 9 (0-30s) 1.00 0.75 0.50 0.25 0.00 ⊕ –0.25



ECG Signal - Minute 9 (30-60s) 1.00 0.75 0.50 0.25 0.00 ⊕ –0.25



ECG Signal - Minute 10 (0-30s) 1.00 0.75 0.50 0.25 ⊕ -0.25 **-**0.50 · -0.75-1.00540 550 565 570 545 555 560 Time (s)

ECG Signal - Minute 10 (30-60s) 1.00 0.75 0.50 0.25 0.00 უ −0.25 **-**0.50 · -0.75 -1.00570 595 600 575 580 585 590 Time (s)

ECG Signal - Minute 11 (0-30s) 1.00 0.75 0.50 0.25 0.00 უ −0.25 -0.50-0.75 -1.00

615 Time (s)

610

620


625

630


600

605


ECG Signal - Minute 11 (30-60s) 1.00 0.75 0.50 Amplitude 0.00




ECG Signal - Minute 12 (0-30s) 1.00 0.75 0.50




ECG Signal - Minute 12 (30-60s)




ECG Signal - Minute 13 (0-30s)



ECG Signal - Minute 13 (30-60s) 1.00 0.75




ECG Signal - Minute 14 (0-30s) 1.00 0.75 0.50 0.25




ECG Signal - Minute 14 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 ⊕ -0.25 -0.50-0.75-1.00810 840 815 820 825 830 835 Time (s)

ECG Signal - Minute 15 (0-30s) 0.04







ECG Signal - Minute 15 (30-60s) 0.04




ECG Signal - Minute 16 (0-30s) 0.04




ECG Signal - Minute 16 (30-60s) 0.04




ECG Signal - Minute 17 (0-30s) 1.00 0.75 0.50 0.25 0.00




ECG Signal - Minute 17 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 უ −0.25 <del>-</del>0.50 · -0.75



ECG Signal - Minute 18 (0-30s) 0.04





ECG Signal - Minute 18 (30-60s) 1.00 0.75 0.50 0.25 0.00 ⊕ **–**0.25 <del>-</del>0.50 · -0.75 -1.00

1065

Time (s)

1070

1075


1060

1050


1055

1080

ECG Signal - Minute 19 (0-30s) 0.04



ECG Signal - Minute 19 (30-60s) 1.00 0.75 0.50 Amplitude 0.00 უ −0.25 <del>-</del>0.50 ·



ECG Signal - Minute 20 (0-30s) 1.00 0.75 0.50 0.25 0.00 უ −0.25 <del>-</del>0.50 · -0.75 -1.001140 1145 1150 1155 1160 1165 1170

Time (s)

ECG Signal - Minute 20 (30-60s) 0.04

