

Nama : Nafarras Ayu Patrychia

No : 26

CRUD RENTAL MOBIL

➤ SCRIPT

- **PETUGAS**

1. PETUGAS MODEL

```
penyewacontroller.php  api.php  mobil_controller.php  penyewa_model.php  mobil_model.php  jenismob
1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6  use Illuminate\Notifications\Notifiable;
7  use Illuminate\Contracts\Auth\MustVerifyEmail;
8  use Illuminate\Foundation\Auth\User as Authenticatable;
9  use Tymon\JWTAuth\Contracts\JWTSubject;
10
11  class petugas_model extends Authenticatable implements JWTSubject
12  {
13
14      use Notifiable;
15      protected $table = 'petugas';
16
17      /**
18       * The attributes that are mass assignable.
19       *
20       * @var array
21       */
22      protected $fillable = [
23          'nama_petugas', 'alamat', 'telp', 'username', 'password', 'level'
24      ];
25
```

```
penyewacontroller.php  api.php  mobil_controller.php  penyewa_model.php  mobil_model.php  jenismob
17
20      * @var array
21      */
22      protected $fillable = [
23          'nama_petugas', 'alamat', 'telp', 'username', 'password', 'level'
24      ];
25
26      /**
27       * The attributes that should be hidden for arrays.
28       *
29       * @var array
30       */
31      protected $hidden = [
32          'password', 'remember_token',
33      ];
34
35      public function getJWTIdentifier()
36      {
37          return $this->getKey();
38      }
39      public function getJWTCustomClaims()
40      {
41          return [];
42      }
43  }
```

2. PETUGAS CONTROLLER

penyewacontroller.php	api.php
1	<?php
2	
3	namespace App\Http\Controllers;
4	
5	use App\User;
6	use Illuminate\Http\Request;
7	use Illuminate\Support\Facades\Hash;
8	use Illuminate\Support\Facades\Validator;
9	use JWTAuth;
10	use Tymon\JWTAuth\Exceptions\JWTException;
11	
12	class petugascontroller extends Controller
13	{
14	public function login(Request \$request)
15	{
16	\$credentials = \$request->only('username', 'password');
17	
18	try {
19	if (! \$token = JWTAuth::attempt(\$credentials)) {
20	return response()->json(['error' => 'invalid_credentials'], 400);
21	}
22	} catch (JWTException \$e) {
23	return response()->json(['error' => 'could_not_create_token'], 500);
24	}
25	
26	return response()->json(compact('token'));
27	}
28	
29	public function register(Request \$request)
30	{
31	\$validator = Validator::make(\$request->all(), [
32	'nama_petugas' => 'required string max:255',
33	'alamat' => 'required string max:255',
34	'telp' => 'required string max:100',
35	'username' => 'required string max:255',
36	'password' => 'required string min:6 confirmed',
37	'level' => 'required',
38]);
39	
40	if(\$validator->fails()){
41	return response()->json(\$validator->errors()->toJson(), 400);
42	}

penyewacontroller.php	api.php
41	return response()->json(\$validator->errors()->toJson(), 400);
42	}
43	
44	\$user = User::create([
45	'nama_petugas' => \$request->get('nama_petugas'),
46	'alamat' => \$request->get('alamat'),
47	'telp' => \$request->get('telp'),
48	'username' => \$request->get('username'),
49	'password' => Hash::make(\$request->get('password')),
50	'level' => \$request->get('level'),
51]);
52	
53	\$token = JWTAuth::fromUser(\$user);
54	
55	return response()->json(compact('user','token'),201);
56	}
57	
58	public function getAuthenticatedUser()
59	{
60	try {
61	
62	if (! \$user = JWTAuth::parseToken()->authenticate()) {
63	return response()->json(['user_not_found'], 404);
64	}
65	
66	} catch (Tymon\JWTAuth\Exceptions\TokenExpiredException \$e) {
67	
68	return response()->json(['token_expired'], \$e->getStatusCode());
69	
70	} catch (Tymon\JWTAuth\Exceptions\TokenInvalidException \$e) {
71	
72	return response()->json(['token_invalid'], \$e->getStatusCode());
73	
74	} catch (Tymon\JWTAuth\Exceptions\JWTException \$e) {
75	
76	return response()->json(['token_absent'], \$e->getStatusCode());
77	
78	}
79	
80	return response()->json(compact('user'));
81	}
82	}

- **MOBIL**

1. MOBIL MODEL

```
1 <?php
2
3 namespace App;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class mobil_model extends Model
8 {
9     protected $table="mobil";
10    protected $primaryKey="id";
11    public $timestamps= false;
12    protected $fillable = [
13        'plat_nomor', 'merk', 'foto', 'keterangan'
14    ];
15 }
16
```

2. MOBIL CONTROLLER

```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use Auth;
7 use App\mobil_model;
8 use JWTAuth;
9 use DB;
10 use Illuminate\Support\Facades\Validator;
11 use Tymon\JWTAuth\Exceptions\JWTException;
12
13 class mobil_controller extends Controller
14 {
15     public function index($id)
16     {
17         if(Auth::user()->level=="admin"){
18             $dt_mobil=mobil_model::get();
19             return response()->json($dt_mobil);
20         }
21     }
22     public function store(Request $req)
23     {
24         $validator=Validator::make($req->all(),
25             [
26                 'plat_nomor'=>'required',
27                 'merk'=>'required',
28                 'foto'=>'required',
29                 'keterangan'=>'required',
30             ]
31         );
32     }
33 }
34
```

```

penyewacontroller.php  api.php  mobil_controller.php  penyewa_model.php
34  }
35  if($validator->fails()){
36      return Response()->json($validator->errors());
37  }
38
39  $simpan=mobil_model::create([
40      'plat_nomor'=>$req->plat_nomor,
41      'merk'=>$req->merk,
42      'foto'=>$req->foto,
43      'keterangan'=>$req->keterangan,
44      'foto'=>$req->foto,
45  ]);
46  if($simpan){
47      return Response()->json(['status'=>1, 'message'=>"Data Berhasil Ditambahkan!"]);
48  } else{
49      return Response()->json(['status'=>0]);
50  }
51  }
52
53  public function tampil_mobil()
54  {
55      $data_mobil=mobil_model::count();
56      $data_mobil1=mobil_model::all();
57      return Response()->json(['count'=> $data_mobil, 'mobil'=> $data_mobil1, 'status'=>1]);
58  }
59  public function update($id,Request $req)
60  {
61      $validator=Validator::make($req->all(),
62      [
63          'plat_nomor'=>'required',
64          'merk'=>'required',
65          'foto'=>'required',
66          'keterangan'=>'required',
67          'foto'=>'required',
68      ]);

```

```

penyewacontroller.php  api.php  mobil_controller.php  penyewa_model.php
64      'merk'=>'required',
65      'foto'=>'required',
66      'keterangan'=>'required',
67      'foto'=>'required',
68  ]);
69
70  if($validator->fails()){
71      return Response()->json($validator->errors());
72  }
73  $ubah=mobil_model::where('id',$id)->update([
74      'plat_nomor'=>$req->plat_nomor,
75      'merk'=>$req->merk,
76      'foto'=>$req->foto,
77      'keterangan'=>$req->keterangan,
78      'foto'=>$req->foto,
79  ]);
80  if($ubah){
81      return Response()->json(['status'=>1, 'message'=>"Data Berhasil Diubah!"]);
82  } else {
83      return Response()->json(['status'=>0]);
84  }
85  }
86
87  public function destroy($id)
88  {
89      $hapus=mobil_model::where('id',$id)->delete();
90      if($hapus){
91          return Response()->json(['status'=>1, 'message'=>"Data Berhasil Dihapus!"]);
92      } else {
93          return Response()->json(['status'=>0]);
94      }
95  }
96  }
97

```

- JENIS MOBIL

1. JENIS MODEL

```
penyewacontroller.php  api.php  mobil_controller.php  penys

1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class jenismobil_model extends Model
8  {
9      protected $table="jenis_mobil";
10     protected $primaryKey="id";
11     public $timestamps= false;
12     protected $fillable = [
13         'nama_jenis',
14     ];
15 }
16
```

2. JENIS CONTROLLER

```
penyewacontroller.php  api.php

1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use Auth;
7  use App\mobil_model;
8  use JWTAuth;
9  use DB;
10 use Illuminate\Support\Facades\Validator;
11 use Tymon\JWTAuth\Exceptions\JWTException;
12
13 class mobil_controller extends Controller
14 {
15     public function index($id)
16     {
17         if(Auth::user()->level=="admin"){
18             $dt_mobil=mobil_model::get();
19             return response()->json($dt_mobil);
20         }
21         else{
22             return response()->json(['status'=>'anda bukan admin']);
23         }
24     }
25     public function store(Request $req)
26     {
27         $validator=Validator::make($req->all(),
28         [
29             'plat_nomor'=>'required',
30             'merk'=>'required',
31             'foto'=>'required',
32             'keterangan'=>'required',
33         ]
34     );
35     if($validator->fail()){
```

penyewacontroller.php	api.php	mobil_controlle
<pre> 34 }); 35 if(\$validator->fails()){ 36 return Response()->json(\$validator->errors()); 37 } 38 39 \$simpan=mobil_model::create([40 'plat_nomor'=>\$req->plat_nomor, 41 'merk'=>\$req->merk, 42 'foto'=>\$req->foto, 43 'keterangan'=>\$req->keterangan, 44 'foto'=>\$req->foto, 45]); 46 if(\$simpan){ 47 return Response()->json(['status'=>1, 'message'=>"Data Berhasil Ditambahkan!"]); 48 } else{ 49 return Response()->json(['status'=>0]); 50 } 51 } 52 53 public function tampil_mobil() 54 { 55 \$data_mobil=mobil_model::count(); 56 \$data_mobil=mobil_model::all(); 57 return Response()->json(['count'=> \$data_mobil, 'mobil'=> \$data_mobil, 'status'=>1]); 58 } 59 public function update(\$id,Request \$req) 60 { 61 \$validator=Validator::make(\$req->all(), 62 [63 'plat_nomor'=>'required', 64 'merk'=>'required', 65 'foto'=>'required', 66 'keterangan'=>'required', 67 'foto'=>'required', 68]); </pre>		

penyewacontroller.php	api.php	mobil_controlle
<pre> 64 'merk'=>'required', 65 'foto'=>'required', 66 'keterangan'=>'required', 67 'foto'=>'required', 68]); 69 70 if(\$validator->fails()){ 71 return Response()->json(\$validator->errors()); 72 } 73 \$ubah=mobil_model::where('id',\$id)->update([74 'plat_nomor'=>\$req->plat_nomor, 75 'merk'=>\$req->merk, 76 'foto'=>\$req->foto, 77 'keterangan'=>\$req->keterangan, 78 'foto'=>\$req->foto, 79]); 80 if(\$ubah){ 81 return Response()->json(['status'=>1, 'message'=>"Data Berhasil Diubah!"]); 82 } else { 83 return Response()->json(['status'=>0]); 84 } 85 } 86 87 public function destroy(\$id) 88 { 89 \$hapus=mobil_model::where('id',\$id)->delete(); 90 if(\$hapus){ 91 return Response()->json(['status'=>1, 'message'=>"Data Berhasil Dihapus!"]); 92 } else { 93 return Response()->json(['status'=>0]); 94 } 95 } 96 } 97 </pre>		

- **PENYEWA**

1. PENYEWA MODEL

```
penyewacontroller.php  api.php  mobil_controller.php  penyewa_model.php
1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class penyewa_model extends Model
8  {
9      protected $table="penyewa";
10     protected $primaryKey="id";
11     public $timestamps= false;
12     protected $fillable = [
13         'nama_penyewa', 'alamat', 'telp', 'no_ktp', 'foto'
14     ];
15 }
16
```

2. PENYEWA CONTROLLER

```
penyewacontroller.php  api.php
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use Auth;
7  use App\penyewa_model;
8  use JWTAuth;
9  use DB;
10 use Illuminate\Support\Facades\Validator;
11 use Tymon\JWTAuth\Exceptions\JWTException;
12
13 class penyewacontroller extends Controller
14 {
15     public function index($id)
16     {
17         if(Auth::user()->level=="admin"){
18             $dt_penyewa=penyewa_model::get();
19             return response()->json($dt_penyewa);
20         }
21     }
22     else{
23         return response()->json(['status'=>'anda bukan admin']);
24     }
25     public function store(Request $req)
26     {
27         $validator=Validator::make($req->all(),
28         [
29             'nama_penyewa'=>'required',
30             'alamat'=>'required',
31             'telp'=>'required',
32             'nomor_ktp'=>'required',
33             'foto'=>'required',
34         ]
35     );
36 }
```

penyewacontroller.php	api.php	jenismobilcontroller.php
<pre>37 if(\$validator->fails()){ 38 return Response()->json(\$validator->errors()); 39 } 40 41 \$simpan=penyewa_model::create([42 'nama_penyewa'=>\$req->nama_penyewa, 43 'alamat'=>\$req->alamat, 44 'telp'=>\$req->telp, 45 'nomor_ktp'=>\$req->nomor_ktp, 46 'foto'=>\$req->foto, 47]); 48 if(\$simpan){ 49 return Response()->json(['status'=>1, 'message'=>"Data Berhasil Ditambahkan!"]); 50 } else{ 51 return Response()->json(['status'=>0]); 52 } 53 } 54 public function tampil_penyewa() 55 { 56 \$data_penyewa=penyewa_model::count(); 57 \$data_penyewa1=penyewa_model::all(); 58 return Response()->json(['count'=> \$data_penyewa, 'penyewa'=> \$data_penyewa1, 'status'=>1]); 59 } 60 61 public function update(\$id,Request \$req) 62 { 63 \$validator=Validator::make(\$req->all(), 64 [65 'nama_penyewa'=>'required', 66 'alamat'=>'required', 67 'telp'=>'required', 68 'nomor_ktp'=>'required', 69 'foto'=>'required', 70]);</pre>		

penyewacontroller.php	api.php	jenismobilcontrol
<pre>66 'alamat'=>'required', 67 'telp'=>'required', 68 'nomor_ktp'=>'required', 69 'foto'=>'required', 70]); 71 72 if(\$validator->fails()){ 73 return Response()->json(\$validator->errors()); 74 } 75 \$ubah=penyewa_model::where('id',\$id)->update([76 'nama_penyewa'=>\$req->nama_penyewa, 77 'alamat'=>\$req->alamat, 78 'telp'=>\$req->telp, 79 'nomor_ktp'=>\$req->nomor_ktp, 80 'foto'=>\$req->foto, 81]); 82 if(\$ubah){ 83 return Response()->json(['status'=>1, 'message'=>"Data Berhasil Diubah!"]); 84 } else { 85 return Response()->json(['status'=>0]); 86 } 87 } 88 89 public function destroy(\$id) 90 { 91 \$hapus=penyewa_model::where('id',\$id)->delete(); 92 if(\$hapus){ 93 return Response()->json(['status'=>1, 'message'=>"Data Berhasil Dihapus!"]); 94 } else { 95 return Response()->json(['status'=>0]); 96 } 97 } 98 } 99 }</pre>		

- **API**

```

19 Route::post('register','petugascontroller@register');
20 Route::post('login','petugascontroller@login');
21 Route::get('user','petugascontroller@getAuthenticatedUser')->middleware('jwt.verify');
22
23 //penyewa
24 Route::post('/simpan_penyewa','penyewacontroller@store')->middleware('jwt.verify');
25 Route::put('/ubah_penyewa/{id}','penyewacontroller@update')->middleware('jwt.verify');
26 Route::delete('/hapus_penyewa/{id}','penyewacontroller@destroy')->middleware('jwt.verify');
27 Route::get('/tampil_penyewa','penyewacontroller@tampil_penyewa')->middleware('jwt.verify');
28
29 // mobil
30 Route::post('/simpan_mobil','mobil_controller@store')->middleware('jwt.verify');
31 Route::put('/ubah_mobil/{id}','mobil_controller@update')->middleware('jwt.verify');
32 Route::delete('/hapus_mobil/{id}','mobil_controller@destroy')->middleware('jwt.verify');
33 Route::get('/tampil_mobil','mobil_controller@tampil_mobil')->middleware('jwt.verify');
34
35 // jenismobil
36 Route::post('/simpan_jenis','jenismobilcontroller@store')->middleware('jwt.verify');
37 Route::put('/ubah_jenis/{id}','jenismobilcontroller@update')->middleware('jwt.verify');
38 Route::delete('/hapus_jenis/{id}','jenismobilcontroller@destroy')->middleware('jwt.verify');
39 Route::get('/tampil_jenis','jenismobilcontroller@tampil_jenis')->middleware('jwt.verify');
40
41

```

➤ HASIL POSTMAN

- **PETUGAS**

1. CREATE ADMIN

POST

localhost:rental_mobil/public/api/register

Send

Save

<input checked="" type="checkbox"/>	password	jepun123	
<input checked="" type="checkbox"/>	password_confirmation	jepun123	
	Key	Value	Description

Body

Cookies

Headers (10)

Test Results

Status: 201 Created Time: 15.67 s Size: 870 B Save Response

Pretty

Raw

Preview

Visualize

JSON

```
1 {  
2   "user": {  
3     "nama_petugas": "jepun",  
4     "alamat": "magetan",  
5     "telp": "081",  
6     "username": "jepun",  
7     "level": "admin",  
8     "updated_at": "2020-04-17 04:52:30",  
9     "created_at": "2020-04-17 04:52:30",  
10    "id": 4  
11  },  
12  "token":  
    "eyJ3eXAiOiJKV1QiLCJhbGciOiJIUzI1NiIsInR5cCI6IkpXZW90bnVhdWVpdjEwMDQxMTYyVGVudDZmZGVjdG90IiwiaWF0IjoxNjg3OTcxMTEhbmF0IiwiaWF0IjE0ODcxNDZhNSY3LWU0dG9ee4Z1lINyFlIASDhqD_12dPP3kUm4wU5Q"
```

2. CREATE PETUGAS

3. LOGIN ADMIN

4. LOGIN PETUGAS

- **MOBIL**
 1. **CREATE**

POST localhost:rental_mobil/public/api/simpan_mobil

<input type="checkbox"/>	nama_penyewa	Farra
<input type="checkbox"/>	alamat	Jl. Danau Ranau XII
<input type="checkbox"/>	telp	081358158219
<input type="checkbox"/>	nomor_ktp	0011223344
<input type="checkbox"/>	foto	-
<input checked="" type="checkbox"/>	plat_nomor	AE 1111 NE
<input checked="" type="checkbox"/>	merk	Xenia
<input checked="" type="checkbox"/>	foto	yes
<input checked="" type="checkbox"/>	keterangan	baik
<input checked="" type="checkbox"/>	nama_jenis	Suzuki
<input type="checkbox"/>	Key	Value

Body Cookies Headers (11) Test Results Status:

Pretty Raw Preview Visualize

```
{ "status": 1, "message": "Data Berhasil Ditambahkan!" }
```

2. READ

GET localhost:rental_mobil/public/api/tampil_mobil

Params Authorization Headers (8) Body Pre-request Script Tests Settings

Headers 7 hidden

KEY	VALUE	DE
<input checked="" type="checkbox"/>	Authorization	bearer eyJ0eXAiOiJV1QILCjhbGciOiJIUzI1NiJ9.eyJpc3MiOi...
<input type="checkbox"/>	Key	Value

Body Cookies Headers (11) Test Results Status: 2

Pretty Raw Preview Visualize JSON

```
1 {
2   "count": 2,
3   "mobil": [
4     {
5       "id": 1,
6       "plat_nomor": "N 1111 A",
7       "merk": "XENIA",
8       "foto": "nais",
9       "keterangan": "baik",
10      "created_at": "2020-04-17 13:28:31",
11      "updated_at": "2020-04-17 13:28:31"
12    },
13    {
```

3. UPDATE

POST localhost... POST localhost... POST localhost... GET localhost... PUT localhost... DEL localhost...

PUT localhost:rental_mobil/public/api/ubah_mobil/2

<input type="checkbox"/>	nama_penyewa	wagcari
<input type="checkbox"/>	telp	081123
<input type="checkbox"/>	nomor_ktp	00112233
<input type="checkbox"/>	foto	bagus
<input checked="" type="checkbox"/>	plat_nomor	N 1111 A
<input checked="" type="checkbox"/>	merk	XENIA
<input checked="" type="checkbox"/>	foto	nais
<input checked="" type="checkbox"/>	keterangan	baik
<input checked="" type="checkbox"/>	nama_jenis	Suzuki
<input type="checkbox"/>	Key	Value

Body Cookies Headers (11) Test Results 5

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Diubah!"
4 }
```

4. DELETE

DELETE localhost/rental_mobil/public/api/hapus_mobil/2

Headers (8)

KEY	VALUE	DESC
<input checked="" type="checkbox"/> Authorization	bearer eyJ0eXAiOiJV1QlCjhbGciOiJIUzI1Ni9.eyJpc3M...	
Key	Value	Desi

Body Cookies Headers (11) Test Results Status: 200

JSON

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Dihapus!"
4 }
```

• JENIS MOBIL

1. CREATE

POST localhost/rental_mobil/public/api/simpan_jenis


<input type="checkbox"/> telp	081358158219
<input type="checkbox"/> nomor_ktp	0011223344
<input type="checkbox"/> foto	-
<input type="checkbox"/> plat_nomor	AE 1111 NE
<input type="checkbox"/> merk	Xenia
<input type="checkbox"/> foto	Text yes
<input type="checkbox"/> keterangan	baik
<input checked="" type="checkbox"/> nama_jenis	Suzuki
Key	Value

Body Cookies Headers (11) Test Results Status


JSON

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Ditambahkan!"
4 }
```


2. READ



3. UPDATE



4. DELETE



- **PENYEWAWA**

1. CREATE

POST localhost/rental_mobil/public/api/simpan_penyewa

<input checked="" type="checkbox"/>	nama_penyewa	Farra
<input checked="" type="checkbox"/>	alamat	Jl. Danau Ranau XII
<input checked="" type="checkbox"/>	telp	081358158219
<input checked="" type="checkbox"/>	nomor_ktp	0011223344
<input checked="" type="checkbox"/>	foto	-
<input type="checkbox"/>	plat_nomor	AE 1111 NE
<input type="checkbox"/>	merk	Xenia
<input type="checkbox"/>	foto	yes
<input type="checkbox"/>	keterangan	baik
<input type="checkbox"/>	nama_jenis	Suzuki
	Key	Value

Body Cookies Headers (11) Test Results Status:

Pretty Raw Preview Visualize

```
{
  "status": 1,
  "message": "Data Berhasil Ditambahkan!"
}
```

2. READ

GET localhost/rental_mobil/public/api/tampil_penyewa

Pretty Raw Preview Visualize JSON

```
1 {
2   "count": 2,
3   "penyewa": [
4     {
5       "id": 1,
6       "nama_penyewa": "Nafarras",
7       "alamat": "Magetan",
8       "telp": "081123",
9       "nomor_ktp": 112233,
10      "foto": "bagus",
11      "created_at": "2020-04-17 13:04:47",
12      "updated_at": "2020-04-17 13:04:47"
13    },
14    {
15      "id": 3,
16      "nama_penyewa": "Farra",
17      "alamat": "Jl. Danau Ranau XII",
18      "telp": "081358158219",
19      "nomor_ktp": 11223344,
20      "foto": "-",
21      "created_at": "2020-04-17 14:30:18",
22      "updated_at": "2020-04-17 14:30:18"
23    }
24  ],
25  "status": 1
26 }
```

3. UPDATE

PUT localhost/rental_mobil/public/api/ubah_penyewa/2

<input checked="" type="checkbox"/>	telp	081123
<input checked="" type="checkbox"/>	nomor_ktp	00112233
<input checked="" type="checkbox"/>	foto	bagus
<input type="checkbox"/>	plat_nomor	N 1111 A
<input type="checkbox"/>	merk	XENIA
<input type="checkbox"/>	foto	nais
<input type="checkbox"/>	keterangan	baik
<input type="checkbox"/>	nama_jenis	Honda
	Key	Value

Body Cookies Headers (11) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Diubah!"
4 }
```

4. DELETE

The screenshot displays a REST client interface with the following components:

- Method and URL:** DELETE `localhost:rental_mobil/public/api/hapus_penyewa/2`
- Tabs:** Params, Authorization, Headers (8), Body, Pre-request Script, Tests, Settings. The **Headers** tab is active.
- Headers Table:**

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> Authorization	bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MIC...	
Key	Value	Description
- Body Tab:** Shows the response status **Status: 200 OK**.
- Response Body:**

Line	Content
1	{
2	"status": 1,
3	"message": "Data Berhasil Dihapus!"
4	}