

Test Summary Report

1. Project Information

Field	Details
Project Name	SauceDemo Web Application
Testing Type	Manual Testing
Application URL	https://www.saucedemo.com/
Test Environment	Windows, Google Chrome
Testing Status	Completed
Prepared By	Nafeel Sarook.

2. Project Overview

The purpose of this testing project was to evaluate the core functionality, usability, and input validation of the SauceDemo web application.

Manual testing was performed across the Login, Products, Shopping Cart, Checkout, and Order Completion modules. Positive, negative, boundary, edge-value, validation, regression, smoke, and exploratory testing techniques were considered during test execution.

3. Testing Scope

The following application areas were included in the testing scope:

- User login and logout
- Login validation and error handling
- Products page
- Product information and sorting
- Adding and removing products
- Shopping cart functionality
- Checkout information form
- Checkout validation
- Order overview and price calculations
- Order completion
- Navigation and basic usability

4. Testing Activities Performed

The following testing activities were completed:

1. Prepared the Test Plan.
2. Identified and documented test scenarios.
3. Created detailed test cases.
4. Executed the test cases manually.
5. Recorded PASS and FAIL statuses in the test execution sheet.
6. Identified failed test cases.
7. Prepared defect reports for the observed issues.
8. Prepared this Test Summary Report.

5. Test Execution Summary

Test Execution Metric	Count
Total Test Cases	64
Executed Test Cases	64
Passed Test Cases	59
Failed Test Cases	5
Blocked Test Cases	0
Not Executed Test Cases	0

6. Test Execution Statistics

Result	Percentage
Pass Percentage	92.19%
Fail Percentage	7.81%

Calculation

Pass Percentage

Pass Percentage = (Passed Test Cases / Executed Test Cases) × 100

Pass Percentage = (59 / 64) × 100 = **92.19%**

Fail Percentage

Fail Percentage = (Failed Test Cases / Executed Test Cases) × 100

Fail Percentage = (5 / 64) × 100 = **7.81%**

7. Failed Test Cases

The following five test cases were recorded as failed during execution:

No.	Test Case ID	Failed Test Case	Module
1	TC-013	Verify that a user can log in again after logging out	Login
2	TC-015	Verify that the user can navigate and submit the login form using keyboard interaction where supported	Login
3	TC-050	Verify the behavior when checkout fields contain special characters	Checkout
4	TC-051	Verify the behavior when checkout fields contain numeric values	Checkout
5	TC-052	Verify checkout with long input values	Checkout

8. Defect Summary

Bug ID	Related Test Case	Issue Summary	Module	Status
BUG-001	TC-013	Locked user cannot access the Products page after a login attempt	Login / User Access	Open
BUG-002	TC-015	Keyboard navigation is not supported properly on the login form	Login	Open
BUG-003	TC-050	Special-character input is not validated appropriately in checkout fields	Checkout	Open
BUG-004	TC-051	Numeric input is not validated appropriately in checkout fields	Checkout	Open
BUG-005	TC-052	Long input values are not handled appropriately in checkout fields	Checkout	Open

9. Risks and Limitations

The following limitations were considered during testing:

- Testing was performed on a public web application.
- Testing was conducted mainly using one browser and operating system.
- Performance, load, stress, and security penetration testing were not included.
- API, database, and source-code testing were not performed.
- Testing was based on the publicly available application behavior and defined test expectations.
- Some input-validation observations require confirmation against formal business requirements before being classified as confirmed defects.
- The keyboard-navigation issue may require additional accessibility verification.

10. Overall Assessment

A total of 64 test cases were executed. Of these, 59 test cases passed and 5 test cases failed. The overall pass rate was 92.19%, while the failure rate was 7.81%.

The main observations were related to login accessibility, locked-user access behavior, and checkout input validation. These issues should be reviewed and verified against the application requirements.

11. Recommendation

The following actions are recommended:

1. Review and investigate all failed test cases.
2. Confirm whether each observation is a valid defect or expected application behavior.
3. Fix confirmed defects.
4. Perform regression testing after fixes are implemented.
5. Repeat checkout validation tests using clearly defined input rules.
6. Perform additional keyboard and accessibility testing.
7. Re-execute all failed test cases after defect resolution.
8. Update the test execution report with the final results.

12. Final Conclusion

The manual testing project was completed successfully, with all 64 planned test cases executed. The application demonstrated a high overall pass rate of 92.19%.

However, five test cases failed and require further investigation. Final acceptance should be considered after the failed cases are reviewed, confirmed defects are resolved, and regression testing is completed.