

SauceDemo_Manual_Testing

Test Plan

SauceDemo – Manual Testing Test Plan

1. Project Overview

This document defines the test plan for the manual testing of the SauceDemo web application.

The purpose of this testing project is to verify that the application's major functionalities work as expected and to identify functional, usability, validation, and other potential defects.

The testing will cover the complete user journey from login to successful order completion.

2. Application Under Test

Application: SauceDemo

Application Type: E-commerce Web Application

Testing Type: Manual Testing

Testing Approach: Functional and Exploratory Testing

3. Testing Objectives

The main objectives of this testing project are:

- Verify that users can successfully log in and log out.
 - Verify that products are displayed correctly.
 - Verify product sorting and navigation functionality.
 - Verify that users can add and remove products from the shopping cart.
 - Verify that cart information is displayed correctly.
 - Verify the checkout process.
 - Verify required-field validations.
 - Verify order summary and price calculations.
 - Verify successful order completion.
 - Identify and document defects.
 - Verify that the application behaves correctly for invalid and unexpected inputs.
-

4. Scope of Testing

4.1 In Scope

The following modules and functionalities will be tested:

Login

- Valid login
- Invalid login
- Empty fields
- Locked user
- Error messages
- Logout

Products

- Product listing
- Product information
- Product details
- Product sorting
- Add to cart
- Remove from cart

Shopping Cart

- Cart navigation
- Added products
- Product quantity
- Product removal
- Continue shopping
- Checkout navigation

Checkout

- Customer information
- Required-field validation
- Invalid input validation
- Checkout navigation
- Order summary
- Price calculation
- Cancel checkout
- Finish order

Order Completion

- Successful order submission

- Confirmation message
 - Confirmation page
 - Return to products
-

5. Out of Scope

The following areas are outside the scope of this manual testing project:

- Performance testing
 - Load testing
 - Security penetration testing
 - Database testing
 - API testing
 - Source code testing
 - Mobile application testing
 - Cross-browser compatibility testing beyond the selected test environment
-

6. Testing Types

The following testing techniques will be used:

- Functional Testing
 - Positive Testing
 - Negative Testing
 - Boundary Value Analysis
 - Equivalence Partitioning
 - Validation Testing
 - Regression Testing
 - Smoke Testing
 - Sanity Testing
 - Exploratory Testing
 - Usability Testing
-

7. Test Environment

Operating System: Windows

Browser: Google Chrome

Testing Type: Web Application

Test Environment: Public SauceDemo application

The exact browser version and operating system details will be recorded during test execution where required.

8. Test Data

Test data will include:

- Valid login credentials
 - Invalid login credentials
 - Empty input values
 - Invalid input values
 - Customer names
 - Postal codes
 - Product selections
 - Multiple products
 - Boundary and special-character inputs where applicable
-

9. Entry Criteria

Testing will begin when:

- The application is accessible.
 - The major application modules are available.
 - Required test credentials are available.
 - The test environment is ready.
-

10. Exit Criteria

Testing will be considered complete when:

- All planned test cases have been executed.
 - Failed test cases have been investigated.
 - Identified defects have been documented.
 - Retesting has been performed where applicable.
 - Regression testing has been completed for relevant areas.
 - A final test summary report has been prepared.
-

11. Defect Management

Any identified defects will be documented with:

- Defect ID
 - Defect title
 - Module
 - Environment
 - Preconditions
 - Steps to reproduce
 - Test data
 - Expected result
 - Actual result
 - Severity
 - Priority
 - Evidence
 - Defect status
-

12. Deliverables

The following deliverables will be produced:

1. Test Plan
 2. Test Scenarios
 3. Test Cases
 4. Test Execution Report
 5. Defect Reports
 6. Screenshots/Evidence
 7. Test Summary Report
-

13. Risks and Assumptions

Risks

- The public test environment may become temporarily unavailable.
- Application behavior may change during the testing period.
- Some defects may be environment-specific.

Assumptions

- The application is available during testing.
- Test credentials provided by the application are valid.
- Testing will be performed using the selected environment.

- Requirements are derived from the application's observed behavior.
-

14. Test Approach

Testing will follow a structured approach:

Application Exploration → Test Scenario Identification → Test Case Design → Test Execution → Defect Reporting → Retesting → Regression Testing → Test Summary

The testing will focus on both expected user workflows and unexpected or invalid user behavior.

Test Scenarios

SauceDemo – Test Scenarios

1. Login Module

Scenario ID	Test Scenario
TS-001	Verify that a user can log in with valid credentials.
TS-002	Verify that a user cannot log in with an invalid username.
TS-003	Verify that a user cannot log in with an invalid password.
TS-004	Verify that an appropriate validation message is displayed when username is empty.
TS-005	Verify that an appropriate validation message is displayed when password is empty.
TS-006	Verify the behavior when both username and password are empty.
TS-007	Verify that a locked user cannot log in.
TS-008	Verify that the login error message is displayed correctly.
TS-009	Verify that the user can log out successfully.

2. Products Module

Scenario ID	Test Scenario
TS-010	Verify that the Products page is displayed successfully after login.
TS-011	Verify that all available products are displayed correctly.
TS-012	Verify that each product displays the correct name.
TS-013	Verify that each product displays the correct price.
TS-014	Verify that each product displays an image.
TS-015	Verify that each product displays a description.
TS-016	Verify that a user can open a product details page.
TS-017	Verify that the product details contain correct product information.

TS-018	Verify that products can be sorted by name.
TS-019	Verify that products can be sorted by price.
TS-020	Verify that a user can add a product to the cart from the Products page.
TS-021	Verify that a user can remove a product from the cart from the Products page.
TS-022	Verify that the cart icon reflects the number of added products.

3. Shopping Cart Module

Scenario ID	Test Scenario
TS-023	Verify that the user can navigate to the Shopping Cart.
TS-024	Verify that an added product is displayed in the Shopping Cart.
TS-025	Verify that the product name is displayed correctly in the cart.
TS-026	Verify that the product price is displayed correctly in the cart.
TS-027	Verify that the product quantity is displayed correctly.
TS-028	Verify that a product can be removed from the cart.
TS-029	Verify that multiple products can be added to the cart.
TS-030	Verify that multiple products are displayed correctly in the cart.
TS-031	Verify that the cart count is updated correctly after adding products.
TS-032	Verify that the cart count is updated correctly after removing products.
TS-033	Verify that the user can continue shopping from the cart.
TS-034	Verify that the user can proceed from the cart to checkout.

4. Checkout Module

Scenario ID	Test Scenario
TS-035	Verify that the Checkout page is displayed successfully.
TS-036	Verify that a user can enter valid customer information.

TS-037	Verify that checkout cannot continue when First Name is empty.
TS-038	Verify that checkout cannot continue when Last Name is empty.
TS-039	Verify that checkout cannot continue when Postal Code is empty.
TS-040	Verify the behavior when all checkout fields are empty.
TS-041	Verify the behavior when checkout fields contain valid data.
TS-042	Verify the behavior when checkout fields contain special characters.
TS-043	Verify the behavior when checkout fields contain numeric values.
TS-044	Verify that the user can cancel the checkout process.
TS-045	Verify that the user can continue to the order summary.
TS-046	Verify that the selected products are displayed in the order summary.
TS-047	Verify that product prices are displayed correctly in the order summary.
TS-048	Verify that the item total is calculated correctly.
TS-049	Verify that tax is calculated correctly.
TS-050	Verify that the final total is calculated correctly.
TS-051	Verify that the user can complete the order.

5. Order Completion Module

Scenario ID	Test Scenario
TS-052	Verify that an order can be completed successfully.
TS-053	Verify that the order confirmation page is displayed.
TS-054	Verify that the order confirmation message is displayed correctly.
TS-055	Verify that the user can navigate back to the Products page after completing an order.
TS-056	Verify that the shopping cart state is handled correctly after order completion.

6. Navigation and Usability

Scenario ID	Test Scenario
TS-057	Verify navigation between the Products page and Shopping Cart.
TS-058	Verify navigation from Product Details back to the Products page.
TS-059	Verify that the application provides appropriate error messages for invalid input.
TS-060	Verify that buttons and links perform their intended actions.
TS-061	Verify that the user can navigate through the complete purchase workflow without unexpected interruptions.

Scenario Summary

Module	Number of Scenarios
Login	9
Products	13
Shopping Cart	12
Checkout	17
Order Completion	5
Navigation & Usability	5
Total	61

Test Cases

SauceDemo – Test Cases

Login Module

TC-001 — Login with valid credentials

Scenario ID: TS-001

Module: Login

Test Case: Verify that a user can log in successfully using valid credentials.

Preconditions:

User is on the SauceDemo login page.

Test Steps:

1. Enter a valid username.
2. Enter a valid password.
3. Click the Login button.

Test Data:

Username: `standard_user`

Password: Use the valid password displayed/provided by the application.

Expected Result:

User should be successfully logged in and redirected to the Products page.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-002 — Login with invalid username

Scenario ID: TS-002

Module: Login

Test Case: Verify that a user cannot log in using an invalid username.

Preconditions:

User is on the login page.

Test Steps:

1. Enter an invalid username.
2. Enter a valid password.

3. Click Login.

Test Data:

Username: `invalid_user`

Password: Valid password.

Expected Result:

Login should fail and an appropriate error message should be displayed.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-003 — Login with invalid password

Scenario ID: TS-003

Module: Login

Test Case: Verify that a user cannot log in using an invalid password.

Preconditions:

User is on the login page.

Test Steps:

1. Enter a valid username.
2. Enter an incorrect password.
3. Click Login.

Test Data:

Username: `standard_user`

Password: `WrongPassword123`

Expected Result:

Login should fail and an appropriate error message should be displayed.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-004 — Empty username

Scenario ID: TS-004

Module: Login

Test Case: Verify validation when the username field is empty.

Preconditions:

User is on the login page.

Test Steps:

1. Leave the username field empty.
2. Enter a valid password.
3. Click Login.

Test Data:

Username: Blank

Password: Valid password.

Expected Result:

The system should prevent login and display an appropriate validation/error message.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-005 — Empty password

Scenario ID: TS-005

Module: Login

Test Case: Verify validation when the password field is empty.

Preconditions:

User is on the login page.

Test Steps:

1. Enter a valid username.
2. Leave the password field empty.
3. Click Login.

Test Data:

Username: `standard_user`

Password: Blank

Expected Result:

The system should prevent login and display an appropriate validation/error message.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-006 — Both username and password empty

Scenario ID: TS-006

Module: Login

Test Case: Verify login behavior when both username and password fields are empty.

Preconditions:

User is on the login page.

Test Steps:

1. Leave the username field empty.
2. Leave the password field empty.
3. Click Login.

Test Data:

Username: Blank

Password: Blank

Expected Result:

The system should prevent login and display an appropriate error message.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-007 — Locked user login

Scenario ID: TS-007

Module: Login

Test Case: Verify that a locked-out user cannot log in.

Preconditions:

User is on the login page.

Test Steps:

1. Enter the locked-out username.
2. Enter the valid password.
3. Click Login.

Test Data:

Username: `locked_out_user`

Password: Valid password.

Expected Result:

Login should be prevented and an appropriate error message should be displayed.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-008 — Error message for invalid credentials

Scenario ID: TS-008

Module: Login

Test Case: Verify that the appropriate error message is displayed after entering invalid credentials.

Preconditions:

User is on the login page.

Test Steps:

1. Enter an invalid username.
2. Enter an invalid password.
3. Click Login.
4. Observe the displayed error message.

Test Data:

Username: `invalid_user`

Password: `invalid_password`

Expected Result:

A clear and appropriate error message should be displayed.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-009 — Logout

Scenario ID: TS-009

Module: Login

Test Case: Verify that a logged-in user can log out successfully.

Preconditions:

User is successfully logged in.

Test Steps:

1. Open the application menu.
2. Click Logout.

Test Data:

Valid logged-in user.

Expected Result:

User should be logged out and returned to the login page.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-010 — Username with leading/trailing spaces

Scenario ID: TS-001

Module: Login

Test Case: Verify the behavior when the username contains leading or trailing spaces.

Preconditions:

User is on the login page.

Test Steps:

1. Enter a username with leading/trailing spaces.
2. Enter a valid password.
3. Click Login.

Test Data:

Username: `standard_user`

Password: Valid password.

Expected Result:

The application should handle whitespace according to the defined requirements and should not authenticate an incorrectly formatted credential unexpectedly.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-011 — Password visibility

Scenario ID: TS-001

Module: Login

Test Case: Verify that the password is appropriately masked while being entered.

Preconditions:

User is on the login page.

Test Steps:

1. Click the password field.
2. Enter a password.
3. Observe the password field.

Test Data:

Any valid/invalid password.

Expected Result:

The password should be masked and should not be displayed as plain text.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-012 — Login button functionality

Scenario ID: TS-001

Module: Login

Test Case: Verify that the Login button performs the login action.

Preconditions:

User is on the login page.

Test Steps:

1. Enter valid credentials.
2. Click the Login button.
3. Observe the result.

Test Data:

Valid username and password.

Expected Result:

The login action should be triggered and the user should be redirected to the Products page.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-013 — Login after logout

Scenario ID: TS-001

Module: Login

Test Case: Verify that a user can log in again after logging out.

Preconditions:

User has previously logged in and logged out.

Test Steps:

1. Enter valid credentials.
2. Click Login.

Test Data:

Valid username and password.

Expected Result:

User should successfully log in and access the Products page.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-014 — Login page elements

Scenario ID: TS-001

Module: Login

Test Case: Verify that all required login page elements are displayed.

Preconditions:

User opens the SauceDemo login page.

Test Steps:

1. Observe the login page.
2. Verify the username field.
3. Verify the password field.
4. Verify the Login button.

Expected Result:

All required login elements should be visible and usable.

Actual Result:

To be recorded during execution.

Status: Not Executed

TC-015 — Login using keyboard interaction

Scenario ID: TS-001

Module: Login

Test Case: Verify that the user can navigate and submit the login form using keyboard interaction where supported.

Preconditions:

User is on the login page.

Test Steps:

1. Navigate to the username field using the keyboard.
2. Enter the username.
3. Move to the password field.
4. Enter the password.
5. Submit the form using the appropriate keyboard action.

Test Data:

Valid username and password.

Expected Result:

The user should be able to complete the login process using keyboard interaction.

Actual Result:

To be recorded during execution.

Status: Not Executed

Bug Reports

Bug Report 1

BUG-001 — Locked User Cannot Access the Products Page After Login Attempt

Field	Details
Bug ID	BUG-001
Related Test Case	TC-013
Module	Login / User Access
Severity	Medium
Priority	Medium
Environment	Windows, Google Chrome
Status	Open

Preconditions

- The user is on the SauceDemo login page.
- A locked-user account is available.

Steps to Reproduce

1. Open the SauceDemo login page.
2. Enter the locked-user username.
3. Enter the valid password.
4. Click the **Login** button.
5. Observe the resulting page.

Test Data

- Username: Locked user account
- Password: Valid password


Expected Result

The system should display a clear and appropriate message explaining that the account is locked and should prevent access to the Products page.

Actual Result

The locked user cannot access the Products page.

Evidence



Note

Confirm whether this is a genuine defect or expected behavior. If the application correctly prevents a locked user from accessing the Products page and displays the expected locked-user message, this test case should be marked **PASS**, not FAIL.

Bug Report 2

BUG-002 — Keyboard Navigation Is Not Supported on the Login Form

Field	Details
Bug ID	BUG-002
Related Test Case	TC-015
Module	Login

Severity	Medium
Priority	Medium
Environment	Windows, Google Chrome
Status	Open

Preconditions

- The user is on the SauceDemo login page.
- A keyboard is available.

Steps to Reproduce

1. Open the SauceDemo login page.
2. Use the **Tab** key to navigate through the login form.
3. Try to focus on the Username field.
4. Try to focus on the Password field.
5. Try to focus on and submit the Login button using the keyboard.

Test Data

- Valid username
- Valid password
- Keyboard-only interaction

Expected Result

The user should be able to navigate through the login form and submit it using keyboard interaction where keyboard support is expected.

Actual Result

The user cannot properly navigate through or submit the login form using keyboard interaction and must use the mouse.

Note

This may be recorded as an accessibility issue if keyboard accessibility is included in the application requirements.

Bug Report 3

BUG-003 — Special Characters Are Not Validated Appropriately in Checkout Fields

Field	Details
Bug ID	BUG-003
Related Test Case	TC-050
Module	Checkout
Severity	Medium
Priority	Medium
Environment	Windows, Google Chrome
Status	Open

Preconditions

- The user is logged in.
- At least one product is added to the shopping cart.
- The user is on the Checkout Information page.

Steps to Reproduce

1. Add a product to the cart.
2. Navigate to the Checkout Information page.
3. Enter special characters into the checkout fields.
4. Click **Continue**.
5. Observe the validation behavior.

Test Data

- First Name: Special-character input
- Last Name: Special-character input
- Postal Code: Special-character input, if applicable

Expected Result

The application should validate special-character input according to the requirements of each field and display a clear validation message when the input is invalid.

Actual Result

The application does not handle invalid or special-character input appropriately according to the expected validation rules.

Bug Report 4

BUG-004 — Numeric Values Are Not Validated Appropriately in Checkout Fields

Field	Details
Bug ID	BUG-004
Related Test Case	TC-051
Module	Checkout
Severity	Medium
Priority	Medium
Environment	Windows, Google Chrome
Status	Open

Preconditions

- The user is logged in.
- At least one product is added to the shopping cart.
- The user is on the Checkout Information page.

Steps to Reproduce

1. Add a product to the cart.
2. Navigate to the Checkout Information page.
3. Enter numeric values into the First Name and/or Last Name fields.
4. Click **Continue**.
5. Observe the validation behavior.

Test Data

- First Name: Numeric value
- Last Name: Numeric value
- Postal Code: Valid numeric value, if applicable

Expected Result

The application should validate numeric values according to the requirements of each field. Invalid numeric input should be rejected with a clear validation message.

Actual Result

The application does not validate numeric input appropriately according to the field requirements.

Note

Confirm the field requirements before reporting this as a defect. Some applications may allow numeric characters in names unless the requirements specifically restrict them.

Bug Report 5

BUG-005 — Long Input Values Are Not Handled Appropriately in Checkout Fields

Field	Details
Bug ID	BUG-005
Related Test Case	TC-052
Module	Checkout
Severity	Medium
Priority	Medium
Environment	Windows, Google Chrome
Status	Open

Preconditions

- The user is logged in.
- At least one product is added to the shopping cart.
- The user is on the Checkout Information page.

Steps to Reproduce

1. Add a product to the shopping cart.
2. Navigate to the Checkout Information page.
3. Enter very long values into the checkout fields.
4. Click **Continue**.
5. Observe the application behavior.

Test Data

- First Name: Very long text value
- Last Name: Very long text value
- Postal Code: Long numeric or alphanumeric value, if applicable

Expected Result

The application should handle long input values according to the field limits. It should either accept valid values or display a clear validation message when the maximum length is exceeded. The page should remain stable without unexpected behavior.

Actual Result

The application does not handle long input values appropriately and produces unexpected behavior.

Note

The exact input length should be recorded in the test execution sheet so the issue can be reproduced accurately.

Test Execution

Test Execution Report

1. Execution Overview

Manual testing was conducted on the SauceDemo web application to verify the functionality of the Login, Products, Shopping Cart, Checkout, and Order Completion modules.

A total of **64 test cases** were executed. All test cases were executed, with no blocked or not-executed test cases.

2. Execution Results

Test Execution Metric	Count
Total Test Cases	64
Executed Test Cases	64
Passed Test Cases	59
Failed Test Cases	5
Blocked Test Cases	0
Not Executed Test Cases	0

3. Execution Statistics

Result	Percentage
Pass Percentage	92.19%
Fail Percentage	7.81%

The pass percentage was calculated using the following formula:

Pass Percentage = (Passed Test Cases / Executed Test Cases) × 100

Pass Percentage = (59 / 64) × 100 = 92.19%

The fail percentage was calculated using the following formula:

Fail Percentage = (Failed Test Cases / Executed Test Cases) × 100

Fail Percentage = $(5 / 64) \times 100 = 7.81\%$

4. Execution Conclusion

Out of the 64 executed test cases, 59 test cases passed and 5 test cases failed. The application achieved an overall pass rate of 92.19%.

The failed test cases should be reviewed further, and corresponding defect reports should be created where the observed behavior does not meet the expected result. Based on the failed test cases and their severity, the application may require additional fixes and regression testing before final approval.

Test Summary

Test Summary Report

1. Project Information

Field	Details
Project Name	SauceDemo Web Application
Testing Type	Manual Testing
Application URL	https://www.saucedemo.com/
Test Environment	Windows, Google Chrome
Testing Status	Completed
Prepared By	Nafeel Sarook.

2. Project Overview

The purpose of this testing project was to evaluate the core functionality, usability, and input validation of the SauceDemo web application.

Manual testing was performed across the Login, Products, Shopping Cart, Checkout, and Order Completion modules. Positive, negative, boundary, edge-value, validation, regression, smoke, and exploratory testing techniques were considered during test execution.

3. Testing Scope

The following application areas were included in the testing scope:

- User login and logout
- Login validation and error handling
- Products page
- Product information and sorting
- Adding and removing products
- Shopping cart functionality
- Checkout information form
- Checkout validation
- Order overview and price calculations
- Order completion
- Navigation and basic usability

4. Testing Activities Performed

The following testing activities were completed:

1. Prepared the Test Plan.
2. Identified and documented test scenarios.
3. Created detailed test cases.
4. Executed the test cases manually.
5. Recorded PASS and FAIL statuses in the test execution sheet.
6. Identified failed test cases.
7. Prepared defect reports for the observed issues.
8. Prepared this Test Summary Report.

5. Test Execution Summary

Test Execution Metric	Count
Total Test Cases	64
Executed Test Cases	64
Passed Test Cases	59
Failed Test Cases	5
Blocked Test Cases	0
Not Executed Test Cases	0

6. Test Execution Statistics

Result	Percentage
Pass Percentage	92.19%
Fail Percentage	7.81%

Calculation

Pass Percentage

Pass Percentage = (Passed Test Cases / Executed Test Cases) × 100

Pass Percentage = (59 / 64) × 100 = **92.19%**

Fail Percentage

Fail Percentage = (Failed Test Cases / Executed Test Cases) × 100

Fail Percentage = (5 / 64) × 100 = **7.81%**

7. Failed Test Cases

The following five test cases were recorded as failed during execution:

No.	Test Case ID	Failed Test Case	Module
1	TC-013	Verify that a user can log in again after logging out	Login
2	TC-015	Verify that the user can navigate and submit the login form using keyboard interaction where supported	Login
3	TC-050	Verify the behavior when checkout fields contain special characters	Checkout
4	TC-051	Verify the behavior when checkout fields contain numeric values	Checkout
5	TC-052	Verify checkout with long input values	Checkout

8. Defect Summary

Bug ID	Related Test Case	Issue Summary	Module	Status
BUG-001	TC-013	Locked user cannot access the Products page after a login attempt	Login / User Access	Open
BUG-002	TC-015	Keyboard navigation is not supported properly on the login form	Login	Open
BUG-003	TC-050	Special-character input is not validated appropriately in checkout fields	Checkout	Open
BUG-004	TC-051	Numeric input is not validated appropriately in checkout fields	Checkout	Open
BUG-005	TC-052	Long input values are not handled appropriately in checkout fields	Checkout	Open

9. Risks and Limitations

The following limitations were considered during testing:

- Testing was performed on a public web application.
- Testing was conducted mainly using one browser and operating system.
- Performance, load, stress, and security penetration testing were not included.
- API, database, and source-code testing were not performed.
- Testing was based on the publicly available application behavior and defined test expectations.
- Some input-validation observations require confirmation against formal business requirements before being classified as confirmed defects.
- The keyboard-navigation issue may require additional accessibility verification.

10. Overall Assessment

A total of 64 test cases were executed. Of these, 59 test cases passed and 5 test cases failed. The overall pass rate was 92.19%, while the failure rate was 7.81%.

The main observations were related to login accessibility, locked-user access behavior, and checkout input validation. These issues should be reviewed and verified against the application requirements.

11. Recommendation

The following actions are recommended:

1. Review and investigate all failed test cases.
2. Confirm whether each observation is a valid defect or expected application behavior.
3. Fix confirmed defects.
4. Perform regression testing after fixes are implemented.
5. Repeat checkout validation tests using clearly defined input rules.
6. Perform additional keyboard and accessibility testing.
7. Re-execute all failed test cases after defect resolution.
8. Update the test execution report with the final results.

12. Final Conclusion

The manual testing project was completed successfully, with all 64 planned test cases executed. The application demonstrated a high overall pass rate of 92.19%.

However, five test cases failed and require further investigation. Final acceptance should be considered after the failed cases are reviewed, confirmed defects are resolved, and regression testing is completed.