

🕒 40-MINUTE PANEL VIVA TIME ALLOCATION STRATEGY				
00 – 06 mins	06 – 15 mins	15 – 24 mins	24 – 33 mins	33 – 40 mins
Intro, Profile & Production Systems (SSLCommerz, RBAC)	PL/SQL, Advanced SQL, ACID, Deadlocks & DB Internals	DBBL Identity, Banking 101, Ratios (CRR/SLR) & Accounts	Core Banking (CBS), ATM Switch (ISO 8583), DR & PCI-DSS	ML Innovation, 11:30 PM Outage Triage, HR & On-Call Fit

👤 Candidate Profile & Technical Arsenal

Education: B.Sc. in CSE, Ahsanullah University of Science and Technology (AUST)

Key Systems Built: RunMate Club, Koyama Shokai, Pet App, KEIAI, Izumi, Ginsen

Experience: Software Developer @ XORGeek (Aug 2023 – Present, 2.5+ Years)

Published Research: 3 Papers (Bengali Food ML, IEEE Face BMR DL, Drought AI)

PL/SQL & Stored Procedures

Oracle / PostgreSQL / MySQL

Banking 101 & Regulations

Flutter & Mobile Security

Angular & TypeScript

AWS Serverless (Lambda, DynamoDB)

SSLCommerz Payment Gateway

Maker-Checker RBAC

Linux/Unix Administration

ISO 8583 & ATM Switch

1 Candidate Experience, Production Systems & Architecture (00-06 mins)

- Q1. You integrated SSLCommerz in RunMate Club. Walk us through a secure payment gateway handshake from user checkout to database commit.

Handshake Steps:

1. Initiation: Client initiates checkout \$→\$ Backend generates unique `tran\_id` and calls SSLCommerz `gwprocess` API with credentials and server-to-server callback URLs.

2. Redirect & Authorization: User completes 2FA on hosted gateway (Nexus/Rocket/Cards).

3. IPN (Instant Payment Notification): SSLCommerz sends server-to-server POST to backend IPN webhook with `val\_id` and transaction parameters.

4. Server-Side Validation: Backend queries SSLCommerz validation endpoint using `val\_id` to verify currency, status (`VALID`), and exact amount match.

5. Idempotent Ledger Update: In an atomic SQL transaction (`BEGIN ... COMMIT`), invoice status is updated from `PENDING` to `PAID`. Duplicate IPN triggers with identical `tran\_id` are ignored.

Key Bank Concept: Idempotency Key & Zero Trust Client-Side Redirects (Never fulfill balances based solely on browser return URL).

Q2. In Koyama Shokai, you designed a 4-tier Role-Based Access Control (RBAC). How does this map to a Banking Maker-Checker system?

• Maker-Checker Principle: Banking regulation (Bangladesh Bank ICT Guideline) states that no single officer can create and finalize a financial transaction. A *Maker* initiates the record (Status: `PENDING\_APPROVAL`), and a *Checker* (Branch Manager / Approver) verifies and authorizes it.

• Implementation: Angular route guards handle UI rendering, while backend API Gateway / middleware enforces granular permission checks against user role, branch ID, and transaction amount limits.

• Tamper-Proof Audit Trail: Every state change writes `maker\_id`, `checker\_id`, `client\_ip`, `timestamp`, and state diff to an append-only audit log table.

Q3. DBBL operates high-traffic mobile apps (Rocket, NexusPay). As a Flutter developer, how do you harden mobile banking apps against attacks?

• Root / Jailbreak Detection: Detect compromised OS states and terminate execution immediately using native integrity APIs.

• SSL Certificate Pinning: Hardcode SHA-256 certificate hashes in the Flutter network client (Dio / HttpClient) to block Man-in-the-Middle (MitM) proxies (Burp Suite, Charles).

• Screen Capture & Tapjacking Protection: Enable `FLAG\_SECURE` in Android window manager and iOS overlay obscuring to prevent unauthorized background screenshots.

• Secure Storage: Store session tokens and biometric hashes exclusively in Android Keystore / iOS Keychain (`flutter\_secure\_storage`), never in `SharedPreferences` or plain SQLite.

2 PL/SQL & Stored Programming Mastery (06-11 mins)

Q4. What is the difference between Stored Procedures, Functions, and Packages in PL/SQL? When do you use each in Core Banking?

Feature	Stored Procedure	Function	Package (Spec + Body)
Return Value	Does not return a value via 'RETURN' (uses 'OUT' parameters).	Must return a single value via 'RETURN' clause.	Encapsulates multiple related procedures, functions, types, and cursors.
Usage in SQL	Cannot be called directly inside a 'SELECT' statement.	Can be called in SQL (e.g. 'SELECT get_tax(bal) FROM acc') if it contains no DML.	Package functions can be called in SQL: 'pkg_finance.calc_interest()'.
Banking Application	Executing complex financial batch transactions, account debit/credit routines.	Pure calculations: calculating interest rates, validating NID/account checksums.	Core CBS Modules: (e.g., 'PKG_FUND_TRANSFER', 'PKG_EOD_BATCH') loaded into SGA Shared Pool at once for high performance.

Q5. What is the Mutating Table Error (ORA-04091) in PL/SQL triggers, why does it occur, and how do you resolve it?

- **Cause:** Occurs when a row-level trigger (BEFORE/AFTER INSERT/UPDATE FOR EACH ROW) attempts to query or modify the exact same table that fired the trigger. Oracle raises ORA-04091: table is mutating, trigger/function may not see it to prevent inconsistent views of data.
- **Resolution Methods:**
 1. **Compound Trigger (Oracle 11g+):** Combines 'BEFORE STATEMENT', 'BEFORE EACH ROW', 'AFTER EACH ROW', and 'AFTER STATEMENT' in a single trigger block where variables hold data until statement completion.
 2. **Autonomous Transaction Trigger:** Declaring 'PRAGMA AUTONOMOUS_TRANSACTION' inside the trigger allows an independent read session.
 3. **Statement-Level Trigger:** Moving the validation logic to 'AFTER STATEMENT' trigger where the table is no longer mutating.

Q6. What is PRAGMA AUTONOMOUS_TRANSACTION? Why is it vital for banking audit logs and security exception logging?

- **Definition:** An autonomous transaction is an independent transaction started by an existing parent transaction. It can perform DML, commit or rollback without affecting the parent transaction state.
- **Banking Use Case:** When an unauthorized transfer or invalid PIN entry causes a fund transfer procedure to fail and rollback ('ROLLBACK'), the failed attempt record in 'AUDIT_SECURITY_LOGS' must still be **COMMITTED** permanently for fraud detection.

```
CREATE OR REPLACE PROCEDURE log_audit_trail (  
  p_account_no IN VARCHAR2, p_action IN VARCHAR2, p_status IN VARCHAR2  
) AS  
  PRAGMA AUTONOMOUS_TRANSACTION; -- Independent commit scope  
BEGIN  
  INSERT INTO audit_logs(account_no, action, status, log_time)  
  VALUES (p_account_no, p_action, p_status, SYSDATE);  
  COMMIT; -- Commits ONLY the audit entry, parent transaction remains uncommitted  
END log_audit_trail;
```

Q7. How do BULK COLLECT and FORALL eliminate context switching in high-volume banking batch jobs?

- **Context Switching Problem:** In standard row-by-row cursor loops, every row forces a CPU context switch between the PL/SQL runtime engine and the SQL database engine. Processing 1,000,000 accounts takes millions of context switches.
- **Bulk Processing Solution:** BULK COLLECT fetches rows in memory arrays (batches of 1,000 or 5,000 using the 'LIMIT' clause), and FORALL dispatches bulk DML statements back to the SQL engine in a single batch call.

```
DECLARE  
  TYPE t_acc_list IS TABLE OF accounts.account_id%TYPE;  
  v_acc_ids t_acc_list;  
  CURSOR c_dormant IS SELECT account_id FROM accounts WHERE last_tx_date < ADD_MONTHS(SYSDATE, -24);  
BEGIN  
  OPEN c_dormant;  
  LOOP  
    FETCH c_dormant BULK COLLECT INTO v_acc_ids LIMIT 1000; -- Batch fetch  
    EXIT WHEN v_acc_ids.COUNT = 0;  
  
    FORALL i IN 1..v_acc_ids.COUNT -- Single bulk update to SQL engine  
      UPDATE accounts SET status = 'DORMANT' WHERE account_id = v_acc_ids(i);  
    COMMIT;  
  END LOOP;  
  CLOSE c_dormant;  
END;
```

3 Advanced SQL Queries & Analytical Functions (11-15 mins)

Q8. Explain ROW_NUMBER(), RANK(), and DENSE_RANK(). Write a query to find the 2nd highest transaction amount per branch.

Values	ROW_NUMBER()	RANK()	DENSE_RANK()	Behavior on Duplicate Ties
₹100,000	1	1	1	Top value
₹80,000 (Tie)	2	2	2	Tie share same rank
₹80,000 (Tie)	3	2	2	Tie share same rank
₹50,000	4	4 (Skips 3)	3 (No gaps)	'RANK' leaves gaps; 'DENSE_RANK' never leaves gaps.

Query for 2nd Highest Transaction per Branch:

```
WITH RankedTransactions AS (  
  SELECT branch_id, account_no, amount, tx_date,  
         DENSE_RANK() OVER (PARTITION BY branch_id ORDER BY amount DESC) as rank_pos  
  FROM transactions  
  WHERE tx_status = 'SUCCESS'  
)  
SELECT branch_id, account_no, amount, tx_date  
FROM RankedTransactions  
WHERE rank_pos = 2;
```

Q9. Write a SQL query to calculate a Customer's Continuous Running (Cumulative) Balance for an account statement.

```
SELECT  
  tx_id, tx_date, tx_type, amount,  
  -- Cumulative running sum partitioned by account  
  SUM(CASE WHEN tx_type = 'CREDIT' THEN amount ELSE -amount END)  
  OVER (  
    PARTITION BY account_no  
    ORDER BY tx_date, tx_id  
    ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW  
  ) AS running_balance  
FROM transactions  
WHERE account_no = '017110002341'  
ORDER BY tx_date ASC, tx_id ASC;
```

Q10. Compare TRUNCATE vs. DELETE vs. DROP in terms of DDL/DML, Rollback capability, Redo/Undo logging, and Triggers.

Feature	DELETE	TRUNCATE	DROP
Type	DML	DDL (Implicit Commit)	DDL (Implicit Commit)
Rollback Support	Yes (Can rollback inside transaction).	No (Cannot rollback in Oracle/PostgreSQL).	No (Table structure deleted).
Undo / Redo Logging	Generates full Undo & Redo for every row. Slower on large tables.	Minimal logging (Deallocates data extents). Extremely fast.	Removes table definition from Data Dictionary.
High Water Mark (HWM)	Does not reset HWM.	Resets High Water Mark to zero.	Deallocates all space.
Triggers	Fires 'DELETE' triggers.	Does NOT fire any triggers.	Does NOT fire triggers.

4 DBBL Institutional Knowledge & Banking 101 Fundamentals (15-20 mins)

Q11. What is the corporate background, history, and leadership structure of Dutch-Bangla Bank PLC?

- **Founding & Joint-Venture:** Incorporated in 1995 and commenced commercial banking operations on **June 3, 1996**. It was the **first joint-venture commercial bank** in Bangladesh, established between local Bangladeshi sponsors (led by M. Sahabuddin Ahmed) and the Netherlands development finance company (**FMO - Netherlands**).
- **Leadership:**
 - **Managing Director & CEO: Abul Kashem Md. Shirin** (renowned IT-driven banking leader who pioneered DBBL's ATM, Rocket, and switch network).
 - **Chairman: Sayem Ahmed.**
- **Tagline & Corporate Slogan:** *"Your Trusted Partner"* (বাংলায়: "সবাই মিলে দেশ গড়ি").
- **Corporate Entity Status:** Converted to **Dutch-Bangla Bank PLC** (Public Limited Company) following regulatory amendments.
- **Headquarters:** Sena Kalyan Bhaban, 195 Motijheel C/A, Dhaka; Corporate Head Office at Gulshan, Dhaka.

Q12. What are the key pioneering market "Firsts" that distinguish DBBL from all other banks in Bangladesh?

1. **First Fully Automated Bank (2003):** First commercial bank in Bangladesh to automate and inter-connect 100% of its branches under a centralized Core Banking Solution (CBS).
2. **Largest ATM & FastTrack Network:** Operates over **5,000+ ATMs** and **1,100+ FastTrack** kiosks across all 64 districts — the largest independent electronic payment infrastructure in Bangladesh.
3. **Pioneer in Mobile Financial Services (Rocket - 2011):** Launched the country's first bank-led MFS on May 31, 2011 (originally "DBBL Mobile Banking", rebranded to **Rocket** in 2016).
4. **Nexus Proprietary Card Brand:** Created **Nexus**, the largest domestic debit card brand in Bangladesh, bypassing expensive international routing fees for local transactions.
5. **NexusPay (First Digital Multi-Card Wallet App):** First bank app in Bangladesh offering cardless ATM withdrawals, virtual loyalty cards, and interoperable Bangla QR merchant payments.
6. **Dutch-Bangla Bank Foundation (CSR):** Operates the largest private educational scholarship fund in Bangladesh, supporting over 10,000+ meritorious underprivileged students annually.

Q13. Banking 101: Explain the different types of Bank Accounts (Savings, Current, FDR, DPS, SND) and their operational rules.

Account Type	Full Form	Interest Feature	Target Client & Transaction Limits
SB Account	Savings Bank Account	Interest-bearing (Calculated on daily/monthly product).	Individuals & households for personal savings; limited withdrawal frequency per week without notice.
CD Account	Current Deposit Account	Non-interest bearing (0% interest).	Businesses, firms, corporate entities; unlimited daily transaction volume and overdraft facilities.
FDR	Fixed Deposit Receipt	High fixed interest rate.	Lump-sum deposit locked for fixed tenure (3 months to 5 years); early liquidation incurs penalty.
DPS	Deposit Pension Scheme	Compound high interest.	Monthly recurring installment savings scheme (e.g. ₳1,000 to ₳20,000/month for 3, 5, 10 years).
SND Account	Special Notice Deposit	Low-to-moderate interest.	Corporates / institutions; funds can be withdrawn upon giving short notice (e.g., 7 or 30 days notice).

Q14. What is the difference between Nostro, Vostro, and Loro Accounts in International Banking?

- **Nostro Account (Latin: "Our money with you"):** An account that a domestic bank (DBBL) maintains in foreign currency in another foreign bank overseas.

Example: DBBL maintains a **USD account at JPMorgan Chase Bank, New York** to settle international foreign remittances and import Letters of Credit (L/C).
- **Vostro Account (Latin: "Your money with us"):** An account that a foreign bank maintains in local currency (BDT) at a domestic bank (DBBL).

Example: Citibank NA London maintains a **BDT account at DBBL Dhaka** to disburse foreign remittances to beneficiaries across Bangladesh.
- **Loro Account (Latin: "Their money"):** A third-party bank's account referenced during bilateral interbank settlements (e.g., Bank A settling through Bank B's Nostro account at Bank C).

Q15. What are the key Central Bank (Bangladesh Bank) Regulatory Ratios (CRR, SLR, ADR, CAR / BASEL III)?

Regulatory Ratio	Full Form	Current BB Requirement	Purpose & Banking Mechanics
CRR	Cash Reserve Ratio	4.0% (Bi-weekly average), min 3.5% daily.	Portion of total customer deposits that commercial banks must keep in physical cash reserves with Bangladesh Bank (unremunerated). Prevents bank runs.
SLR	Statutory Liquidity Ratio	13.0% (Conventional) / 5.5% (Islamic).	Portion of deposits that banks must hold in unencumbered liquid assets (Government Treasury Bills & Bonds, Prize Bonds, Cash, Gold).
ADR	Advance-to-Deposit Ratio	Max 87.0% (Conventional).	Controls credit expansion: For every ₳100 deposit collected, max ₳87 can be disbursed as loans (advances); ₳13 must be preserved for liquidity.
CAR (BASEL III)	Capital Adequacy Ratio	Min 10.0% + 2.5% Buffer (12.5%).	Measures a bank's capital (Tier-1 Core Capital + Tier-2 Capital) against its Risk-Weighted Assets (RWA) to absorb financial shocks.

Q16. What is BACPS and what is a 9-Digit Bank Routing Number?

- BACPS (Bangladesh Automated Cheque Processing System):** Centralized electronic cheque clearinghouse operated by Bangladesh Bank. Paper cheques are physically scanned at the presenting branch, and digital magnetic ink character recognition (MICR) data and images are cleared electronically (High-Value $\geq$ ₳5 Lakh same-day; Regular-Value N+1 day).
- 9-Digit Routing Number Breakdown:**

[0 9 0]	[2 6 1]	[0 1 8]
Bank Code (3)	District Code (3)	Branch Code (3)
(090 = DBBL)	(261 = Dhaka)	(018 = Local Branch)
- Used in BEFTN, RTGS, and BACPS to uniquely route interbank transactions to the exact branch and ledger.

5 Database Architecture, CBS & Switch Protocols (20-27 mins)

Q17. Explain Oracle Database Architecture: SGA (System Global Area) vs. PGA (Program Global Area) and Redo Log vs. Undo Segments.

- **SGA (Shared Memory across all database processes):**
 - *Database Buffer Cache:* Caches data blocks read from disk.
 - *Shared Pool:* Stores parsed SQL execution plans (Library Cache) and table metadata (Dictionary Cache).
 - *Redo Log Buffer:* Circular buffer recording all database changes before flushing to disk.
- **PGA (Private Memory allocated per server process):** Stores session variables, user sorting areas (ORDER BY), and hash join tables.
- **Redo Log vs. Undo Tablespace:**
 - **Redo Logs (Roll-Forward / Crash Recovery):** Record all committed transactions to replay changes in case of power failure or crash.
 - **Undo Segments (Rollback & MVCC):** Store before-images of modified data. Enables transaction 'ROLLBACK' and provides *Multi-Version Concurrency Control (MVCC)* so readers never block writers.

Q18. What is Optimistic vs. Pessimistic Locking? When would you use SELECT ... FOR UPDATE in banking?

- **Pessimistic Locking (SELECT ... FOR UPDATE):** Explicitly acquires an exclusive row lock on the customer's account row. Any other concurrent transaction attempting to read/update the row must wait until transaction commit/rollback.

Bank Use Case: ATM cash withdrawals, balance debits, POS swipe authorization where race conditions can cause double-spending.

- **Optimistic Locking:** Does not hold database locks. Checks a version column: `UPDATE accounts SET balance = 500, version = version + 1 WHERE id = 101 AND version = 3;`. If rows affected = 0, conflict is detected and the request retries. Best for read-heavy portals with rare simultaneous writes.

Q19. Compare NPSB, BEFTN, RTGS, and Binimoy (IDTP) in Bangladesh's national payments ecosystem.

Channel	Full Form	Settlement Speed	Transaction Limits & Primary Use Case
NPSB	National Payment Switch Bangladesh	Real-time (24/7/365)	Interbank ATM withdrawals, POS card payments, Internet Banking Fund Transfer (IBFT) up to ₳3,00,000/day.
BEFTN	Bangladesh Electronic Funds Transfer Network	Batch / Next Business Day (N+1)	Salary bulk disbursement, dividend credits, vendor invoice clearing without real-time settlement urgency.
RTGS	Real-Time Gross Settlement	Instant / Continuous Gross Settlement	High-value payments (Minimum ₳1,00,000, multi-crore corporate transfers, interbank liquidity settlements).
Binimoy	Interoperable Digital Transaction Platform	Instant Interoperability (24/7)	Direct MFS-to-Bank, Bank-to-MFS, and MFS-to-MFS interoperable transfers via Virtual Private ID (VID).

Q20. Explain the ISO 8583 message structure and its role in DBBL's ATM and POS Switch network.

ISO 8583 is the universal banking messaging standard for card transactions across ATMs, POS terminals, and Switch gateways:

- **MTI (Message Type Identifier):** 4-digit header:
 - 0100: Authorization Request (e.g. POS card swipe balance check) | 0110: Authorization Response.
 - 0200: Financial Transaction Request (e.g. ATM cash withdrawal) | 0210: Financial Transaction Response.
 - 0420: Transaction Reversal Advice (e.g. ATM hardware jam after debit).
- **Bitmap:** Binary field array indicating which Data Elements (DEs) are packaged in the payload.
- **Key Data Elements:** DE-2 (Card PAN), DE-3 (Processing Code), DE-4 (Amount), DE-11 (System Trace Audit Number - STAN), DE-52 (Encrypted PIN Block).

Q21. Scenario: A customer withdraws ₳10,000 from a DBBL ATM using another bank's card. Their account is debited, but the ATM encounters a hardware jam and dispenses no cash. Walk us through the technical resolution.

1. **Immediate Automated Reversal:** The ATM cash dispenser sensor detects non-dispense and automatically dispatches an ISO 8583 0420 (Reversal Advice) to the DBBL Switch $\rightarrow$ NPSB $\rightarrow$ Issuing Bank to release the hold immediately.
2. **Electronic Journal (EJ) & Cash Audit:** If network drops prevent 0420 delivery, the event is permanently logged in the ATM's internal Electronic Journal (EJ) file with error code (e.g. BILL_DISPENSER_ERROR).
3. **Daily Reconciliation:** During nightly ATM cash balancing, the physical excess cash in the ATM cassette matches the unreconciled debit in the Switch log.
4. **Chargeback & Settlement:** The issuing bank raises a chargeback claim via NPSB portal; DBBL IT reconciles the EJ log and authorizes settlement credit back to customer within regulatory TAT (72 hours).

6 High Availability, Infrastructure & PCI-DSS (27-33 mins)

Q22. What is RPO vs. RTO, and how does Synchronous vs. Asynchronous Database Replication affect Disaster Recovery (DR)?

Metric	Full Form	Banking Meaning	Target in DBBL Mission-Critical CBS
RPO	Recovery Point Objective	Maximum acceptable data loss measured in time.	RPO = 0 (Zero financial transaction data loss allowed).
RTO	Recovery Time Objective	Maximum acceptable downtime before service restoration.	RTO < 15-30 minutes for automated DR failover.

- Synchronous Replication (Oracle Data Guard / Max Availability):** Master commits only after Standby acknowledges log write. Ensures *Zero Data Loss (RPO=0)*, but adds network latency.
- Asynchronous Replication:** Master commits immediately; sends logs in background. Lower latency, but risks minor transaction data loss if primary DC suffers catastrophic power outage.

Q23. What is PCI-DSS compliance, and what are the strict rules regarding Cardholder Data (CHD) and Sensitive Authentication Data (SAD)?

Data Category	Data Elements	Storage Rule Under PCI-DSS
Cardholder Data (CHD)	PAN (Card Number), Expiry Date, Cardholder Name	Can be stored ONLY IF encrypted (AES-256) or masked (showing only first 6 and last 4 digits: 4111 22XX XXXX 1234).
Sensitive Authentication Data (SAD)	Full Magnetic Stripe / EMV Chip Track Data, CVV/CVC2, PIN Block	STRICTLY PROHIBITED from storage post-authorization under any circumstances, even if encrypted.

7 Crisis Scenarios, Machine Learning & Behavioral (33-40 mins)

Q24. Crisis Scenario: At 11:30 PM, multiple branches and FastTrack ATM booths report that customer transactions are timing out with "Unable to process" errors. Walk us through your step-by-step diagnostic procedure.

Structured 5-Step Incident Triage:

- Isolate Scope:** Check monitoring dashboards (Grafana / Prometheus / Zabbix) — Is the issue isolated to a specific ISP, a single region, ATM switch, or the Core Banking database?
- Check Network & Switch Layer:** Test connectivity to Switch and Core Banking middleware (ping, traceroute, check BGP router links and switch message queues for backpressure).
- Inspect Database Health:** Log into database server and check active blocking locks, deadlocks, connection pool exhaustion (pg_stat_activity / v\$session_wait), and disk tablespace capacity.
- Mitigate & Failover:** If primary DB thread lockup is identified, execute clean failover to Standby node or restart stalled middleware connection poolers.
- Post-Mortem & Log Audit:** Analyze syslog, application logs, and database trace files to determine root cause (e.g. unindexed query executed by night batch job) and implement permanent preventive patches.

Q25. You currently work in a software development company (XORGeek). Why do you want to switch to a bank like DBBL as an IT Officer?

Winning Model Answer: "At XORGeek, I have built and delivered 6 live production systems across mobile, web, and cloud, proving my core engineering capabilities. However, I want to apply my software engineering, database, and system reliability skills to mission-critical, large-scale financial infrastructure where zero downtime and data integrity directly impact millions of everyday people. DBBL is the pioneer of ATM networks, FastTrack, and mobile financial services (Rocket) in Bangladesh. This role offers the exact high-stake engineering scale, stability, and career impact I am looking for."

Q26. Banking IT requires 24/7 on-call availability, weekend maintenance windows, and emergency troubleshooting. Are you ready for this lifestyle?

Winning Model Answer: "Yes, completely. In my current role at XORGeek, managing live production deployments and race-day live tracking for RunMate Club already required off-hour monitoring, immediate hotfixing, and handling live outages under tight deadlines. I understand that banking services operate 24/7/365, and I am fully committed to rotational on-call shifts and scheduled night maintenance windows."

8 Rapid 2-Minute Pre-Viva Revision Matrix

Banking & PL/SQL Vocabulary:

- PRAGMA AUTONOMOUS_TRANSACTION (Audit logging)

DBBL Core Milestones & Stats:

- `ORA-04091` Mutating Table & Compound Triggers
- `BULK COLLECT LIMIT 1000 & FORALL`
- CRR (4.0%), SLR (13.0%), ADR (Max 87.0%), CAR (12.5%)
- Nostro (Our money with you) vs Vostro (Your money with us)
- BACPS & 9-Digit Routing Number (Bank 090 = DBBL)
- Incorporated 1995, launched 1996 (Joint venture with FMO Netherlands)
- MD & CEO: Abul Kashem Md. Shirin | Chairman: Sayem Ahmed
- Rocket (first MFS in Bangladesh launched May 2011)
- NexusPay (first biometric cardless & QR payment app in BD)
- Largest ATM (>5,000) & FastTrack (>1,100) network in Bangladesh