


Timing and Endurance are vital factors in

TRANSMISSION FOR MISSION



Improper transmission of message due to impaired function of nervous system leads to many problems like Lameness, After-effect of Ranikhet Disease (Newcastle Disease), Vaccination Reaction (R₃B), etc.

Neurolyte

HISTORY OF LAMENESS IN BIRDS

The problem of lameness is not new. From the day Indian Poultry industry learnt to stand on it's own feet, it is facing the lameness problem at the initial stages. Preventive strategies adopted have been largely unsuccessful.

The cause of lameness, basically, is nutritional defeciency in diet. Even though the nutrients are being provided to the birds in slight excesses, the problem of lameness continues to persist. The reasons may be many, viz., poor quality vitamin - mineral mixes, improper mixing, deficiency of both a nutrient and its precursor in the diet (eg., Niacin & Tryptophan), high social order among the birds, anticoccidial and antibacterial administration, improper pelleting/extrusion or heat treatment, poor quality fish meal, unbalanced diet, malabsorption etc.

THE TREATMENT IN VOUGE

The present day approach is to treat the affected birds with oral Calcium and Phosphorous with or without Vitamin D3. This could help only if the cause for lameness is dificiency of calcium and phosphorous. However, in most of the cases, the reason is entirely different. Hence, addition of calcium and phosphorous may be of no help, or even worse, may aggravate the condition. This is because of the inhibitory effects of calcium on the absorption of other vital divalent cations like Manganese, Zinc etc. In this regard, it becomes very essential to think deeply about the various factors involved rather than simply feeding a Calcium-Phosphorous-D3 combination to the birds.

Taking these factors into cognizance, **Vesper**, The Innovative Protector, has come up with

Neurolyte

A unique solution to the problems of imbalanced transmission.

Provides transmission for neuromuscular mission.

Neurolyte

Provides vital endurance to mind and body.

Helps in timely message transmission for effective neuromuscular mission.

A Profile of Neurolyte

Neurolyte can tackle lameness due to **nutritional** deficiencies, vaccination reactions, Ranikhet disease after-effects and CLF. Neurolyte is a combination of *selected* **vitamins** and **electrolytes** (microminerals), along with **Amino nitrogen**, formulated to check the root causes of lameness.

THE RATIONALE OF THE COMPOSITION OF MOST PRODUCTS FOR LAMENESS	THIAMINE	CALCIUM	PHOSPHOROUS	VITAMIN D ₃	RIBOFLAVIN
	Exogenous thiamine HCl influences Acetylcholine release from the presynaptic neurons.	Calcium is necessary for the release of Acetylcholine and also for the contraction process in the skeletal muscle	As phosphate buffer protects against calcium loss. As cyclic AMP regulates acetylcholine receptor synthesis.	Helps proper absorption and metabolism of calcium and phosphorous.	Maintains axial cylinder strength and myelination of nerves, especially important for sciatic and brachial plexuses.
THE INNOVATIVE INGREDIENTS OF Neurolyte	CHOLINE	AMINO NITROGEN	ZINC	MANGANESE	Na, K, Cl
	Necessary for the synthesis of Neurotransmitter Acetylcholine chloride in motoneurons	Stimulates the synthesis and development of postsynaptic acetylcholine receptors at motor endplate.	At small doses, potentiates the contraction by lengthening the active state of action potential.	Acts complementary to Zinc. Prevents overexcitation and fatigue of excitable cells.	Act to maintain the resting membrane potential.
THE UNIQUE FEATURES OF Neurolyte	- Improves the neurotransmitter <i>release</i> from the presynaptic neuron. - Improves the <i>action</i> of Acetylcholine chloride at the motor endplate. - Stimulates the <i>synthesis</i> and <i>development</i> of acetylcholine receptors at motor endplate. - Provides <i>balanced</i> and <i>perfect</i> transmission across the neuromuscular junction.				

Neurolyte

FOR A PERFECTLY BALANCED TRANSMISSION

Ingredients : Thiamine, Choline, Zinc, Manganese, Riboflavin, Vitamin D3
Amino nitrogen (Peptide moiety), Sodium Citrate, Potassium Chloride with
Organic Calcium and Phosphorous in an energy rich base.

Indications : To reduce the incidence and severity of: Lameness due to nutritional
deficiency, After-effects of Ranikhet disease (RD/ND) and
Vaccination reactions(R₂B)

Usage Instructions : During first three days of chick's Life - 1ml per litre of water.
To reduce the severity of lameness - 1-2ml per litre of water.
Or as recommended by the Veterinarian.

Presentation: 500 ml, 1 Litre bottle.

For any further information, please write to :



Differentiates the Difference

For any further information, please write to:

Vesper Pharmaceuticals

Singapura, Vidyaranayapura Post, Bangalore - 560 097

Tele: 23254277, 23254255, Fax.: +91-80-23254244

E-mail : vespergroupvet@gmail.com Website.: www.vespergroupvet.com

An ISO 9001:2008 Certified Company



VISION *The Care Takers*

*Catalyzes Research
Creates Products
Cares Customers*