

Vesper's

Amichol

अमिकोल

Optimizes Choline Utilization



Since 1978

Choline occurs naturally in all ingredients and there is no consistency in Choline content in the natural feed stuffs. Their bio-availability is highly variable, variation in content of Choline may occur due to variation in prevailing crop growth conditions, soil and location.

Choline contents of feed Ingredients

Feed Ingredients	Choline Content (mg/kg)	
	Feed/stuffs issue	NRC 1994
Corn, yellow, grain	1100	620
Peanut meal and hulls(mechanical)	1540	1655
Rapeseed oil meal (solvent)	6700	NA
Rice bran, unextracted	1390	1135
Sorghum	660	668
Soyabean meal, expeller	2673	2794
Sunflower meal, solvent	2900	2894

The main function of Choline is to act as lipotropic agent and prevents the abnormal fatty infiltration in liver (Fatty Liver syndrome), thus ensure proper metabolism of the body and effective utilization of nutrients. More over it helps in the formation of excitatory neurotransmitter -Acetyl Choline which is responsible for proper functioning of nervous system and maintains its harmony. Choline functions as a constituent of Acetyl Choline. Oviduct contraction and emptying of the crop is also stimulated by the release of Acetyl Choline.

Choline also serves as Methyl donor. Choline after its conversion to betaine provides labile methyl groups for the formation of methionine from homocystine and creatine from guanidoacetic acid. Therefore, **Choline spares dietary Methionine for other metabolic functions.**

Choline supplementation in broilers feed shows a linear response in weight gain up to 1.1 gm/Kg from 10-22 days of age and increase in Choline up to 2gms/Kg further increases the weight gain, after 22 days, but over and above these quantities no significant weight gain is observed.

Requirement of Choline for Broiler's (NRC - 1994)

0-3 weeks	4-6 weeks	7-8 weeks
1300 mg	1000 mg	750 mg

Requirement of Choline for Layer's (NRC-1994)

0-6 weeks	7-12 weeks	12-18 weeks	18 weeks onwards
1300 mg	900 mg	500 mg	500 mg

Layers & Broilers, have an essential requirement for Choline, which varies with age of the birds.

[illegible]

Today's least cost diets are often marginally deficient in nutrients, especially like methionine, lysine, choline etc.,Supplementation of such nutrients has become an essential part of formulating poultry diets. Since methionine is a costly nutrient, restoration of methionine activity by use of choline chloride, an inexpensive alternative, is in common practice. But, the actual requirement, the level of usage and the degree of availability varies from bird to bird, farm to farm and feed to feed.

VISION *Catalyzes Research
Creates Products
Cares Customers*
The Care Takers

Amichol

अमिकोल

Optimizes Choline Utilization

The specific polysaccharide moiety in Amichol triggers the activity of Phospholipase A2 from the Pancreas and mitochondrial membranes thus improving transmembrane transport of choline and conversion into betaine. While phospholipid ensures better absorption from the gut, organic calcium and inorganic phosphorous in Amichol assists the mitochondrial microenvironment for better uptake and oxidation of choline. Vitamin B6 and sulphate radicals optimize methionine utilization. Lactobacillus reduces ammonia production and its adverse effects. As a combined effect, methyl group pool is optimally managed by Amichol and requirement for choline is fully met at a lesser level of choline.

COMPOSITION

Polysaccharide 5000 ppm, Inorganic Phosphorous 5000 ppm, Choline 20 % with Organic Calcium, Folic Acid, Pyridoxine, Sulphate Radicals, Lactic Acid Bacillus and Phospholipids in a fortified base.

INDICATIONS


- For better utilization of Feed
- For better utilization of Methionine.
- For improved growth, Production and FCR.
- For better liver health and performance.

USAGE INSTRUCTIONS

500 gm to 1 kg per ton of feed
Or as recommended by the Veterinarian.

PRESENTATION

1 kg X 25 packets in a bag.



Since 1978

Manufactured by:

VESPER PHARMACEUTICALS

Singapura, Vidyananyapura Post, Bengaluru - 560 097, Karnataka, INDIA

Ph: 080- 23254255/23254266/23254277 . Fax: 080-23254244

Email : info@vespergroupvet.com . Website : www.vespergroupvet.com

An ISO 9001-2008 Certified Company



*Catalyzes Research
Creates Products
Cares Customers
The Care Takers*