


Vesper's

NEPHROCARE


नेफ्रोकेर



VISION  Catalyzes Research
Creates Products
Cares Customers
The Care Takers

The urinary system of the birds filters, secretes, absorbs, stores and eliminates urine periodically, the urinary system consist of paired trilobed kidneys, one on each side of the ventral surface of the vertebral column. Ureters carry the urinary waste to the urodeum of the cloaca. Avian kidneys are divided into units called lobules. Each lobule has a cortex (outer area) and medulla (or medullary cone). In terms of volume, the avian kidney is primarily cortex (71-81%), plus a relatively small medulla (range 5-15%) & blood vessels larger than capillaries (range 10-13%).

The functional unit of the kidney is the nephron. Avian kidneys have two kinds of nephrons. A reptilian-type, with no loops of Henle are located in the cortex, and a mammalian-type with long or intermediate length loops, are located in the medulla. In birds, only a small percentage of nephrons (15-25%) contain a loop of Henle (i.e., looped nephrons). Nephrons filter the blood plasma to eliminate waste products, but, in doing so, must not lose needed materials (like glucose) or too much water. Blood enters nephrons via small arteries called afferent arterioles. This blood enters the glomerulus (a collection of capillaries) under high pressure and 'filters' through the walls of the capillaries and the walls of a surrounding structure called a capsule.



Plasma is filtered from the glomerular capillaries into the glomerular capsule. Filtrate then travels through the tubules and loop of Henle before entering the collecting duct.

The filtrate that moves from the glomerular capsule into the proximal tubules is basically plasma without protein (the protein molecules are too large).

That filtrate, therefore, contains lots of important substances. In the proximal convoluted tubules, those needed substances such as vitamins and glucose are reabsorbed into the blood.

Gout is a common metabolic disorder that results in abnormal accumulation of urates in kidneys and several other organs of the birds body.

Gout is a generic term for a disease of poultry called toxic nephritis. Nephritis is the inflammation of the kidneys. The toxic part is usually caused by uric acid. Uric acid is the biproduct of the metabolism of nitrogen from ingested feed.

The Uric Acid is produced mainly in the liver, and the Uric Acid is eliminated via the kidneys. Gout usually present itself in two different forms. The **visceral** form develops urate deposits on any of the internal organs. The **articular** form forms urates in the joints causing severe swelling of the joints. Numerous factors are responsible for this condition like imbalance of calcium and phosphorus, feeding high calcium diets to chicks and growers, urea adulteration, mycotoxins (Aflatoxins, Ochratoxins and Oosporin), high protein levels in feed, poor quality proteins, use of rock phosphate, bacterial and viral infections, Zinc and other heavy metal toxicity, use of certain antibiotics (Gentamycin, Sulfa drugs), certain Genetic problems etc., any one or a combination of the above mentioned can damage the kidneys, reducing their function leading to Gout HPS or Ascites.



Having studied this problem for over a period, **Vesper Pharmaceuticals** is pleased to present **Nephrocare**, its breakthrough research product. **Nephrocare** contains Nephromodulator substances, Sodium Fluoride, Butyric Acid and Aminonitrogrn carefully derived from various sources in a fortified base. Sodium fluoride is a known kidney stimulant. Butyric acid reduce the chances of kidney damage by pathogens. Other Nephromodulator substance improve the physiological functioning capacity of the renal system while also rejuvenating the kidneys. As a net result, the renal system will be perform better.

Sequel to this, the bird health and performance will be improved greatly as the detoxification mechanism, endogenous Vitamin C generation, reabsorption of vital nutrients/electrolytes, haemopoiesis (blood formation) etc., will be better.

Vesper

Nephrocare reduces the mortality due to Gout/Ascites, assists faster rejuvenation of renal tissue and improves profitability of poultry farming.

COMPOSITION

Nephromodulators, Sodium Fluoride, Butyric Acid with Aminonitrogen in a fortified base.

INDICATIONS

To Improve and stimulate renal functioning in the management of Gout, HPS and Ascites.

USAGE INSTRUCTIONS

Liquid :- Add 1ml/Liter of drinking water. or as recommended by the Veterinarian.

Feed :- 1 kg per ton of feed. or as recommended by the Veterinarian.

PRESENTATION

LIQUID:- 1 liter & 5 liters jar.

FEED:- 20 kg Bag.



Manufactured by:-

Vesper Pharmaceuticals

Singapura, Vidyaranyapura Post, Bangalore, Karnataka, 560097,

Ph: 080-23254255 Fax: 080-23254244

Email: vespergroupvet@gmail.com Web: www.vespergroupvet.com

ISO 9001-2015 Certified Company