

Vesper's

IMPROVED


BEAT THE HEAT
WITH

THERMOCARE + C

थर्मोकेर + सी

(A combination of Electrolytes, Vitamins & Probiotics)

ENRICHED WITH
NITROGEN
AND
NH₄ IONS



Since 1978

Catalyzes Research
Creates Products
Cares Customers
VISION The Care Takers

Helps Birds adopt to rising temperature and discomfort of the summer months, Relieves Stress, Provides Instant Energy, Corrects Electrolyte imbalance, reduces high Corticosterone Levels, Lowers Mortality Rate, Improves Feed Intake and Feed Conversion.

THERMOCARE + C contains Electrolytes, Buffer Acids, Vitamin C, Sodium Salicylate, polysaccharides and Lactobacillus improved with AMMONIUM ION¹ and NITROGEN MOIETY to take care of the physiological variations during stress, especially during heat stress and brooding temperature variations, **THERMOCARE + C** also improves the nutrient availability by virtue of improved digestion, absorption and metabolism made possible by the probiotic and instantly available energy,

HEAT STRESS, A DISASTER IN POULTRY INDUSTRY

Severe economic losses due to heat stress is a common problem faced by the Indian poultry farmers. Electrolyte therapy, although appears to restore the electrolyte and water balance of the system during stress conditions, is unable to effectively control the losses as the variation in the birds's physiology is multi factorial. Since Sodium, Potassium and Chloride are the main ions responsible for electrolyte balance, addition of other ions such as Magnesium, Zinc, Manganese, Iron etc., is of no practical help in maintaining homeostasis.

The reduction in BMR due to thyroid suppression during heat stress reduces the availability of energy for essential metabolic reactions. Panting causes respiratory alkalosis. And not to forget, the nutrient availability is also less due to low feed intake and lower digestion and absorption as the defusion to the viscera is poor. All these factors collectively affect the bird's health and performance causing economic losses to the farmers.

The remedial measures must be aimed at regulating the hypothalamus and simultaneously take care of the variation in the bird's physiology, Vesper Pharmaceuticals has been the first to explore these avenues through **Improved THERMOCARE + C**.

THERMOCARE + C, an already proven formula and known to every poultry farmer, is coming to you now with Improved efficacy as a result of our continued efforts to keep in touch with the latest advancement in research and to provide the best products for poultry performance.

HEAT STRESS IN POULTRY BIRDS

- All types of birds are sensitive to Heat stress.
- Hot weather management and Hot climate control are therefore crucial.
- Evaporative cooling and Increasing the air velocity at bird level to 2-3meter/sec.
- Heat stress prevention/management
- Insulation of water tanks and pipes.
- Water sprinklers on the roof to reduce house temperature.
- Supply of cool drinking water.
- Avoid wet litter to reduce humidity.
- More fat/less carbohydrate to provide energy through feed.
- Fortifying water to provide energy, Vitamin C and Sodium Salicylate will help the birds adopt to high and rasing temperature.

65-80°F	The desirable temperature under which chicken feels comfortable and functions normally.
81-95°F	Feed Consumption drops.
96-100°F	For each degree rise in temperature 2-3% loss of feed intake.
101°F & above	The temperature is often referred to as lethal or killing temperature. The chicken passes into a state of shock culminating death.

How will panting influence pH or acid-base balance in the birds?

Normally, blood pH is controlled by the lungs and kidneys along with the various buffer systems which prevent rapid changes in the pH. However, as the respiratory rate increase in heat stressed birds, there is a corresponding decrease in the levels of blood carbon dioxide. Respiratory Alkalosis (elevated blood pH) results. Heat stress also depletes potassium and other minerals in the body, altering the delicate electrolyte balance in there body.

Vesper's

COMPOSITION

Electrolytes, Vitamin C, Lactobacillus, Sodium-bi-Carbonate, Sodium Salicylate, Fortified with Polysaccharides in instant Energy Base.

INDICATIONS

Stresses of all type including heat stress.

USAGE INSTRUCTIONS

Feed:- Regular Use:- 250-500 gms/ton of feed.

During Stress:- 1 kg/ton of feed.

Water Soluble Powder:- Regular Use : 1 gm in 5 Liters of drinking water

During Stress : 1 gm in 2 Liters of drinking water.

} Or as recommended by the Veterinarian.

Liquid :- 1 ml/1-2 ltr of drinking water. Or as recommended by the Veterinarian.

PRESENTATION

Feed:- 10 kg bag. **Water Soluble Powder :-** 500 gm tin and 1kg X 20 nos per bag.

Liquid:- 1ltr bottle, 5ltr jar and 30 ltr drum.

Note:- Don't use feed grade material in drinking water.



Manufactured by:-

Vesper Pharmaceuticals

Singapura, Vidyaranyapura Post, Bangalore, Karnataka, 560097,

Ph: 080-23254255 Fax: 080-23254244

Email: vespergroupvet@gmail.com Web: www.vespergroupvet.com

An ISO 2008-2015 and GMP Certified Company

 **VISION**
Catalyzes Research
Creates Products
Cares Customers
The Care Takers