In [2]: import pandas as pd
 data=pd.read_csv("/home/placement/kambala/arunachal.csv")
 data

Out[2]:

	Unnamed: 0	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	
0	110	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	NaN	629.7	333.9	NaN	NaN	NaN	NaN	117.9	811.8	
1	111	ARUNACHAL PRADESH	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5	199.3	63.5	0.0	NaN	185.9	NaN	2
2	112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	125.2	7.8	13.7	5486.3	21.4	1196.9	4
3	113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	948.3	40.7	8.6	4693.9	102.3	706.0	2
4	114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	103.3	0.0	0.0	4106.7	210.3	1143.9	2
86	196	ARUNACHAL PRADESH	2005	48.4	167.6	229.5	195.3	179.8	269.3	430.8	400.0	243.6	139.3	28.6	3.3	2335.5	216.0	604.6	1
87	197	ARUNACHAL PRADESH	2006	6.0	103.7	63.3	202.7	321.7	520.4	382.2	227.6	263.2	77.2	69.7	21.7	2259.6	109.7	587.7	1
88	198	ARUNACHAL PRADESH	2007	13.4	97.4	48.1	292.4	250.4	530.2	761.0	364.6	529.3	102.6	24.3	6.9	3020.7	110.8	590.9	2
89	199	ARUNACHAL PRADESH	2008	76.7	39.7	122.6	192.4	185.0	423.6	456.1	439.3	189.7	115.1	1.7	2.6	2244.4	116.4	499.9	1
90	200	ARUNACHAL PRADESH	2009	18.0	92.8	72.1	132.7	189.9	259.1	329.9	370.3	152.5	82.9	33.9	15.9	1749.9	110.8	394.7	1

91 rows × 20 columns

In [5]: data.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 91 entries, 0 to 90
Data columns (total 20 columns):
     Column
                  Non-Null Count
                                   Dtype
     -----
     Unnamed: 0
                  91 non-null
                                   int64
 0
 1
     SUBDIVISION
                  91 non-null
                                   object
 2
     YEAR
                  91 non-null
                                   int64
                  90 non-null
                                   float64
     JAN
 4
     FEB
                  90 non-null
                                   float64
     MAR
                  89 non-null
                                   float64
     APR
                  91 non-null
                                   float64
                  91 non-null
                                   float64
     MAY
                  90 non-null
                                   float64
     JUN
     JUL
                  90 non-null
                                   float64
                  91 non-null
                                   float64
 10
     AUG
     SEP
                  91 non-null
                                   float64
 11
                                   float64
 12
     0CT
                  89 non-null
                                   float64
 13
     NOV
                  89 non-null
 14
     DEC
                  89 non-null
                                   float64
 15
     ANNUAL
                  85 non-null
                                   float64
 16
     Jan-Feb
                  90 non-null
                                   float64
                  89 non-null
                                   float64
 17
     Mar-May
 18
     Jun-Sep
                  89 non-null
                                   float64
 19 Oct-Dec
                  88 non-null
                                   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 14.3+ KB
```

In [6]: data.describe()

Out[6]:

	Unnamed: 0	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
count	91.00000	91.000000	90.000000	90.000000	89.000000	91.000000	91.000000	90.000000	90.000000	91.000000	91.000000
mean	155.00000	1962.747253	48.598889	93.966667	154.446067	262.990110	364.651648	659.556667	711.963333	502.163736	433.273626
std	26.41338	27.695003	34.687078	46.258375	87.918484	113.395773	181.095447	311.642230	356.372598	275.716730	204.991358
min	110.00000	1916.000000	1.800000	6.100000	28.500000	94.700000	101.800000	239.400000	233.000000	172.400000	152.500000
25%	132.50000	1938.500000	20.075000	65.625000	101.700000	180.600000	237.150000	425.675000	442.150000	301.100000	282.150000
50%	155.00000	1964.000000	45.400000	87.600000	141.700000	245.400000	314.600000	545.750000	613.000000	411.600000	384.300000
75%	177.50000	1986.500000	65.150000	120.400000	189.600000	335.300000	447.050000	840.400000	922.075000	669.200000	521.150000
max	200.00000	2009.000000	164.500000	208.500000	605.600000	595.100000	1168.600000	1609.900000	2362.800000	1664.600000	1222.000000

In [9]: data1=data.drop(columns='Unnamed: 0')

In [10]: data1

Out[10]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	Jun- Sep	Oct- Dec
0	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	NaN	629.7	333.9	NaN	NaN	NaN	NaN	117.9	811.8	NaN	NaN
1	ARUNACHAL PRADESH	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5	199.3	63.5	0.0	NaN	185.9	NaN	2772.8	262.8
2	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	125.2	7.8	13.7	5486.3	21.4	1196.9	4121.3	146.7
3	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	948.3	40.7	8.6	4693.9	102.3	706.0	2888.0	997.6
4	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	103.3	0.0	0.0	4106.7	210.3	1143.9	2649.2	103.3
86	ARUNACHAL PRADESH	2005	48.4	167.6	229.5	195.3	179.8	269.3	430.8	400.0	243.6	139.3	28.6	3.3	2335.5	216.0	604.6	1343.7	171.2
87	ARUNACHAL PRADESH	2006	6.0	103.7	63.3	202.7	321.7	520.4	382.2	227.6	263.2	77.2	69.7	21.7	2259.6	109.7	587.7	1393.5	168.7
88	ARUNACHAL PRADESH	2007	13.4	97.4	48.1	292.4	250.4	530.2	761.0	364.6	529.3	102.6	24.3	6.9	3020.7	110.8	590.9	2185.1	133.9
89	ARUNACHAL PRADESH	2008	76.7	39.7	122.6	192.4	185.0	423.6	456.1	439.3	189.7	115.1	1.7	2.6	2244.4	116.4	499.9	1508.7	119.4
90	ARUNACHAL PRADESH	2009	18.0	92.8	72.1	132.7	189.9	259.1	329.9	370.3	152.5	82.9	33.9	15.9	1749.9	110.8	394.7	1111.8	132.7

91 rows × 19 columns

In [12]: data['SUBDIVISION']=data['SUBDIVISION'].map({'ARUNACHAL PRADESH':1})

In [13]: data

Out[13]:

	Unnamed: 0	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	
0	110	1	1916	48.1	69.8	71.1	316.1	424.6	1124.9	NaN	629.7	333.9	NaN	NaN	NaN	NaN	117.9	811.8	
1	111	1	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5	199.3	63.5	0.0	NaN	185.9	NaN	2
2	112	1	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	125.2	7.8	13.7	5486.3	21.4	1196.9	4
3	113	1	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	948.3	40.7	8.6	4693.9	102.3	706.0	2
4	114	1	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	103.3	0.0	0.0	4106.7	210.3	1143.9	2
86	196	1	2005	48.4	167.6	229.5	195.3	179.8	269.3	430.8	400.0	243.6	139.3	28.6	3.3	2335.5	216.0	604.6	1
87	197	1	2006	6.0	103.7	63.3	202.7	321.7	520.4	382.2	227.6	263.2	77.2	69.7	21.7	2259.6	109.7	587.7	1
88	198	1	2007	13.4	97.4	48.1	292.4	250.4	530.2	761.0	364.6	529.3	102.6	24.3	6.9	3020.7	110.8	590.9	2
89	199	1	2008	76.7	39.7	122.6	192.4	185.0	423.6	456.1	439.3	189.7	115.1	1.7	2.6	2244.4	116.4	499.9	1
90	200	1	2009	18.0	92.8	72.1	132.7	189.9	259.1	329.9	370.3	152.5	82.9	33.9	15.9	1749.9	110.8	394.7	1

91 rows × 20 columns

```
In [14]: data1.isna().sum()
Out[14]: SUBDIVISION
                          0
         YEAR
                          0
         JAN
                          1
         FEB
         MAR
                          2
         APR
                          0
                          0
         MAY
         JUN
         JUL
         AUG
                          0
         SEP
                          0
                          2
2
         0CT
         NOV
         DEC
         ANNUAL
                          6
         Jan-Feb
                          1
2
2
         Mar-May
         Jun-Sep
         Oct-Dec
         dtype: int64
In [15]: data2=data1.fillna(data.mean())
```

```
In [16]: data2.isna().sum()
Out[16]: SUBDIVISION
                          0
0
         YEAR
                          0
         JAN
         FEB
                          0
         MAR
                          0
         APR
                          0
                          0
         MAY
         JUN
         JUL
         AUG
                          0
         SEP
                          0
0
         0CT
         NOV
         DEC
         ANNUAL
                          0
         Jan-Feb
                          0
         Mar-May
         Jun-Sep
                          0
         Oct-Dec
         dtype: int64
```

In [17]: data2

Out[17]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL
0	ARUNACHAL PRADESH	1916	48.1	69.8	71.100000	316.1	424.6	1124.9	711.963333	629.7	333.9	200.37191	36.257303	24.91573	3475.443529
1	ARUNACHAL PRADESH	1917	21.4	164.5	154.446067	269.6	107.9	823.8	909.100000	628.4	411.5	199.30000	63.500000	0.00000	3475.443529
2	ARUNACHAL PRADESH	1918	10.4	11.0	191.200000	144.6	861.1	1609.9	1303.000000	692.6	515.8	125.20000	7.800000	13.70000	5486.300000
3	ARUNACHAL PRADESH	1919	34.5	67.8	28.500000	256.9	420.6	973.6	999.000000	286.7	628.7	948.30000	40.700000	8.60000	4693.900000
4	ARUNACHAL PRADESH	1920	14.0	196.3	605.600000	364.7	173.6	840.6	535.400000	896.5	376.7	103.30000	0.000000	0.00000	4106.700000
86	ARUNACHAL PRADESH	2005	48.4	167.6	229.500000	195.3	179.8	269.3	430.800000	400.0	243.6	139.30000	28.600000	3.30000	2335.500000
87	ARUNACHAL PRADESH	2006	6.0	103.7	63.300000	202.7	321.7	520.4	382.200000	227.6	263.2	77.20000	69.700000	21.70000	2259.600000
88	ARUNACHAL PRADESH	2007	13.4	97.4	48.100000	292.4	250.4	530.2	761.000000	364.6	529.3	102.60000	24.300000	6.90000	3020.700000
89	ARUNACHAL PRADESH	2008	76.7	39.7	122.600000	192.4	185.0	423.6	456.100000	439.3	189.7	115.10000	1.700000	2.60000	2244.400000
90	ARUNACHAL PRADESH	2009	18.0	92.8	72.100000	132.7	189.9	259.1	329.900000	370.3	152.5	82.90000	33.900000	15.90000	1749.900000

91 rows × 19 columns

In [18]: data3=data2.drop(columns=["Jan-Feb","Mar-May","Jun-Sep","Oct-Dec"])

In [19]: data3

Out[19]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL
0	ARUNACHAL PRADESH	1916	48.1	69.8	71.100000	316.1	424.6	1124.9	711.963333	629.7	333.9	200.37191	36.257303	24.91573	3475.443529
1	ARUNACHAL PRADESH	1917	21.4	164.5	154.446067	269.6	107.9	823.8	909.100000	628.4	411.5	199.30000	63.500000	0.00000	3475.443529
2	ARUNACHAL PRADESH	1918	10.4	11.0	191.200000	144.6	861.1	1609.9	1303.000000	692.6	515.8	125.20000	7.800000	13.70000	5486.300000
3	ARUNACHAL PRADESH	1919	34.5	67.8	28.500000	256.9	420.6	973.6	999.000000	286.7	628.7	948.30000	40.700000	8.60000	4693.900000
4	ARUNACHAL PRADESH	1920	14.0	196.3	605.600000	364.7	173.6	840.6	535.400000	896.5	376.7	103.30000	0.000000	0.00000	4106.700000
86	ARUNACHAL PRADESH	2005	48.4	167.6	229.500000	195.3	179.8	269.3	430.800000	400.0	243.6	139.30000	28.600000	3.30000	2335.500000
87	ARUNACHAL PRADESH	2006	6.0	103.7	63.300000	202.7	321.7	520.4	382.200000	227.6	263.2	77.20000	69.700000	21.70000	2259.600000
88	ARUNACHAL PRADESH	2007	13.4	97.4	48.100000	292.4	250.4	530.2	761.000000	364.6	529.3	102.60000	24.300000	6.90000	3020.700000
89	ARUNACHAL PRADESH	2008	76.7	39.7	122.600000	192.4	185.0	423.6	456.100000	439.3	189.7	115.10000	1.700000	2.60000	2244.400000
90	ARUNACHAL PRADESH	2009	18.0	92.8	72.100000	132.7	189.9	259.1	329.900000	370.3	152.5	82.90000	33.900000	15.90000	1749.900000

91 rows × 15 columns

```
In [20]: data3.isna().sum()
Out[20]: SUBDIVISION
                        0
         YEAR
                        0
         JAN
                         0
         FEB
         MAR
         APR
         MAY
         JUN
         JUL
         AUG
         SEP
         0CT
         NOV
         DEC
         ANNUAL
         dtype: int64
In [21]: data4=data3.drop(columns='SUBDIVISION')
```

In [22]: data4

Out[22]:

	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL
0	1916	48.1	69.8	71.100000	316.1	424.6	1124.9	711.963333	629.7	333.9	200.37191	36.257303	24.91573	3475.443529
1	1917	21.4	164.5	154.446067	269.6	107.9	823.8	909.100000	628.4	411.5	199.30000	63.500000	0.00000	3475.443529
2	1918	10.4	11.0	191.200000	144.6	861.1	1609.9	1303.000000	692.6	515.8	125.20000	7.800000	13.70000	5486.300000
3	1919	34.5	67.8	28.500000	256.9	420.6	973.6	999.000000	286.7	628.7	948.30000	40.700000	8.60000	4693.900000
4	1920	14.0	196.3	605.600000	364.7	173.6	840.6	535.400000	896.5	376.7	103.30000	0.000000	0.00000	4106.700000
86	2005	48.4	167.6	229.500000	195.3	179.8	269.3	430.800000	400.0	243.6	139.30000	28.600000	3.30000	2335.500000
87	2006	6.0	103.7	63.300000	202.7	321.7	520.4	382.200000	227.6	263.2	77.20000	69.700000	21.70000	2259.600000
88	2007	13.4	97.4	48.100000	292.4	250.4	530.2	761.000000	364.6	529.3	102.60000	24.300000	6.90000	3020.700000
89	2008	76.7	39.7	122.600000	192.4	185.0	423.6	456.100000	439.3	189.7	115.10000	1.700000	2.60000	2244.400000
90	2009	18.0	92.8	72.100000	132.7	189.9	259.1	329.900000	370.3	152.5	82.90000	33.900000	15.90000	1749.900000

91 rows × 14 columns

```
In [23]: data4['SWM']=data4['JUN']+data4['JUL']+data4['AUG']+data4['SEP']
data4['NEM']=data4['OCT']+data4['NOV']+data4['DEC']
```

In [24]: data4

Out[24]:

	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL	SWM	
0	1916	48.1	69.8	71.100000	316.1	424.6	1124.9	711.963333	629.7	333.9	200.37191	36.257303	24.91573	3475.443529	2800.463333	21
1	1917	21.4	164.5	154.446067	269.6	107.9	823.8	909.100000	628.4	411.5	199.30000	63.500000	0.00000	3475.443529	2772.800000	21
2	1918	10.4	11.0	191.200000	144.6	861.1	1609.9	1303.000000	692.6	515.8	125.20000	7.800000	13.70000	5486.300000	4121.300000	1،
3	1919	34.5	67.8	28.500000	256.9	420.6	973.6	999.000000	286.7	628.7	948.30000	40.700000	8.60000	4693.900000	2888.000000	9!
4	1920	14.0	196.3	605.600000	364.7	173.6	840.6	535.400000	896.5	376.7	103.30000	0.000000	0.00000	4106.700000	2649.200000	10
													•••		•••	
86	2005	48.4	167.6	229.500000	195.3	179.8	269.3	430.800000	400.0	243.6	139.30000	28.600000	3.30000	2335.500000	1343.700000	1
87	2006	6.0	103.7	63.300000	202.7	321.7	520.4	382.200000	227.6	263.2	77.20000	69.700000	21.70000	2259.600000	1393.400000	10
88	2007	13.4	97.4	48.100000	292.4	250.4	530.2	761.000000	364.6	529.3	102.60000	24.300000	6.90000	3020.700000	2185.100000	1:
89	2008	76.7	39.7	122.600000	192.4	185.0	423.6	456.100000	439.3	189.7	115.10000	1.700000	2.60000	2244.400000	1508.700000	1
90	2009	18.0	92.8	72.100000	132.7	189.9	259.1	329.900000	370.3	152.5	82.90000	33.900000	15.90000	1749.900000	1111.800000	1:

91 rows × 16 columns

In [25]: data5=data4.drop(columns=['JAN','FEB','MAR','APR','MAY','JUN','JUL','AUG','SEP','OCT','NOV','DEC'])

In [26]: cor=data5.corr()data5

Out[26]:

	YEAR	ANNUAL	SWM	NEM
0	1916	3475.443529	2800.463333	261.544944
1	1917	3475.443529	2772.800000	262.800000
2	1918	5486.300000	4121.300000	146.700000
3	1919	4693.900000	2888.000000	997.600000
4	1920	4106.700000	2649.200000	103.300000
86	2005	2335.500000	1343.700000	171.200000
87	2006	2259.600000	1393.400000	168.600000
88	2007	3020.700000	2185.100000	133.800000
89	2008	2244.400000	1508.700000	119.400000
90	2009	1749.900000	1111.800000	132.700000

91 rows × 4 columns

In [27]: cor=data5.corr()


In [28]: cor

Out[28]:

NEM	SWM	ANNUAL	YEAR	
-0.304589	-0.664900	-0.682590	1.000000	YEAR
0.408974	0.942978	1.000000	-0.682590	ANNUAL
0.282742	1.000000	0.942978	-0.664900	SWM
1.000000	0.282742	0.408974	-0.304589	NEM

```
In [29]: import seaborn as sns
sns.heatmap(cor,vmax=1,vmin=-1,annot=True,linewidth=5,cmap='bwr')
```

Out[29]: <AxesSubplot:>



In []: