

Cucumber Report

Jun 24, 2023, 10:07:52 PM

Start : Jun 24, 10:03:01.646 PM

End : Jun 24, 10:07:44.430 PM

Duration : 4 m 42.784 s

Features







PASSED - 4
FAILED - 6
SKIPPED - 0

Scenarios

PASSED - 114
FAILED - 21
SKIPPED - 0

Steps

PASSED - 400
FAILED - 21
SKIPPED - 22




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Launch Start page and Test Home Page</u>	6.009 s	14	14	0	0	43	43	0	0
<u>Title of your feature</u>	8.884 s	8	8	0	0	21	21	0	0
<u>SignIn Action</u>	28.869 s	12	10	2	0	42	39	2	1
<u>performing Data Structures-Introduction</u>	42.640 s	6	2	4	0	19	11	4	4
<u>validating Array Page</u>	42.357 s	20	17	3	0	69	63	3	3
<u>Linked List page validation dsalgo</u>	1 m 12.260 s	23	17	6	0	76	64	6	6
<u>performing Stack</u>	33.110 s	6	3	3	0	20	13	3	4
<u>To validate Queue Data Structure</u>	5.916 s	15	15	0	0	51	51	0	0
<u>User tests the Tree page on the Ds algo application</u>	39.339 s	23	20	3	0	76	69	3	4
<u>To Validate Graph Data Structure</u>	3.033 s	8	8	0	0	26	26	0	0

#	Feature Name	Scenario Name
1	<u>SignIn Action</u>	"User on login page and login with invalid and valid inputs from Excel"
2		<u>Verifying signout link</u>
3	<u>performing Data Structures-Introduction</u>	<u>The user is logged in to DS Algo portal</u>
4		<u>The user is able to navigate to Data Structure introduction page</u>
5		<u>The user is able to navigate to Time Complexity page</u>
6		<u>The user is able to navigate to a page having an tryEditor from Time Complexity page</u>
7	<u>validating Array Page</u>	<u>Validation of Arrays in Python link</u>
8		<u>Validation of Basic Operations in Lists link</u>
9		<u>Validation of Applications of Arrays link</u>
10	<u>Linked List page validation dsalgo</u>	<u>User navigated to creating linked list page</u>


#	Feature Name	Scenario Name
11	<u>Linked List page validation dsalgo</u>	<u>User navigated to Types of linked list page</u>
12		<u>User navigated to Implementation linked list in python page</u>
13		<u>User navigated to Traversal Page</u>
14		<u>User navigated to Insertion page</u>
15		<u>User navigated to Deletion page</u>
16	<u>performing Stack</u>	<u>The user is able to navigate to "Operations in Stack" page</u>
17		<u>The user is able to navigate to a page having an tryEditor</u>
18		<u>The user is able to run code in tryEditor</u>
19	<u>User tests the Tree page on the Ds algo application</u>	<u>The user is able to navigate to "Overview of Trees" page</u>
20		<u>The user is able to navigate to a page having an tryEditor from Overview of Trees page</u>

#	Feature Name	Scenario Name
21	<u>User tests the Tree page on the Ds algo application</u>	<u>User enters valid Python code and Presented with Result</u>


TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@HomePage		14	14	0	0	1	1	0	0
@RegisterPage		8	8	0	0	1	1	0	0
@Signin		12	10	2	0	1	0	1	0
@DataStructurePage		6	2	4	0	1	0	1	0
@ArrayPage		20	17	3	0	1	0	1	0
@LinkedListPage		23	17	6	0	1	0	1	0
@StackPage		6	3	3	0	1	0	1	0
@QueuePage		15	15	0	0	1	1	0	0
@treePage		23	20	3	0	1	0	1	0
@GraphPage		8	8	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Launch Start page and Test Home Page</u>	14	14	0	0	6.009 s
2	<u>Title of your feature</u>	8	8	0	0	8.884 s
3	<u>SignIn Action</u>	12	10	2	0	28.869 s
4	<u>performing Data Structures-Introduction</u>	6	2	4	0	42.640 s
5	<u>validating Array Page</u>	20	17	3	0	42.357 s
6	<u>Linked List page validation dsalgo</u>	23	17	6	0	1 m 12.260 s
7	<u>performing Stack</u>	6	3	3	0	33.110 s
8	<u>To validate Queue Data Structure</u>	15	15	0	0	5.916 s
9	<u>User tests the Tree page on the Ds algo application</u>	23	20	3	0	39.339 s
10	<u>To Validate Graph Data Structure</u>	8	8	0	0	3.033 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Launch Start page and Test Home Page</u>	<u>launch the home page of dsalgo portal</u>	3	3	0	0	0.808 s
2		<u>user is on home page</u>	2	2	0	0	0.372 s
3		<u>user is on home page</u>	2	2	0	0	0.322 s
4		<u>user is on home page</u>	2	2	0	0	0.319 s
5		<u>user is on home page</u>	2	2	0	0	0.312 s
6		<u>user is on home page</u>	2	2	0	0	0.287 s
7		<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.443 s
8		<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.409 s
9		<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.413 s
10		<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.432 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Launch Start page and Test Home Page</u>	<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.445 s
12		<u>User is on Home page and click on dropdown without sign in</u>	4	4	0	0	0.391 s
13		<u>User is on Home page and click on sign in</u>	3	3	0	0	0.223 s
14		<u>User is on Home page and click on Register</u>	3	3	0	0	0.235 s
15	<u>Title of your feature</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	3	0	0	0.362 s
16		<u>The user is presented with error message for empty fields below Password textbox</u>	2	2	0	0	0.455 s
17		<u>The user is presented with error message for empty fields below Password Confirmation textbox</u>	2	2	0	0	0.429 s
18		<u>to register with all the data</u>	3	3	0	0	3.330 s
19		<u>to register with all the data</u>	3	3	0	0	1.280 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20		<u>to register with all the data</u>	3	3	0	0	1.291 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Title of your feature</u>	<u>to register with all the data</u>	3	3	0	0	1.293 s
22		<u>Verifying signin link</u>	2	2	0	0	0.194 s
23	<u>SignIn Action</u>	<u>Redirect to Register page</u>	3	3	0	0	0.377 s
24		<u>To verify SignIn with Empty fields</u>	3	3	0	0	0.357 s
25		<u>To verify SignIn with username only</u>	3	3	0	0	0.314 s
26		<u>To verify SignIn with password only</u>	3	3	0	0	0.295 s
27		<u>To verify SignIn with invalid "zxyu123" and "zxyu1234"</u>	5	5	0	0	0.623 s
28		<u>To verify SignIn with invalid "abc" and "12345678"</u>	5	5	0	0	0.613 s
29		<u>To verify SignIn with invalid "NinjaTest" and "testsquad@"</u>	5	5	0	0	0.604 s
30		<u>"User on login page and login with invalid and valid inputs from Excel"</u>	3	3	0	0	0.813 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>SignIn Action</u>	"User on login page and login with invalid and valid inputs from Excel"	3	3	0	0	0.867 s
32		"User on login page and login with invalid and valid inputs from Excel"	3	3	0	0	0.888 s
33		"User on login page and login with invalid and valid inputs from Excel"	3	2	1	0	12.506 s
34		Verifying signout link	3	1	1	1	10.256 s
35	<u>performing Data Structures-Introduction</u>	The user is logged in to DS Algo portal	5	1	1	3	10.250 s
36		The user is able to navigate to Data Structure introduction page	1	0	1	0	10.252 s
37		The user is able to navigate to Time Complexity page	3	1	1	1	10.232 s
38		The user is able to navigate to a page having an tryEditor from Time Complexity page	2	1	1	0	10.236 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
39		<i>The user is able to run code in tryEditor for Time Complexity page</i>	4	4	0	0	0.984 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>performing Data Structures-Introduction</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Time Complexity page</u>	4	4	0	0	0.530 s
41	<u>validating Array Page</u>	<u>user is on homepage</u>	3	3	0	0	0.280 s
42		<u>Validation of Arrays in Python link</u>	3	1	1	1	10.437 s
43		<u>Validation of Try Here button</u>	3	3	0	0	0.597 s
44		<u>The user is able to run code in tryEditor</u>	4	4	0	0	0.469 s
45		<u>The user is able to run code in tryEditor</u>	4	4	0	0	0.454 s
46		<u>Validation of Arrays Using List link</u>	3	3	0	0	0.416 s
47		<u>Validation of Try Here button</u>	3	3	0	0	0.337 s
48		<u>Validation of valid python code in TryEditor page using Arrays Using List</u>	4	4	0	0	0.486 s
49		<u>The user is able to run code in tryEditor</u>	4	4	0	0	0.416 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	validating Array Page	Validation of Basic Operations in Lists link	3	1	1	1	10.458 s
51		Validation of valid python code in TryEditor page for Basic Operations in Lists	4	4	0	0	0.492 s
52		Validation of valid python code in TryEditor page for Basic Operations in Lists	4	4	0	0	0.547 s
53		Validation of Applications of Arrays link	3	1	1	1	10.612 s
54		Validation of Practice Questions link	3	3	0	0	0.517 s
55		Validation of Search the Array link	3	3	0	0	0.617 s
56		Validation of valid python code in Practice Questions page for Search for Array link	4	4	0	0	0.850 s
57		Validation of Find Numbers with Even Number of Digits link	3	3	0	0	0.554 s
58		Validation of Submit button in Practice Questions page for Find Numbers with Even Numbers of Digits link	4	4	0	0	1.342 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>validating Array Page</u>	<u>Validation of Squares of a Sorted Array link</u> <u>Squares of a Sorted Array link</u>	3	3	0	0	0.563 s
60		<u>Validation of Submit button in Practice Questions page for Find Numbers with Even Numbers of Digits link</u>	4	4	0	0	1.291 s
61	<u>Linked List page validation dsalgo</u>	<u>User should be able to navigate to LinkedList Data Structure Page</u>	3	3	0	0	0.416 s
62		<u>User navigated to Introduction page</u>	3	3	0	0	0.312 s
63		<u>User navigated to tryEditor page from Introduction page</u>	3	3	0	0	0.286 s
64		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.391 s
65		<u>User navigated to creating linked list page</u>	3	1	1	1	10.591 s
66		<u>User navigated to tryEditor page from Creating a Linked List page</u>	3	3	0	0	0.261 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
67		<u>User gets error message by passing invalid python code for Creating a Linked List page</u>	4	4	0	0	1.489 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
68	<u>Linked List page validation dsalgo</u>	<u>User navigated to Types of linked list page</u>	3	1	1	1	10.689 s
69		<u>User navigated to tryEditor page with Run button from Types of Linked List page</u>	3	3	0	0	0.236 s
70		<u>User run the code in tryEditor with valid input for Types of Linked List page</u>	4	4	0	0	0.687 s
71		<u>User navigated to Implementation linked list in python page</u>	3	1	1	1	10.612 s
72		<u>User navigated to tryEditor page with Run button from Implement Linked List in Python page</u>	3	3	0	0	0.243 s
73		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.523 s
74		<u>User navigated to Traversal Page</u>	3	1	1	1	10.570 s
75		<u>User navigated to tryEditor page with Run button from Traversal page</u>	3	3	0	0	0.238 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
76		<u>User run the code in tryEditor with valid input for Traversal page</u>	4	4	0	0	0.818 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>Linked List page validation dsalgo</u>	<u>User navigated to Insertion page</u>	3	1	1	1	10.642 s
78		<u>User navigated to tryEditor page with Run button from Insertion page</u>	3	3	0	0	0.267 s
79		<u>User run the code in tryEditor with valid input for Insertion page</u>	4	4	0	0	0.368 s
80		<u>User navigated to Deletion page</u>	3	1	1	1	10.693 s
81		<u>User navigated to tryEditor page with Run button from Deletion page</u>	3	3	0	0	0.267 s
82		<u>User run the code in tryEditor with valid input for Deletion page</u>	4	4	0	0	0.467 s
83		<u>The user is validating Practice Questions page</u>	3	3	0	0	0.561 s
84	<u>performing Stack</u>	<u>user is on homepage</u>	3	3	0	0	0.506 s
85		<u>The user is able to navigate to "Operations in Stack" page</u>	3	1	1	1	10.471 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
86		<i>The user is able to navigate to a page having an tryEditor</i>	3	1	1	1	10.436 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
87	<u>performing Stack</u>	<u>The user is able to run code in tryEditor</u>	4	1	1	2	10.383 s
88		<u>The user is able to run code in tryEditor</u>	4	4	0	0	0.624 s
89		<u>The user is able to navigate to "Practice Questions" in stack Page</u>	3	3	0	0	0.552 s
90	<u>To validate Queue Data Structure</u>	<u>User is naviagted to Queue Data structure from homepage</u>	3	3	0	0	0.523 s
91		<u>User is navigated to Implementation of Queue in Python</u>	3	3	0	0	0.189 s
92		<u>User is navigated to tryEditor Page</u>	3	3	0	0	0.352 s
93		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.805 s
94		<u>User enters Invalid Python code and Presented with Error Message</u>	5	5	0	0	0.887 s
95		<u>User navigates to Implementation using collections.deque</u>	3	3	0	0	0.172 s
96		<u>User navigates to tryEditor page</u>	3	3	0	0	0.357 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
97	<u>To validate Queue Data Structure</u>	<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.507 s
98		<u>User is navigated to Implementation using array</u>	3	3	0	0	0.182 s
99		<u>User is naviagted to tryEditor page from Implementation using array page</u>	3	3	0	0	0.303 s
10-0		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.412 s
10-1		<u>User is navigated to Queue Operations</u>	3	3	0	0	0.138 s
10-2		<u>User is navigated to tryEditor Page</u>	3	3	0	0	0.242 s
10-3		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.335 s
10-4		<u>User navigated to Practice Questions</u>	3	3	0	0	0.126 s
10-5		<u>User tests the Tree page on the Ds algo application</u>	3	3	0	0	0.394 s
		<u>User should be able to navigate to Tree Page</u>					

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-6		<u><i>The user is able to navigate to "Overview of Trees" page</i></u>	3	1	1	1	10.440 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	User tests the Tree page on the Ds algo application	The user is able to navigate to a page having an tryEditor from Overview of Trees page	3	1	1	1	10.434 s
10-8		User enters valid Python code and Presented with Result	4	1	1	2	10.401 s
10-9		The user is able to navigate to "Terminologies" Page	3	3	0	0	0.294 s
11-0		The user is able to navigate to Terminologies page having an tryEditor	3	3	0	0	0.451 s
11-1		User should be able to enter a invalid Python code and Presented with Error Message	4	4	0	0	0.504 s
11-2		The user is able to navigate to "Types of Trees" Page	3	3	0	0	0.266 s
11-3		The user is able to navigate to a page having an tryEditor from Types of Trees page	3	3	0	0	0.373 s
11-4		User enters valid Python code and Presented with Result	4	4	0	0	0.472 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-5		<u>The user is able to navigate to "Tree Traversals" Page</u>	3	3	0	0	0.245 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-6	<u>User tests the Tree page on the Ds algo application</u>	<u>The user is able to navigate to a page having an tryEditor from Tree Traversals Page</u>	3	3	0	0	0.361 s
11-7		<u>User should be able to enter a invalid Python code and Presented with Error Message</u>	4	4	0	0	0.420 s
11-8		<u>The user is able to navigate to "Traversals illustration" Page</u>	3	3	0	0	0.278 s
11-9		<u>The user is able to navigate to a page having an tryEditor from Traversals-Illustration Page</u>	3	3	0	0	0.396 s
12-0		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.568 s
12-1		<u>The user is able to navigate to "Binary Trees" Page</u>	3	3	0	0	0.286 s
12-2		<u>The user is able to navigate to a page having an tryEditor from Binary Trees Page</u>	3	3	0	0	0.391 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-3		<u>User should be able to enter a invalid Python code and Presented with Error Message</u>	4	4	0	0	0.404 s
12-4		<u>The user is able to navigate to "Types of Binary Trees" Page</u>	3	3	0	0	0.324 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12-5	<u>User tests the Tree page on the Ds algo application</u>	<u>The user is able to navigate to a page having an tryEditor from Types of Binary Trees Page</u>	3	3	0	0	0.348 s
12-6		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.502 s
12-7		<u>The user is able to navigate to "Practice Questions" Page</u>	3	3	0	0	0.205 s
12-8	<u>To Validate Graph Data Structure</u>	<u>User should be able to navigate to Graph Data Structure Page</u>	3	3	0	0	0.495 s
12-9		<u>User should be able to navigate to Graph Page</u>	3	3	0	0	0.190 s
13-0		<u>User should be able to navigate to tryEditor Page</u>	3	3	0	0	0.341 s
13-1		<u>User enters valid Python code and Presented with Result</u>	4	4	0	0	0.472 s
13-2		<u>User should be able to navigate to Graph representations Page</u>	3	3	0	0	0.387 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
13-3		<u>User should be able to navigate to tryEditor Page</u>	3	3	0	0	0.340 s
13-4		<u>User should be able to enter a invalid Python code and Presented with Error Message</u>	4	4	0	0	0.432 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
13-5	<u>To Validate Graph Data Structure</u>	<u>The user is able to navigate to "Practice Questions" in graph Page</u>	3	3	0	0	0.188 s

Launch Start page and Test Home Page

PASSED	DURATION - 6.009 s	Scenarios Total - 14 Pass - 14 Fail - 0 Skip - 0		Steps Total - 43 Pass - 43 Fail - 0 Skip - 0	
/ 10:03:01.646 PM // 10:03:07.655 PM /					

launch the home page of dsalgo portal


PASSED	DURATION - 0.808 s	Scenarios Total - 14 Pass - 14 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:03:01.652 PM // 10:03:02.460 PM /					
Launch Start page and Test Home Page					
@HomePage					

#	Step / Hook Details	Status	Duration
1	Given user opens the dsalgo portal link	PASSED	0.306 s
2	When user clicks on "Get Started" button	PASSED	0.436 s
3	Then user redirected to home page	PASSED	0.018 s


user is on home page

PASSED	DURATION - 0.372 s	Scenarios Total - 14 Pass - 14 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 10:03:02.650 PM // 10:03:03.022 PM /					
Launch Start page and Test Home Page					
@HomePage					

#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Data Structures-Introduction" in home page	PASSED	0.308 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.055 s


user is on home page

#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Linked List" in home page	PASSED	0.272 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.037 s


user is on home page

#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Stack" in home page	PASSED	0.269 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.037 s


user is on home page



#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Queue" in home page	PASSED	0.266 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.039 s


user is on home page

#	Step / Hook Details	Status	Duration
1	When The user click any of the Get started button "Tree" in home page	PASSED	0.245 s
2	Then It should Alert the user with the message "You are not logged in"	PASSED	0.036 s

User is on Home page and click on dropdown without sign in


#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.104 s
2	When The user clicks on data structure dropdown	PASSED	0.093 s
3	When The user clicks on dropdown "Arrays" without login	PASSED	0.227 s
4	Then The user get warning message "You are not logged in"	PASSED	0.002 s

User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.103 s
2	When The user clicks on data structure dropdown	PASSED	0.066 s
3	When The user clicks on dropdown "Linked list" without login	PASSED	0.225 s
4	Then The user get warning message "You are not logged in"	PASSED	0.004 s


User is on Home page and click on dropdown without sign in



#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.106 s
2	When The user clicks on data structure dropdown	PASSED	0.083 s


#	Step / Hook Details	Status	Duration
3	When The user clicks on dropdown "Stack" without login	PASSED	0.204 s
4	Then The user get warning message "You are not logged in"	PASSED	0.001 s

User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.111 s
2	When The user clicks on data structure dropdown	PASSED	0.083 s
3	When The user clicks on dropdown "Queue" without login	PASSED	0.220 s
4	Then The user get warning message "You are not logged in"	PASSED	0.003 s

User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.108 s
2	When The user clicks on data structure dropdown	PASSED	0.080 s
3	When The user clicks on dropdown "Tree" without login	PASSED	0.240 s
4	Then The user get warning message "You are not logged in"	PASSED	0.002 s

User is on Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home page	PASSED	0.107 s
2	When The user clicks on data structure dropdown	PASSED	0.065 s
3	When The user clicks on dropdown "Graph" without login	PASSED	0.205 s
4	Then The user get warning message "You are not logged in"	PASSED	0.003 s

User is on Home page and click on sign in




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.002 s
2	When The user clicks Sign in	PASSED	0.211 s
3	Then The user should be redirected to Sign in page	PASSED	0.002 s

User is on Home page and click on Register




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.004 s
2	When The user clicks Register	PASSED	0.221 s
3	Then The user should be redirected to Register form	PASSED	0.001 s

Title of your feature




The user is presented with error message for empty fields below Username textbox



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.126 s
2	When The user clicks "Register" button with all fields empty	PASSED	0.146 s


#	Step / Hook Details	Status	Duration
3	Then It should display an error "Please fill out username field." below Username textbox	PASSED	0.083 s

The user is presented with error message for empty fields below Password textbox



#	Step / Hook Details	Status	Duration
1	When User click Register with username as "NumPySDET108Ninja" only	PASSED	0.386 s
2	Then User verify the message at password on Register Page as "Please fill out password field."	PASSED	0.059 s

The user is presented with error message for empty fields below Password Confirmation textbox



#	Step / Hook Details	Status	Duration
1	When User click Register with password as "PasswordSDET108Ninja" only	PASSED	0.361 s
2	Then User verify the message at confirmation password on Register Page as "Please fill out password confirmation field."	PASSED	0.061 s

to register with all the data

PASSED	DURATION - 3.330 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:03:09.075 PM // 10:03:12.405 PM /				
<i>Title of your feature</i>				
@RegisterPage				


#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.121 s
2	When user enter the sheetname "Register" and row number 0	PASSED	2.950 s
3	Then user click on Register button	PASSED	0.250 s

to register with all the data

PASSED	DURATION - 1.280 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:03:12.434 PM // 10:03:13.714 PM /				
<i>Title of your feature</i>				
@RegisterPage				


#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.108 s
2	When user enter the sheetname "Register" and row number 1	PASSED	0.930 s
3	Then user click on Register button	PASSED	0.232 s

to register with all the data




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.102 s
2	When user enter the sheetname "Register" and row number 2	PASSED	0.945 s
3	Then user click on Register button	PASSED	0.235 s

to register with all the data



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.102 s
2	When user enter the sheetname "Register" and row number 3	PASSED	0.950 s
3	Then user click on Register button	PASSED	0.234 s

Verifying signin link




#	Step / Hook Details	Status	Duration
1	Given The user clicks on signin link on register page	PASSED	0.188 s
2	Then The user redirected to signinpage from registerpage	PASSED	0.002 s

SignIn Action




Redirect to Register page




#	Step / Hook Details	Status	Duration
1	Given User is on Signln page	PASSED	0.123 s
2	When User Clicks on Register link	PASSED	0.230 s
3	Then User should be redirected to Register page	PASSED	0.015 s

To verify SignIn with Empty fields




#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.172 s
2	When User clicks on login button with all empty field	PASSED	0.110 s
3	Then User verify the message at username as "Please fill out this field."	PASSED	0.064 s

To verify SignIn with username only




#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.129 s
2	When User clicks on login button with username as "sdet108Ninja" only	PASSED	0.122 s
3	Then User verify the message at password as "Please fill out this field."	PASSED	0.057 s

To verify SignIn with password only




#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.117 s
2	When User clicks on login button with password as "adgnsdet" only	PASSED	0.126 s
3	Then User verify the message at user as "Please fill out this field."	PASSED	0.045 s

To verify SignIn with invalid "zxyu123" and "zxyu1234"




#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.113 s
2	When User enters username as "zxyu123"	PASSED	0.086 s
3	And User enters password as "zxyu1234"	PASSED	0.105 s
4	And User clicks login button	PASSED	0.257 s
5	Then User verify the message as "Invalid Username and Password"	PASSED	0.050 s

To verify SignIn with invalid "abc" and "12345678"





#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.091 s
2	When User enters username as "abc"	PASSED	0.093 s
3	And User enters password as "12345678"	PASSED	0.118 s
4	And User clicks login button	PASSED	0.256 s
5	Then User verify the message as "Invalid Username and Password"	PASSED	0.039 s

To verify SignIn with invalid "NinjaTest" and "testsquad@"





#	Step / Hook Details	Status	Duration
1	Given User is on SignIn page	PASSED	0.097 s
2	When User enters username as "NinjaTest"	PASSED	0.097 s
3	And User enters password as "testsquad@"	PASSED	0.121 s
4	And User clicks login button	PASSED	0.233 s
5	Then User verify the message as "Invalid Username and Password"	PASSED	0.043 s

"User on login page and login with invalid and valid inputs from Excel"

PASSED	DURATION - 0.813 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:03:20.027 PM // 10:03:20.840 PM /				
SignIn Action				
@Signin				


#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.095 s
2	When The user enter sheet "signin" and 0	PASSED	0.409 s
3	Then click login button	PASSED	0.304 s

"User on login page and login with invalid and valid inputs from Excel"

PASSED	DURATION - 0.867 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:03:20.870 PM // 10:03:21.737 PM /				
SignIn Action				
@Signin				


#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.098 s
2	When The user enter sheet "signin" and 1	PASSED	0.415 s
3	Then click login button	PASSED	0.348 s

"User on login page and login with invalid and valid inputs from Excel"



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.092 s
2	When The user enter sheet "signin" and 2	PASSED	0.434 s
3	Then click login button	PASSED	0.356 s


"User on login page and login with invalid and valid inputs from Excel"



#	Step / Hook Details	Status	Duration
1	Given The user is on login page	PASSED	0.106 s
2	When The user enter sheet "signin" and 3	PASSED	0.396 s
3	Then click login button <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='alert alert-primary']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=//div[@class='alert alert-primary']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,}</pre>	FAILED 11.703 s	

#	Step / Hook Details	Status	Duration
	<pre> webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.SigninPage.successAlert(SigninPage.java:75) at stepDefinition.SigninPage_SD.click_login_button(SigninPage_SD.java:156) at ?.click login button(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/03-SigninPage.feature:40) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.294 s


Verifying signout link




#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page with valid log in	PASSED	0.005 s
2	<p>When The user clicks "Sign out"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/logout']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='/logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodal\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	FAILED	10.019 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.SigninPage.logoutbtn(SigninPage.java:99) at stepDefinition.SigninPage_SD.the_user_clicks(SigninPage_SD.java:169) at ?.The user clicks "Sign out"(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/03-SigninPage.feature:53) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.225 s
3	Then The user redirected to homepage	SKIPPED	0.001 s

performing Data Structures-Introduction



The user is logged in to DS Algo portal




#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.004 s
2	Then The user click on signinbtn	FAILED	10.018 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/login']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value="//a[@href='/login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.DataStructurePage.signinclick(DataStructurePage.java:43) at stepDefinition.DatastructurePage_SD.the_user_clcl_signinbtn(DatastructurePage_SD.java:30) at ?.The user click on signinbtn(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/04-DataStructure. feature:7) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot	PASSED	0.218 s

#	Step / Hook Details	Status	Duration
			
3	When The user enter valid "NinjaTestSquad" and "adgn-stars"	SKIPPED	0.000 s
4	And The user click on login button	SKIPPED	0.000 s
5	Then The user redirected to homepage	SKIPPED	0.001 s


The user is able to navigate to Data Structure introduction page



#	Step / Hook Details	Status	Duration
1	<p>When The user clicks the "Getting Started" button in Data Structure Page introduction Panel</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Get Started']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=//a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	10.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.DataStructurePage.dsclick(DataStructurePage.java:66) at stepDefinition.DatastructurePage_SD.the_user_clicks_the_button_in_data_structure_page_introduction_panel(DatastructurePage_SD.java:45) at ?.The user clicks the "Getting Started" button in Data Structure Page introduction Panel(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/04-DataStructure.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.212 s


The user is able to navigate to Time Complexity page



#	Step / Hook Details	Status	Duration
1	Given The user is on the "Data Structures Introduction" after logged in	PASSED	0.002 s
2	<p>When The user clicks Time Complexity link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='time-complexity']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='time-complexity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.DataStructurePage.timecomplexity(DataStructurePage.java:70) at stepDefinition.DatastructurePage_SD.the_user_clicks_time_complexity_link(DatastructurePage_SD.java:57) at ?.The user clicks Time Complexity link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/04-DataStructure.feature:17) * Not displayable characters are replaced by '?'.</pre>	FAILED	10.025 s
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)	PASSED	0.201 s
	My screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then The user should be redirected to "Time Complexity" page	SKIPPED	0.001 s


The user is able to navigate to a page having an tryEditor from Time Complexity page



#	Step / Hook Details	Status	Duration
1	Given The user is on the "Time Complexity" after logged in	PASSED	0.002 s
2	When The user clicks "Try Here" button on "Time Complexity" page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodal\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	10.018 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.DataStructurePage.tryhere(DataStructurePage.java:73) at stepDefinition.DatastructurePage_SD.the_user_clicks_button_on_page(DatastructurePage_SD.java:68) at ?.The user clicks "Try Here" button on "Time Complexity" page(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/04-DataStructure.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.213 s


The user is able to run code in tryEditor for Time Complexity page



#	Step / Hook Details	Status	Duration
1	Given The user is in page having an tryEditor with a Run button to test	PASSED	0.539 s

#	Step / Hook Details	Status	Duration
2	When user enter the Python code print"DataStructure Introduction"	PASSED	0.246 s
3	And The user clicks on Run button	PASSED	0.145 s
4	Then The user should be presented with Run output	PASSED	0.047 s

The user is presented with error message for code with invalid syntax in tryEditor for Time Complexity page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor	PASSED	0.164 s
2	When user enter the code print DataStructure Introduction"	PASSED	0.225 s
3	And The user clicks on button	PASSED	0.105 s
4	Then The user should be presented with error message	PASSED	0.028 s

validating Array Page




user is on homepage




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page and enter array page	PASSED	0.122 s
2	When The user clicks array	PASSED	0.148 s
3	Then The user should be redirected arraypage	PASSED	0.001 s


Validation of Arrays in Python link



#	Step / Hook Details	Status	Duration
1	Given User is on "Array page" after logged in	PASSED	0.144 s
2	When User clicks on Arrays in Python link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='arrays-in-python']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='arrays-in-python']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919	FAILED	10.037 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.ArrayPage.clickArraysInPythonLink(ArrayPage.java:120) at stepDefinition.ArrayPage_SD.user_clicks_on_arrays_in_python_link(ArrayPage_SD.java:39) at ?.User clicks on Arrays in Python link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/05-ArrayPage.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.250 s
3	Then User should be redirected to "Arrays in Python" page	SKIPPED	0.000 s

Validation of Try Here button




#	Step / Hook Details	Status	Duration
1	Given User is on Arrays in Python page after logged in	PASSED	0.359 s
2	When User clicks on Try Here button in Arrays in Python page	PASSED	0.233 s
3	Then User should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.001 s

The user is able to run code in tryEditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the array page after having an tryEditor with a Run button to test	PASSED	0.167 s
2	When user enter the Python code print"array"	PASSED	0.140 s
3	And The user clicks on Run button after Entering valid python code in array tryEditor	PASSED	0.112 s
4	Then The user should be presented with Run output of array page	PASSED	0.043 s

The user is able to run code in tryEditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the array page	PASSED	0.194 s
2	When user enter the invalidpython code print array"	PASSED	0.143 s
3	And The user clicks on Run button after Entering invalid python code in array tryEditor	PASSED	0.093 s
4	Then The user should get the error message in array	PASSED	0.016 s

Validation of Arrays Using List link




#	Step / Hook Details	Status	Duration
1	Given User is on Array page after logged in	PASSED	0.179 s
2	When Clicks on Arrays Using List link	PASSED	0.231 s
3	Then User should be redirected to Arrays Using List page	PASSED	0.001 s

Validation of Try Here button




#	Step / Hook Details	Status	Duration
1	Given User is on Arrays Using List after logged in	PASSED	0.117 s
2	When User clicks on Try Here button in Arrays Using List	PASSED	0.217 s
3	Then User should be redirected to a page having an tryEditor	PASSED	0.001 s

Validation of valid python code in TryEditor page using Arrays Using List




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page of phytonlist	PASSED	0.160 s
2	When User enters valid Python code from sheet print"phyton list"	PASSED	0.158 s
3	And User clicks on Run button for phytonlist	PASSED	0.120 s
4	Then User should be able to see the output of phyton list	PASSED	0.043 s


The user is able to run code in tryEditor

**Step / Hook Details**


#	Step / Hook Details	Status	Duration
1	Given The user is in the array page array list	PASSED	0.139 s
2	When user enter the invalidpython code print negative array list"	PASSED	0.166 s
3	And The user clicks on Run button after Entering invalid python code for phytonlist	PASSED	0.089 s
4	Then The user should get the error message in array list	PASSED	0.014 s

Validation of Basic Operations in Lists link**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given User is on Array page after logged in Basic Operations	PASSED	0.153 s
2	When User clicks on Basic Operations org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Basic Operations in Lists']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=//a[text()='Basic Operations in Lists']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true}	FAILED	10.055 s


#	Step / Hook Details	Status	Duration
	<pre> webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.ArrayPage.clickbasicOperationsInListsLink(ArrayPage.java:190) at stepDefinition.ArrayPage_SD.user_clicks_on_basic_operations(ArrayPage_SD.java:212) at ?.User clicks on Basic Operations(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/05-ArrayPage.feature:55) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.245 s
3	Then User should be redirected to Basic Operations in Lists page	SKIPPED	0.001 s

Validation of valid python code in TryEditor page for Basic Operations in Lists




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page of basic operation in list after logged in	PASSED	0.162 s
2	When User enters valid Python code from sheet print"user work on basic operation of list"	PASSED	0.205 s
3	And User clicks on Run button of basic operation in list	PASSED	0.090 s
4	Then User should be able to see the output of basic operation in list	PASSED	0.030 s

Validation of valid python code in TryEditor page for Basic Operations in Lists




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page of basic operation in list	PASSED	0.146 s
2	When User enters valid Python code from sheet print user work on basic operation of list negative test"	PASSED	0.268 s
3	And User clicks on Run button of basic operation	PASSED	0.114 s
4	Then User should be able to see the output of basic operation	PASSED	0.012 s


Validation of Applications of Arrays link



#	Step / Hook Details	Status	Duration
1	Given User is on Array after logged in	PASSED	0.164 s
2	<p>When User clicks on Applications of Array</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='applications-of-array']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='applications-of-array']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodal\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</pre>	FAILED	10.062 s



#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.ArrayPage.clickapplicationsOfArrayLink(ArrayPage.java:201) at stepDefinition.ArrayPage_SD.user_clicks_on_applications_of_array(ArrayPage_SD.java:283) at ?.User clicks on Applications of Array(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/05-ArrayPage.feature:72) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.378 s
3	Then User should be redirected to Applications of Array page	SKIPPED	0.001 s

Validation of Practice Questions link




#	Step / Hook Details	Status	Duration
1	Given User is on Application of array page after logged in	PASSED	0.189 s
2	When User clicks on Practice Questions	PASSED	0.303 s
3	Then User should be redirected to Practice Questions page	PASSED	0.018 s

Validation of Search the Array link

PASSED	DURATION - 0.617 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:05.224 PM // 10:05:05.841 PM /				
validating Array Page				
@ArrayPage				



#	Step / Hook Details	Status	Duration
1	Given User is on Practice page after logged in	PASSED	0.154 s
2	When User clicks on Search the Array	PASSED	0.440 s
3	Then User should be redirected to Questions page contains a tryEditor with Run and Submit buttons	PASSED	0.017 s

Validation of valid python code in Practice Questions page for Search for Array link

PASSED	DURATION - 0.850 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:05:05.865 PM // 10:05:06.715 PM /				
validating Array Page				
@ArrayPage				


#	Step / Hook Details	Status	Duration
1	Given User is on Question page of Search the array after logged in	PASSED	0.216 s
2	When User enters valid Python code from sheet "print"array = array('i',[5,10,15,20,5])""	PASSED	0.428 s
3	And User clicks on Run button of Practice Questions	PASSED	0.179 s
4	Then User should be able to see the Result Practice Questions	PASSED	0.018 s

Validation of Find Numbers with Even Number of Digits link

PASSED	DURATION - 0.554 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:05:06.744 PM // 10:05:07.298 PM /				
validating Array Page				
@ArrayPage				


#	Step / Hook Details	Status	Duration
1	Given User is on Practice page after logged in Find Numbers with Even Number	PASSED	0.162 s
2	When User clicks on Find Numbers with Even Number of Digits link	PASSED	0.368 s
3	Then User should be redirected to Questions page contains a tryEditor with Run and Submit buttons on Find Numbers with Even Number	PASSED	0.018 s

Validation of Submit button in Practice Questions page for Find Numbers with Even Numbers of Digits link

PASSED	DURATION - 1.342 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:05:07.332 PM // 10:05:08.674 PM /				
validating Array Page				
@ArrayPage				


#	Step / Hook Details	Status	Duration
1	Given User is on Question page of FindNumberswithEvenNumberofDigits after logged in	PASSED	0.201 s
2	When User enters valid Python code from sheet "print(FindNumberswithEvenNumberofDigits)"	PASSED	0.331 s
3	And User clicks on Submit button for FindNumberswithEvenNumberofDigits	PASSED	0.132 s
4	Then User should get success submission message FindNumberswithEvenNumberofDigits	PASSED	0.668 s

Validation of Squares of a Sorted Array link Squares of a Sorted Array link




#	Step / Hook Details	Status	Duration
1	Given User is on Practice page after logged in Squares of a Sorted Array	PASSED	0.178 s
2	When User clicks on Squares of a Sorted Array link	PASSED	0.362 s
3	Then User should be redirected to Questions page contains a tryEditor with Run and Submit buttons of Squares of a Sorted Array	PASSED	0.016 s

Validation of Submit button in Practice Questions page for Find Numbers with Even Numbers of Digits link




#	Step / Hook Details	Status	Duration
1	Given User is on "Question" page of "Squares of a Sorted Array" after logged in	PASSED	0.217 s
2	When User enters valid Python code from sheet "print(Squares of a Sorted Array link)" for the PracticeQuestions	PASSED	0.314 s
3	And User clicks on Submit button	PASSED	0.119 s
4	Then User should get success submission message	PASSED	0.634 s

Linked List page validation dsalgo




User should be able to navigate to LinkedList Data Structure Page



#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DsAlgo Portal	PASSED	0.138 s
2	When User clicks on LinkedList Getstarted button	PASSED	0.268 s
3	Then User redirected to LinkedList Page	PASSED	0.001 s


User navigated to Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.143 s
2	When The user clicks Introduction link	PASSED	0.160 s


#	Step / Hook Details	Status	Duration
3	Then The user move to Introduction of Linked List Page	PASSED	0.002 s

User navigated to tryEditor page from Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Introduction Page	PASSED	0.117 s
2	When The user clicks Try Here button in the introduction page	PASSED	0.163 s
3	Then The user redirected to the tryEditor page of introduction page	PASSED	0.001 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page of introduction page	PASSED	0.001 s
2	When User Enters "print('Hello Ninja Testers')" in the Editor of introduction page	PASSED	0.193 s
3	And clicks on Run Button of introduction page	PASSED	0.141 s
4	Then The User is Presented with result of introduction page	PASSED	0.051 s


User navigated to creating linked list page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.166 s
2	<p>When The user clicks creating linked list link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='creating-linked-list']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='creating-linked-list']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p>	FAILED	10.059 s

#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.LinkedListPage.Clickon_creatinglinkedlistLink(LinkedListPage.java:108) at stepDefinition.LinkedListPage_SD.the_user_clicks_creating_linked_list_link(LinkedListPage_SD.java:95) at ?.The user clicks creating linked list link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/06-LinkedList.feature:35) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.359 s
3	Then The user move to Creating LList of Linked List Page	SKIPPED	0.000 s

User navigated to tryEditor page from Creating a Linked List page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Creating a Linked List of Linked List Page	PASSED	0.001 s
2	When clicks Try Here button in the creation of linked listPage	PASSED	0.248 s
3	Then The user redirected to the tryEditor page of creating linked list Page	PASSED	0.001 s

User gets error message by passing invalid python code for Creating a Linked List page

PASSED	DURATION - 1.489 s
	/ 10:05:23.054 PM // 10:05:24.543 PM /
	<i>Linked List page validation dsalgo</i>
	@LinkedListPage

A bar chart showing the duration of four steps. Step 4 is the longest, taking about 1.0 second.

Step	Duration (s)
1	0.0
2	0.2
3	0.1
4	1.0

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

A donut chart showing the distribution of step types. All 4 steps are Passes.

Type	Count
Pass	4
Fail	0
Skip	0

#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page of creating linked list page	PASSED	0.002 s
2	When The user Enter invalid python code "print Creating a Linked List" in creating linked list page	PASSED	0.281 s
3	And click on run button of Creating a Linked List page	PASSED	0.165 s
4	Then The user get the error message of Creating a Linked List page	PASSED	1.032 s

User navigated to Types of linked list page

FAILED	DURATION - 10.689 s
	/ 10:05:24.589 PM // 10:05:35.278 PM /
	<i>Linked List page validation dsalgo</i>
	@LinkedListPage



A vertical timeline chart with horizontal dashed grid lines at intervals of 2 units. Step 1 is a small black bar at position 1. Step 2 is a tall black bar extending from position 1 to 11. Step 3 is a small black bar at position 12.

Step	Start Position	End Position	Duration (approx.)
1	1	2	1
2	1	12	11
3	12	13	1

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1




A donut chart divided into four segments: green (Pass), red (Fail), blue (Skip), and yellow (Total). The number '3' is displayed in the center of the yellow segment.

#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.226 s
2	When The user clicks Types of Linked List link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='types-of-linked-list']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using>xpath, value=/a[@href='types-of-linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	10.075 s


#	Step / Hook Details	Status	Duration
	<pre> webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.LinkedListPage.Clickon_typesOfLinkedLink(LinkedListPage.java:115) at stepDefinition.LinkedListPage_SD.the_user_clicks_types_of_linked_list_link(LinkedListPage_SD.java:161) at ?.The user clicks Types of Linked List link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/06-LinkedList.feature:53) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.384 s
3	Then The user move to Types of Linked List of Linked List Page	SKIPPED	0.000 s

User navigated to tryEditor page with Run button from Types of Linked List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Linked list Page	PASSED	0.002 s
2	When The user clicks TryHere button in the types of linkedlist page	PASSED	0.226 s
3	Then The user redirected to the tryEditor page of types of linked list page	PASSED	0.001 s

User run the code in tryEditor with valid input for Types of Linked List page




#	Step / Hook Details	Status	Duration
1	Given User is on TryEditor Page of Types of Linked List	PASSED	0.002 s
2	When The user Enter valid python code "phrase = 'Ninja Testers'; print(phrase.replace('Ninja','NumPy Ninja'))" in types of linked list page	PASSED	0.459 s
3	And click on run button of Types of Linked List page	PASSED	0.162 s
4	Then The User is Presented with a Result of types of Linked List page	PASSED	0.058 s


User navigated to Implementation linked list in python page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.195 s
2	When The user clicks Implement Linked List in Python link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='implement-linked-list-in-python']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='implement-linked-list-in-python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)	FAILED	10.070 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.LinkedListPage.Clickon_implementLLInPythonLink(LinkedListPage.java:122) at stepDefinition.LinkedListPage_SD.the_user_clicks_implement_linked_list_in_python_link(LinkedListPage_SD.java:224) at ?.The user clicks Implement Linked List in Python link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/06-LinkedList.feature:71) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.342 s
3	Then The user move to Implement Linked List in Python of Linked List Page	SKIPPED	0.000 s

User navigated to tryEditor page with Run button from Implement Linked List in Python page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Implement Linked List in Python	PASSED	0.002 s
2	When The user clicks Try Here button in the implemented linked list in python page	PASSED	0.236 s
3	Then The user redirected to the tryEditor page of Implement Linked List in Python	PASSED	0.001 s

User enters valid Python code and Presented with Result


PASSED	DURATION - 0.523 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:05:47.193 PM // 10:05:47.716 PM /				
<i>Linked List page validation dsalgo</i>				
@LinkedListPage				

#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.002 s
2	And User Enters invalid python code "for index in range(4,10) :print(index)" in implementation link list in python	PASSED	0.306 s
3	And clicks on Run Button	PASSED	0.207 s
4	Then The user get the error message of implementation link list in python	PASSED	0.002 s


User navigated to Traversal Page

FAILED	DURATION - 10.570 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:05:47.740 PM // 10:05:58.310 PM /				
<i>Linked List page validation dsalgo</i>				
@LinkedListPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.199 s
2	When The user clicks Traversal link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='traversal']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='traversal']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodal\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,}	FAILED	10.027 s


#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.LinkedListPage.Clickon_Traversal(LinkedListPage.java:127) at stepDefinition.LinkedListPage_SD.the_user_clicks_traversal_link(LinkedListPage_SD.java:275) at ?.The user clicks Traversal link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/06-LinkedList.feature:89) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.340 s
3	Then The user move to Traversal of Linked List Page	SKIPPED	0.000 s

User navigated to tryEditor page with Run button from Traversal page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Traversal Page	PASSED	0.001 s
2	When The user clicks Try Here button in the traversal page	PASSED	0.231 s
3	Then The user redirected to the tryEditor page of Traversal page	PASSED	0.000 s

User run the code in tryEditor with valid input for Traversal page




#	Step / Hook Details	Status	Duration
1	Given The user is on Tryeditor page of traversal	PASSED	0.002 s
2	When The user Enter valid python code "numbers_grid = [[1,2,3],[4,5,6],[7,8,9],[10,11,12]]; print(numbers_grid[3][2])" in traversal page	PASSED	0.566 s
3	And click on run button of traversal page	PASSED	0.188 s
4	Then The user should get the Run output of traversal page	PASSED	0.055 s


User navigated to Insertion page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.219 s
2	<p>When The user clicks Insertion link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='insertion-in-linked-list']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='insertion-in-linked-list']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p>	FAILED	10.052 s


#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.LinkedListPage.Clickon_Insertion(LinkedListPage.java:132) at stepDefinition.LinkedListPage_SD.the_user_clicks_insertion_link(LinkedListPage_SD.java:344) at ?.The user clicks Insertion link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/06-LinkedList.feature:107) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.364 s
3	Then The user move to Insertion of Linked List Page	SKIPPED	0.000 s

User navigated to tryEditor page with Run button from Insertion page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Insertion Page	PASSED	0.002 s
2	When The user clicks Try Here button in the Insertion page	PASSED	0.257 s
3	Then The user redirected to the tryEditor page of Insertion	PASSED	0.001 s

User run the code in tryEditor with valid input for Insertion page



#	Step / Hook Details	Status	Duration
1	Given The user is on Tryeditor page of Insertion	PASSED	0.001 s
2	When The user Enter invalid python code "print('Insertion')" in insertion page	PASSED	0.215 s
3	And click on run button of insertion page	PASSED	0.139 s
4	Then The user get the error message of insertion page	PASSED	0.001 s


User navigated to Deletion page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page	PASSED	0.207 s
2	When The user clicks Deletion link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='deletion-in-linked-list']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/a[@href='deletion-in-linked-list']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,}	FAILED	10.074 s


#	Step / Hook Details	Status	Duration
	<pre> webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.LinkedListPage.Clickon_Deletion(LinkedListPage.java:137) at stepDefinition.LinkedListPage_SD.the_user_clicks_deletion_link(LinkedListPage_SD.java:408) at ?.The user clicks Deletion link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/06-LinkedList.feature:124) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.407 s
3	Then The user move to Deletion of Linked List Page	SKIPPED	0.001 s

User navigated to tryEditor page with Run button from Deletion page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Deletion page	PASSED	0.002 s
2	When The user clicks Try Here button in the Deletion page	PASSED	0.259 s
3	Then The user redirected to the tryEditor page of Deletion	PASSED	0.001 s

User run the code in tryEditor with valid input for Deletion page



#	Step / Hook Details	Status	Duration
1	Given The user is on Tryeditor page of deletion	PASSED	0.002 s
2	When The user Enter valid python code "print('Deletion')" in deletion page	PASSED	0.222 s
3	And click on run button of deletion page	PASSED	0.175 s
4	Then The user should get the Run output deletion page	PASSED	0.062 s

The user is validating Practice Questions page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Introduction Page	PASSED	0.214 s
2	When User clicks on the Practice Questions	PASSED	0.341 s
3	Then User redirected to Practice Questions of Linked List Page	PASSED	0.001 s

performing Stack




user is on homepage




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page and try enter stack page	PASSED	0.168 s
2	When The user clicks stack	PASSED	0.332 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected stackpage	PASSED	0.001 s


The user is able to navigate to "Operations in Stack" page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Stack page after logged in	PASSED	0.001 s
2	<p>When The user clicks on the Operations in Stack link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='operations-in-stack']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=//a[@href='operations-in-stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	10.040 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.StackPage.operationstack(StackPage.java:54) at stepDefinition.StackPage_SD.the_user_clicks_on_the_operations_in_stack_link(StackPage_SD.java:36) at ?.The user clicks on the Operations in Stack link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/07-StackPage.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.424 s
3	Then The user should then be directed to "Operations in Stack" Page	SKIPPED	0.001 s


The user is able to navigate to a page having an tryEditor




#	Step / Hook Details	Status	Duration
1	Given The user is on the "Operations in Stack page" after logged in	PASSED	0.001 s
2	When The user clicks "Try Here" button in "stack" page <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>	FAILED	10.031 s

#	Step / Hook Details	Status	Duration
	[ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=//a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.StackPage.tryherestack(StackPage.java:58) at stepDefinition.StackPage_SD.the_user_clicks_button_in_page(StackPage_SD.java:48) at ?.The user clicks "Try Here" button in "stack" page(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/07-StackPage.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.401 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	SKIPPED	0.000 s


The user is able to run code in tryEditor



#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page after having an tryEditor with a Run button to test	PASSED	0.000 s
2	<p>When user enter the Python code print"stack" </p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//textarea[@tabindex='0']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=/textarea[@tabindex='0']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodal\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source)</pre>	FAILED	10.013 s



#	Step / Hook Details	Status	Duration
	at pageObjects.StackPage.tryeditorstack(StackPage.java:68) at stepDefinition.StackPage_SD.user_enter_the_python_code_print_stack(StackPage_SD.java:67) at ?.user enter the Python code print"stack" (file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/07-StackPage.feature:21) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.363 s
3	And The user clicks on Run button after Entering valid python code in stack tryEditor	SKIPPED	0.001 s
4	Then The user should be presented with Run output of stack page	SKIPPED	0.000 s

The user is able to run code in tryEditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page	PASSED	0.246 s
2	When user enter the invalidpython code print stack"	PASSED	0.186 s
3	And The user clicks on Run button after Entering invalid python code in stack tryEditor	PASSED	0.172 s
4	Then The user should get the error message	PASSED	0.012 s

The user is able to navigate to "Practice Questions" in stack Page



PASSED	DURATION - 0.552 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:55.473 PM // 10:06:56.025 PM /				
performing Stack				
@StackPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Stack after logged in	PASSED	0.217 s
2	When The user clicks on the Practice Questions button	PASSED	0.316 s
3	Then The user should be redirected to Practice Questions page	PASSED	0.014 s

To validate Queue Data Structure

PASSED	DURATION - 5.916 s	Scenarios Total - 15 Pass - 15 Fail - 0 Skip - 0		Steps Total - 51 Pass - 51 Fail - 0 Skip - 0	
/ 10:06:56.061 PM // 10:07:01.977 PM /					


User is navigated to Queue Data structure from homepage

PASSED	DURATION - 0.523 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:06:56.061 PM // 10:06:56.584 PM /				
To validate Queue Data Structure				
@QueuePage				

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of Dsalgo Portal	PASSED	0.174 s
2	When User clicks on getstarted button	PASSED	0.339 s


#	Step / Hook Details	Status	Duration
3	Then User is navigated to Queue data structure	PASSED	0.001 s

User is navigated to Implementation of Queue in Python




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.002 s
2	When User clicks on Implementation of Queue in Python	PASSED	0.181 s
3	Then User is directed to Implementation of Queue in Python	PASSED	0.000 s

User is navigated to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.001 s
2	When User clicks on Try here button	PASSED	0.346 s
3	Then User is navigated to tryEditor Page	PASSED	0.001 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	And User Enters "sum_of_squares = sum(x**2 for x in range(1, 11)); print(sum_of_squares)" in the Editor	PASSED	0.515 s
3	And clicks on Run Button	PASSED	0.188 s
4	Then The User is Presented with a Result	PASSED	0.090 s

User enters Invalid Python code and Presented with Error Message




#	Step / Hook Details	Status	Duration
1	Given User is navigated to Implementation of Queue in python	PASSED	0.165 s
2	When User clicks on Try here button	PASSED	0.342 s
3	And User Enters Invalid python code "print'Hello, world!'" in the Editor	PASSED	0.221 s
4	And clicks on Run Button	PASSED	0.133 s
5	Then The User is Presented with a Error Message for Invalid python code	PASSED	0.016 s

User navigates to Implementation using collections.deque




#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.002 s
2	When User clicks on the Implementation using collections.deque link	PASSED	0.165 s
3	Then User is navigated to Implementation using collections.deque page	PASSED	0.001 s

User navigates to tryEditor page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation using collections.deque page	PASSED	0.002 s
2	When User clicks on Try here button	PASSED	0.348 s
3	Then User is navigated to tryEditor Page	PASSED	0.002 s

User enters valid Python code and Presented with Result


**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('The sum is:', sum([6, 3]))" in the Editor	PASSED	0.280 s
3	And clicks on Run Button	PASSED	0.159 s
4	Then The User is Presented with a Result	PASSED	0.060 s

User is navigated to Implementation using array**Step / Hook Details**


#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.002 s
2	When User clicks on Implementation using array link	PASSED	0.171 s
3	Then User is navigated to Implementation using array page	PASSED	0.002 s

User is naviagted to tryEditor page from Implementation using array page





#	Step / Hook Details	Status	Duration
1	Given User is on Implementation using array page	PASSED	0.002 s
2	When User clicks on Try here button	PASSED	0.293 s
3	Then User is navigated to tryEditor Page	PASSED	0.002 s

User enters valid Python code and Presented with Result





#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('Implementation using array page')" in the Editor	PASSED	0.260 s
3	And clicks on Run Button	PASSED	0.107 s
4	Then The User is Presented with a Result	PASSED	0.037 s

User is navigated to Queue Operations

PASSED	DURATION - 0.138 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:01.055 PM // 10:07:01.193 PM /				
To validate Queue Data Structure				
@QueuePage				


#	Step / Hook Details	Status	Duration
1	Given User is on Queue Data Structure	PASSED	0.002 s
2	When User clicks on Queue Operations link	PASSED	0.130 s
3	Then User is navigated to Queue Operations Page	PASSED	0.002 s

User is navigated to tryEditor Page

PASSED	DURATION - 0.242 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:01.221 PM // 10:07:01.463 PM /				
To validate Queue Data Structure				
@QueuePage				


#	Step / Hook Details	Status	Duration
1	Given User is on Queue Operations Page	PASSED	0.002 s
2	When User clicks on Try here button	PASSED	0.232 s
3	Then User is navigated to tryEditor Page	PASSED	0.003 s

User enters valid Python code and Presented with Result



#	Step / Hook Details	Status	Duration
1	Given User is on Try Editor Page	PASSED	0.001 s
2	When User Enters "print('Queue Operations')" in the Editor	PASSED	0.169 s
3	And clicks on Run Button	PASSED	0.115 s
4	Then The User is Presented with a Result	PASSED	0.046 s

User navigated to Practice Questions




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Queue in Python	PASSED	0.002 s
2	When User clicks on Practice Questions link	PASSED	0.119 s
3	Then User is navigated to Practice Questions	PASSED	0.000 s

User tests the Tree page on the Ds algo application




User should be able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DsAlgo Portal	PASSED	0.118 s
2	When User clicks on Tree Get started button	PASSED	0.259 s
3	Then User re-directed to Tree Page	PASSED	0.013 s

The user is able to navigate to "Overview of Trees" page




#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.002 s
2	When The user clicks on the Overview of Trees link	FAILED	10.040 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//[@href='overview-of-trees']"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=xpath, value=//[@href='overview-of-trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getText(Unknown Source) at pageObjects.TreePage.ClickOverview(TreePage.java:72) at stepDefinition.TreePage_SD.the_user_clicks_on_the_overview_of_trees_link(TreePage_SD.java:31) at ?.The user clicks on the Overview of Trees link(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/09-TreePage.feature:18) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.396 s

#	Step / Hook Details	Status	Duration
3	Then The user should be directed to the "Overview of Trees" of tree Page	SKIPPED	0.000 s


The user is able to navigate to a page having an tryEditor from Overview of Trees page



#	Step / Hook Details	Status	Duration
1	Given The user is on the "overview of trees" after logged in	PASSED	0.002 s
2	When The user clicks "Try Here" button in a "tree" page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using=link text, value=Try here>>>} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)	FAILED	10.043 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at pageObjects.TreePage.ClickTryhereLink(TreePage.java:81) at stepDefinition.TreePage_SD.the_user_clicks_button_in_a_page(TreePage_SD.java:44) at ?.The user clicks "Try Here" button in a "tree" page(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/09-TreePage.feature:24) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.386 s
3	Then The user should be redirected to a page having tryEditor with a Run button to test	SKIPPED	0.000 s



User enters valid Python code and Presented with Result



#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.002 s
2	When User enters Valid Python code "print('Hello, World!')" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//form/div/div/div/textarea"} (Session info: chrome=114.0.5735.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab50c7adef874304a4f90a9dfa5d1919, findElement {using>xpath, value=/form/div/div/div/textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</pre>	FAILED	10.033 s



#	Step / Hook Details	Status	Duration
	<pre>114.0.5735.134, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\kodai\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57366}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57366/devtoo..., se:cdpVersion: 114.0.5735.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ab50c7adef874304a4f90a9dfa5d1919 at jdk.internal.reflect.GeneratedConstructorAccessor53.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepDefinition.GraphPage.enter_code_txarea(GraphPage.java:71) at stepDefinition.GraphPage_SD.user_enters_valid_python_code(GraphPage_SD.java:77) at ?.User enters Valid Python code "print('Hello, World!')"(file:///C:/Users/kodai/eclipse-workspace/Ninja_Ds_Algo/src/test/resources/features/09-TreePage.feature:30) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.AppHook.afterstep(io.cucumber.java.Scenario)	PASSED	0.361 s
	My screenshot		
3	And clicks on Run button	SKIPPED	0.001 s
4	Then User is presented with the Result	SKIPPED	0.000 s

The user is able to navigate to "Terminologies" Page

PASSED	DURATION - 0.294 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:33.801 PM // 10:07:34.095 PM /				
User tests the Tree page on the Ds algo application				
@treePage				


#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.002 s
2	When The user clicks on the Terminologies button	PASSED	0.270 s
3	Then The user should be directed to the "Terminologies" of tree Page	PASSED	0.015 s

The user is able to navigate to Terminologies page having an tryEditor

PASSED	DURATION - 0.451 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:34.120 PM // 10:07:34.571 PM /				
User tests the Tree page on the Ds algo application				
@treePage				


#	Step / Hook Details	Status	Duration
1	Given The user is on the "terminologies page" after logged in	PASSED	0.001 s
2	When The user clicks "Try Here" button in a "Terminologies" page	PASSED	0.429 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.017 s

User should be able to enter a invalid Python code and Presented with Error Message





#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	When User enters code "print(Tree Terminologies)"	PASSED	0.271 s
3	And clicks on Run button	PASSED	0.211 s
4	Then User is presented with Error Message	PASSED	0.015 s

The user is able to navigate to "Types of Trees" Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.003 s
2	When The user clicks on the Types of Trees button	PASSED	0.249 s
3	Then The user should be directed to the "Types of Trees" of tree Page	PASSED	0.013 s

The user is able to navigate to a page having an tryEditor from Types of Trees page

PASSED	DURATION - 0.373 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:35.421 PM // 10:07:35.794 PM /				
User tests the Tree page on the Ds algo application				
@treePage				


#	Step / Hook Details	Status	Duration
1	Given The user is on the "types of trees" after logged in	PASSED	0.001 s
2	When The user clicks "Try Here" button in a "types of tree" page	PASSED	0.350 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.014 s

User enters valid Python code and Presented with Result

PASSED	DURATION - 0.472 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:07:35.816 PM // 10:07:36.288 PM /				
User tests the Tree page on the Ds algo application				
@treePage				


#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	When User enters Valid Python code "print('Hello, Ninja!')"	PASSED	0.212 s
3	And clicks on Run button	PASSED	0.191 s
4	Then User is presented with the Result	PASSED	0.064 s

The user is able to navigate to "Tree Traversals" Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.001 s
2	When The user clicks on the Tree Traversals button	PASSED	0.229 s
3	Then The user should be directed to the "Tree Traversals" of tree Page	PASSED	0.013 s

The user is able to navigate to a page having an tryEditor from Tree Traversals Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the "tree traversals" after logged in	PASSED	0.001 s
2	When The user clicks "Try Here" button in a "tree traversals" page	PASSED	0.341 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.013 s

User should be able to enter a invalid Python code and Presented with Error Message





#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.002 s
2	When User enters code "print(Tree Traversals)"	PASSED	0.232 s
3	And clicks on Run button	PASSED	0.158 s
4	Then User is presented with Error Message	PASSED	0.020 s

The user is able to navigate to "Traversals illustration" Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.001 s
2	When The user clicks on the Traversal illustration button	PASSED	0.257 s
3	Then The user should be directed to the "Traversals-Illustration" of tree Page	PASSED	0.013 s

The user is able to navigate to a page having an tryEditor from Traversals-Illustration Page

PASSED	DURATION - 0.396 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:37.714 PM // 10:07:38.110 PM /				
User tests the Tree page on the Ds algo application				
@treePage				



#	Step / Hook Details	Status	Duration
1	Given The user is on the "traversal illustration" after logged in	PASSED	0.002 s
2	When The user clicks "Try Here" button in a "traversal illustration" page	PASSED	0.370 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.019 s

User enters valid Python code and Presented with Result

PASSED	DURATION - 0.568 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:07:38.134 PM // 10:07:38.702 PM /				
User tests the Tree page on the Ds algo application				
@treePage				



#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.001 s
2	When User enters Valid Python code "print('Tree Traversals-Illustration ')"	PASSED	0.324 s
3	And clicks on Run button	PASSED	0.176 s
4	Then User is presented with the Result	PASSED	0.061 s

The user is able to navigate to "Binary Trees" Page

PASSED	DURATION - 0.286 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:38.732 PM // 10:07:39.018 PM /				
User tests the Tree page on the Ds algo application				
@treePage				


#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.002 s
2	When The user clicks on the Binary Trees button	PASSED	0.266 s
3	Then The user should be directed to the "Binary Trees" of tree Page	PASSED	0.013 s

The user is able to navigate to a page having an tryEditor from Binary Trees Page

PASSED	DURATION - 0.391 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:39.046 PM // 10:07:39.437 PM /				
User tests the Tree page on the Ds algo application				
@treePage				


#	Step / Hook Details	Status	Duration
1	Given The user is on the "Binary Trees" after logged in	PASSED	0.002 s
2	When The user clicks "Try Here" button in a "Binary Trees" page	PASSED	0.369 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.015 s

User should be able to enter a invalid Python code and Presented with Error Message




#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.002 s
2	When User enters code "print(Binary Trees)"	PASSED	0.221 s
3	And clicks on Run button	PASSED	0.152 s
4	Then User is presented with Error Message	PASSED	0.018 s

The user is able to navigate to "Types of Binary Trees" Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.001 s
2	When The user clicks on the Types of Binary Trees button	PASSED	0.304 s
3	Then The user should be directed to the "Types of Binary Trees" of tree Page	PASSED	0.013 s

The user is able to navigate to a page having an tryEditor from Types of Binary Trees Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the "Types of Binary Trees" after logged in	PASSED	0.001 s
2	When The user clicks "Try Here" button in a "Types of Binary Trees" page	PASSED	0.319 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.021 s

User enters valid Python code and Presented with Result





#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.000 s
2	When User enters Valid Python code "print('Types of Binary Trees ')"	PASSED	0.273 s
3	And clicks on Run button	PASSED	0.160 s
4	Then User is presented with the Result	PASSED	0.064 s

The user is able to navigate to "Practice Questions" Page



PASSED	DURATION - 0.205 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:41.152 PM // 10:07:41.357 PM /				
User tests the Tree page on the Ds algo application				
@treePage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the "Tree page" after logged in	PASSED	0.004 s
2	When The user clicks on the Types of Practice Questions button	PASSED	0.184 s
3	Then The user should be directed to the "Practice Questions" of tree Page	PASSED	0.014 s

To Validate Graph Data Structure

PASSED	DURATION - 3.033 s	Scenarios Total - 8 Pass - 8 Fail - 0 Skip - 0	Steps Total - 26 Pass - 26 Fail - 0 Skip - 0		
/ 10:07:41.397 PM // 10:07:44.430 PM /					


User should be able to navigate to Graph Data Structure Page

PASSED	DURATION - 0.495 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:07:41.397 PM // 10:07:41.892 PM /				
To Validate Graph Data Structure				
@GraphPage				

#	Step / Hook Details	Status	Duration
1	Given User is on Home Page of DsAlgo Portal	PASSED	0.178 s
2	When User clicks on Graph Get started button	PASSED	0.313 s


#	Step / Hook Details	Status	Duration
3	Then User re-directed to Graph Page	PASSED	0.001 s

User should be able to navigate to Graph Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Data Structure Page	PASSED	0.002 s
2	When User clicks on Graph link in Graph Page	PASSED	0.183 s
3	Then User is re-directed to Graphlink of Graph Page	PASSED	0.001 s

User should be able to navigate to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph link of Graph Page	PASSED	0.001 s
2	When User clicks on Try here button of Graph page	PASSED	0.334 s
3	Then User is re-directed to tryEditor Page	PASSED	0.002 s

User enters valid Python code and Presented with Result




#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.002 s
2	When User enters Valid Python code "print('Hello, World!')"	PASSED	0.218 s
3	And clicks on Run button	PASSED	0.182 s
4	Then User is presented with the Result	PASSED	0.067 s

User should be able to navigate to Graph representations Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Page	PASSED	0.186 s
2	When User clicks on Graph Representations link	PASSED	0.195 s
3	Then User is navigated to Graph Representations Page	PASSED	0.002 s

User should be able to navigate to tryEditor Page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.001 s
2	When User clicks on Try here button of Graph Representations page	PASSED	0.332 s
3	Then User is re-directed to tryEditor Page	PASSED	0.003 s

User should be able to enter a invalid Python code and Presented with Error Message



#	Step / Hook Details	Status	Duration
1	Given User is on tryEditor Page	PASSED	0.003 s
2	When User enters code "print(Graph Representation)"	PASSED	0.252 s
3	And clicks on Run button	PASSED	0.155 s
4	Then User is presented with Error Message	PASSED	0.014 s

The user is able to navigate to "Practice Questions" in graph Page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations Page	PASSED	0.002 s
2	When User clicks on Practice Questions of Graph page	PASSED	0.180 s
3	Then The user should be redirected to Practice Questions of Graph page	PASSED	0.002 s