

Cucumber Report

Sep 23, 2023, 12:21:14 PM

Start : Sep 23, 12:16:31.355 PM

End : Sep 23, 12:21:13.234 PM

Duration : 4 m 41.879 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 10
FAILED - 83
SKIPPED - 0

PASSED - 155
FAILED - 83
SKIPPED - 41



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>CURD Operations for Program Module</u>	45.536 s	15	0	15	0	45	23	15	7
<u>CURD Operations for Batch Module</u>	57.712 s	15	0	15	0	45	26	15	4
<u>CRUD project for Users Module</u>	36.898 s	19	7	12	0	57	33	12	12
<u>CURD Operations for Assignment Module</u>	1 m 3.094 s	22	0	22	0	66	31	22	13
<u>CURD Operations for Assignment Submit Module</u>	1 m 18.427 s	22	3	19	0	66	42	19	5

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ProgramModule	15	0	15	0	1	0	1	0
@ProgramModule_Post_Positive_TC_001	1	0	1	0	1	0	1	0
@ProgramModule_Post_Negative_TC_002	1	0	1	0	1	0	1	0
@ProgramModule_Post_Negative_TC_003	1	0	1	0	1	0	1	0
@ProgramModule-GetAllProgram_TC_004	1	0	1	0	1	0	1	0
@ProgramModule-GetProgramById_TC_005	1	0	1	0	1	0	1	0
@ProgramModule-Get_Negative_TC_006	1	0	1	0	1	0	1	0
@ProgramModule-UpdateProgramById_TC_007	1	0	1	0	1	0	1	0
@ProgramModule-UpdateProgramByName_TC_008	1	0	1	0	1	0	1	0
@ProgramModule-UpdateProgramByMissingMandatoryFields_Negative_TC_009	1	0	1	0	1	0	1	0
@ProgramModule-UpdateProgramByinvalidprogramNameandrequestbody_Negative_T *	2	0	2	0	1	0	1	0
@ProgramModule-Updateprogramname-missingmandatoryfields_Negative_TC_012	1	0	1	0	1	0	1	0
@ProgramModule-UpdateProgramById_Negative_TC_010	1	0	1	0	1	0	1	0
@ProgramModule-DeleteProgramById_TC_013	1	0	1	0	1	0	1	0
@ProgramModule-DeleteProgramById_Negative_TC_014	1	0	1	0	1	0	1	0

* The tag name has been cropped to fit in the available space.

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ProgramModule-DeleteProgramByName_Negative_TC_016	1	0	1	0	1	0	1	0
@Batch_TC_001	1	0	1	0	1	0	1	0
@BatchModule	15	0	15	0	1	0	1	0
@Batch_TC_002	1	0	1	0	1	0	1	0
@Batch_TC_003	1	0	1	0	1	0	1	0
@Batch_TC_004	1	0	1	0	1	0	1	0
@Batch_TC_005	1	0	1	0	1	0	1	0
@Batch_TC_006	1	0	1	0	1	0	1	0
@Batch_TC_007	1	0	1	0	1	0	1	0
@Batch_TC_008	1	0	1	0	1	0	1	0
@Batch_TC_09	1	0	1	0	1	0	1	0
@Batch_TC_10	1	0	1	0	1	0	1	0
@Batch_TC_11	1	0	1	0	1	0	1	0
@Batch_TC_12	1	0	1	0	1	0	1	0
@Batch_TC_13	1	0	1	0	1	0	1	0
@Batch_TC_14	1	0	1	0	1	0	1	0
@Batch_TC_15	1	0	1	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@UserModule	19	7	12	0	1	0	1	0
@TC_001	1	0	1	0	1	0	1	0
@POST_Users	3	0	3	0	1	0	1	0
@TC_002	1	0	1	0	1	0	1	0
@TC_003	1	0	1	0	1	0	1	0
@GET_Users	1	1	0	0	1	0	1	0
@TC_004	1	1	0	0	1	0	1	0
@TC_005	1	1	0	0	1	0	1	0
@GET_UsersID	2	2	0	0	1	0	1	0
@TC_006	1	1	0	0	1	0	1	0
@TC_007	1	1	0	0	1	0	1	0
@GET_Staff	1	1	0	0	1	0	1	0
@TC_008	1	1	0	0	1	0	1	0
@GET_ByRole	1	1	0	0	1	0	1	0
@TC_009	1	0	1	0	1	0	1	0
@Update_Users	3	0	3	0	1	0	1	0
@TC_010	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_011	1	0	1	0	1	0	1	0
@Update_UserRole	3	0	3	0	1	0	1	0
@TC_012	1	0	1	0	1	0	1	0
@TC_013	1	0	1	0	1	0	1	0
@TC_014	1	0	1	0	1	0	1	0
@Update_ProgramBatch	3	0	3	0	1	0	1	0
@TC_015	1	0	1	0	1	0	1	0
@TC_016	1	0	1	0	1	0	1	0
@TC_017	1	0	1	0	1	0	1	0
@Delete_UserId	2	2	0	0	1	0	1	0
@TC_018	1	1	0	0	1	0	1	0
@TC_019	1	1	0	0	1	0	1	0
@AssignmentModule	22	0	22	0	1	0	1	0
@Assignment_TC_001	1	0	1	0	1	0	1	0
@Assignment_TC_002	1	0	1	0	1	0	1	0
@Assignment_TC_003	1	0	1	0	1	0	1	0
@Assignment_TC_004	1	0	1	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Assignment_TC_005	1	0	1	0	1	0	1	0
@Assignment_TC_006	3	0	3	0	1	0	1	0
@Assignment_TC_007	1	0	1	0	1	0	1	0
@Assignment_TC_008	1	0	1	0	1	0	1	0
@Assignment_TC_009	1	0	1	0	1	0	1	0
@Assignment_TC_010	1	0	1	0	1	0	1	0
@Assignment_TC_011	1	0	1	0	1	0	1	0
@Assignment_TC_012	1	0	1	0	1	0	1	0
@Assignment_TC_013	1	0	1	0	1	0	1	0
@Assignment_TC_014	1	0	1	0	1	0	1	0
@Assignment_TC_015	1	0	1	0	1	0	1	0
@Assignment_TC_016	1	0	1	0	1	0	1	0
@Assignment_TC_017	1	0	1	0	1	0	1	0
@Assignment_TC_018	1	0	1	0	1	0	1	0
@Assignment_TC_019	1	0	1	0	1	0	1	0
@Assignment_TC_020	1	0	1	0	1	0	1	0
@Assignment_TC_021	1	0	1	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Assignment_TC_022	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_004	1	0	1	0	1	0	1	0
@Submit_Module	22	3	19	0	1	0	1	0
@Assignment_Submit_TC_001	2	0	2	0	1	0	1	0
@Assignment_Submit_TC_002	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_003	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_006	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_005	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_014	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_013	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_008	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_007	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_010	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_009	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_012	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_011	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_016	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Assignment_Submit_TC_017	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_015	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_019	1	1	0	0	1	0	1	0
@Assignment_Submit_TC_020	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_018	1	1	0	0	1	0	1	0
@Assignment_Submit_TC_022	1	0	1	0	1	0	1	0
@Assignment_Submit_TC_021	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>CURD Operations for Program Module</u>	15	0	15	0	45.536 s
2	<u>CURD Operations for Batch Module</u>	15	0	15	0	57.712 s
3	<u>CRUD project for Users Module</u>	19	7	12	0	36.898 s
4	<u>CURD Operations for Assignment Module</u>	22	0	22	0	1 m 3.094 s
5	<u>CURD Operations for Assignment Submit Module</u>	22	3	19	0	1 m 18.427 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>CURD Operations for Program Module</u>	<u>Check if user able to create a program with valid endpoint and request body in Program module(non existing values)</u>	3	1	1	1	0.668 s
2	<u>CURD Operations for Program Module</u>	<u>Check if user able to create a program with valid endpoint and request body (existing values in Program Name)</u>	3	2	1	0	7.709 s
3	<u>CURD Operations for Program Module</u>	<u>Check if user able to create a program missing mandatory fields in request body</u>	3	1	1	1	0.011 s
4	<u>CURD Operations for Program Module</u>	<u>Check if user able to retrieve all programs with valid LMS API for program module</u>	3	2	1	0	5.212 s
5	<u>CURD Operations for Program Module</u>	<u>Check if user able to retrieve a program with valid program ID for program module</u>	3	2	1	0	5.219 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
6	<u>CURD Operations for Program Module</u>	<u>Check if user able to retrieve a program with valid program ID for program module</u>	3	2	1	0	5.188 s
7	<u>CURD Operations for Program Module</u>	<u>Check if user able to update a program with valid programID and mandatory request body for Program module</u>	3	2	1	0	5.182 s
8	<u>CURD Operations for Program Module</u>	<u>Check if user able to update a program with valid programName and mandatory request body for Program *</u>	3	1	1	1	0.013 s
9	<u>CURD Operations for Program Module</u>	<u>Check if user able to update a program missing mandatory fields in request body</u>	3	1	1	1	0.009 s
10	<u>CURD Operations for Program Module</u>	<u>Check if user able to update a program missing mandatory fields in request body</u>	3	1	1	1	0.010 s


* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>CURD Operations for Program Module</u>	<u>Check if user able to update a program with invalid programID and mandatory request body</u>	3	1	1	1	0.008 s
12	<u>CURD Operations for Program Module</u>	<u>Check if user able to update a program with invalid program Name and request body</u>	3	1	1	1	0.008 s
13	<u>CURD Operations for Program Module</u>	<u>Check if user able to delete a program with valid program ID for program module</u>	3	2	1	0	5.190 s
14	<u>CURD Operations for Program Module</u>	<u>Check if user able to delete a program with valid LMS API, invalid program id for program module</u>	3	2	1	0	5.218 s
15	<u>CURD Operations for Program Module</u>	<u>Check if user able to delete a program with Invalid programName for program module</u>	3	2	1	0	5.190 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>CURD Operations for Batch Module</u>	<u>Check if user able to create a Batch with valid endpoint and request body in Batch Module (non existing values)</u>	3	1	1	1	0.037 s
17	<u>CURD Operations for Batch Module</u>	<u>Check if user able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	1	1	1	0.007 s
18	<u>CURD Operations for Batch Module</u>	<u>Check if user able to create a Batch missing mandatory fields in request body</u>	3	1	1	1	0.006 s
19	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve all batches with valid LMS API</u>	3	2	1	0	5.212 s
20	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	5.187 s
21	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve a batch with invalid BATCH ID</u>	3	2	1	0	5.184 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve a batch with valid BATCH NAME</u>	3	1	1	1	0.004 s
23	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve a batch with invalid BATCH NAME</u>	3	2	1	0	5.176 s
24	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve a batch with valid Program ID</u>	3	2	1	0	5.206 s
25	<u>CURD Operations for Batch Module</u>	<u>Check if user able to retrieve a batch with invalid Program Id</u>	3	2	1	0	5.177 s
26	<u>CURD Operations for Batch Module</u>	<u>Check if user able to update a Batch with valid batchID and mandatory request body</u>	3	2	1	0	5.200 s
27	<u>CURD Operations for Batch Module</u>	<u>Check if user able to update a Batch with invalid batchID and mandatory request body</u>	3	2	1	0	5.200 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>CURD Operations for Batch Module</u>	<u>Check if user able to update a Batch with valid batchID and missing mandatory fields request body</u>	3	2	1	0	5.171 s
29	<u>CURD Operations for Batch Module</u>	<u>Check if user able to delete a Batch with valid BatchId</u>	3	2	1	0	5.170 s
30	<u>CURD Operations for Batch Module</u>	<u>Check if user able to delete a batch with invalid batchid</u>	3	2	1	0	5.239 s
31	<u>CRUD project for Users Module</u>	<u>Check if user able to create user with the valid endpoint and request body(non-existing values)</u>	3	1	1	1	0.005 s
32	<u>CRUD project for Users Module</u>	<u>Check if user able to create a user missing mandatory fields in request body</u>	3	1	1	1	0.000 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>CRUD project for Users Module</u>	<u>Check if user able to create a user missing mandatory fields in request body</u>	3	1	1	1	0.020 s
34	<u>CRUD project for Users Module</u>	<u>Check if user able retrieve all user with valid LMS API</u>	3	3	0	0	5.169 s
35	<u>CRUD project for Users Module</u>	<u>Check if User retrieve a user with valid User ID</u>	3	3	0	0	5.171 s
36	<u>CRUD project for Users Module</u>	<u>Check if user retrieve a user with</u>	3	3	0	0	5.183 s
37	<u>CRUD project for Users Module</u>	<u>Check if user able to retrieve a user with valid LMS API</u>	3	3	0	0	5.165 s
38	<u>CRUD project for Users Module</u>	<u>Check if user able to retrieve a user with valid LMS API</u>	3	3	0	0	5.168 s
39	<u>CRUD project for Users Module</u>	<u>Check if user able to update a user with valid User ID and request body</u>	3	1	1	1	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>CRUD project for Users Module</u>	<u>Check if user able to update a user with invalid User Id and request body</u>	3	1	1	1	0.003 s
41	<u>CRUD project for Users Module</u>	<u>Check if user able to update a user with valid User ID and missing mandatory fields request body</u>	3	1	1	1	0.006 s
42	<u>CRUD project for Users Module</u>	<u>Check if user able to update a user with valid User Id and request body</u>	3	1	1	1	0.006 s
43	<u>CRUD project for Users Module</u>	<u>Check if user able to update a user with invalid User Id and request body</u>	3	1	1	1	0.005 s
44	<u>CRUD project for Users Module</u>	<u>Check if user able to update a user with valid User Id and request body (missing field)</u>	3	1	1	1	0.004 s
45	<u>CRUD project for Users Module</u>	<u>Check if user able to assign user to program batch with valid User Id and request body</u>	3	1	1	1	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>CRUD project for Users Module</u>	<u>Check if user able to assign user to program / batch with invalid User Id and request body</u>	3	1	1	1	0.005 s
47	<u>CRUD project for Users Module</u>	<u>Check if user able to assign user to program / batch with valid User Id and request body (missing field)</u>	3	1	1	1	0.004 s
48	<u>CRUD project for Users Module</u>	<u>Check if user able to delete a user with valid User Id</u>	3	3	0	0	5.271 s
49	<u>CRUD project for Users Module</u>	<u>Check if user able to delete a user with valid LMS API, invalid user Id</u>	3	3	0	0	5.173 s
50	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record with valid endpoint and request body using dynamic variables for Assignment *</u>	3	1	1	1	5.316 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
51	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record with valid endpoint and request body in Assignment module (non existing values)</u>	3	1	1	1	0.006 s
52	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record with valid endpoint and request body in Assignment module (existing values)</u>	3	1	1	1	0.008 s
53	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record missing assignment name in request body for Assignment Module</u>	3	1	1	1	0.006 s
54	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record missing mandatory assignment description in request body for Assignment *</u>	3	1	1	1	0.009 s


* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
55	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record with invalid fields in request body for Assignment Module</u>	3	1	1	1	0.006 s
56	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record with invalid fields in request body for Assignment Module</u>	3	1	1	1	0.007 s
57	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to add a record with invalid fields in request body for Assignment Module</u>	3	1	1	1	0.009 s
58	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with valid LMS API for Assignment Module</u>	3	1	1	1	5.174 s
59	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with invalid LMS API endpoint for Assignment Module</u>	3	2	1	0	5.180 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with valid Assignment ID for Assignment Module</u>	3	1	1	1	5.185 s
61	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with invalid Assignment ID for Assignment Module</u>	3	2	1	0	5.214 s
62	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with valid BATCH ID for Assignment Module</u>	3	2	1	0	5.169 s
63	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with invalid BATCH ID for Assignment Module</u>	3	2	1	0	5.169 s
64	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to retrieve a record with valid BATCH ID with no assignments for Assignment Module</u>	3	2	1	0	5.170 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
65	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	2	1	0	5.182 s
66	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to update a record with invalid AssignmentID and mandatory request body</u>	3	1	1	1	0.004 s
67	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to update a record with valid AssignmentID and missing mandatory field Assignment *</u>	3	1	1	1	0.006 s
68	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to update a record with valid AssignmentID and missing mandatory field Assignment *</u>	3	1	1	1	0.003 s
69	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to delete a record with valid Assignment ID for Assignment Module</u>	3	2	1	0	5.189 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
70	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to delete a record with invalid Assignment ID for Assignment Module</u>	3	2	1	0	5.217 s
71	<u>CURD Operations for Assignment Module</u>	<u>Check if user able to delete a record with invalid endpoint for Assignment Module</u>	3	2	1	0	5.169 s
72	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve all submission with valid LMS API for Assignment Submit Module</u>	3	2	1	0	5.208 s
73	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to create a submission with valid endpoint and request body in Assignment Submit *</u>	3	1	1	1	0.005 s
74	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to create a submission with valid endpoint and request body in Assignment Submit *</u>	3	1	1	1	0.000 s


* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
75	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to create a submission missing mandatory fields in request body</u>	3	1	1	1	0.016 s
76	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a grades with invalid Assignment ID for assignment Submit Module</u>	3	2	1	0	5.200 s
77	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a grades with valid Assignment ID for assignment Submit Module</u>	3	2	1	0	5.190 s
78	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a submission with invalid User Id Assignment Submit Module</u>	3	2	1	0	5.167 s
79	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a submission with valid User ID for Assignment Submit Module</u>	3	1	1	1	0.000 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
80	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a grades with invalid Student ID for Assignment Submit Module</u>	3	2	1	0	5.212 s
81	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a grades with valid Student ID for Assignment Submit Module</u>	3	2	1	0	5.177 s
82	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a grades with invalid Batch ID for Assignment Submit Module</u>	3	2	1	0	5.168 s
83	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a grades with valid batch ID</u> <u>Check for Assignment Submit Module</u>	3	2	1	0	5.205 s
84	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a submission with invalid Batch Id for Assignment Submit Module</u>	3	2	1	0	5.175 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
85	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to retrieve a submission with valid batch ID for Assignment Submit Module</u>	3	2	1	0	5.178 s
86	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to update a submission with invalid submission ID and mandatory request body</u>	3	3	0	0	5.207 s
87	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to update a submission with invalid submission ID and mandatory request body</u>	3	2	1	0	5.181 s
88	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to update a submission with valid submission ID and mandatory request body</u>	3	2	1	0	5.165 s
89	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to grade assignment with invalid submission Id and mandatory request body</u>	3	3	0	0	0.000 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
90	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to grade assignment with valid submission Id and missing mandatory request body</u>	3	2	1	0	5.186 s
91	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to grade assignment with valid submission Id and mandatory request body</u>	3	3	0	0	0.011 s
92	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to delete a submission with valid LMS API, invalid Submission Id for Assignment Submit module</u>	3	2	1	0	5.179 s
93	<u>CURD Operations for Assignment Submit Module</u>	<u>Check if user able to delete a submission with valid submission Id for Assignment Submit Module</u>	3	1	1	1	0.000 s

CURD Operations for Program Module



FAILED	DURATION - 45.536 s	Scenarios Total - 15 Pass - 0 Fail - 15 Skip - 0		Steps Total - 45 Pass - 23 Fail - 15 Skip - 7	
/ 12:16:31.355 PM // 12:17:16.891 PM /					

Check if user able to create a program with valid endpoint and request body in Program module(non existing values)

<div>FAILED</div> <div>DURATION - 0.668 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:16:31.367 PM // 12:16:32.035 PM /</div>				
<div>CURD Operations for Program Module</div>				
<div>@ProgramModule</div> <div>@ProgramModule_Post_Positive_TC_001</div>				


#	Step / Hook Details	Status	Duration
1	Given User creates POST Program Request for the LMS API endpoint	PASSED	0.613 s
2	When User sends HTTPS Request and request Body for Program Module from excel "ProgramModule" and 1 java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Program_Stepdefinition.getAllData(Program_Stepdefinition.java:517) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_for_program_module_from_excel_and(Program_Stepdefinition.java:83) at ?.User sends HTTPS Request and request Body for Program Module from excel "ProgramModule" and 1(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.032 s
3	Then User receives 201 Created Status with response body for Program Module	SKIPPED	0.002 s


Check if user able to create a program with valid endpoint and request body (existing values in Program Name)

<div>FAILED</div> <div>DURATION - 7.709 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 12:16:32.195 PM // 12:16:39.904 PM /</div>			
<div>CURD Operations for Program Module</div>			
<div>@ProgramModule</div> <div>@ProgramModule_Post_Negative_TC_002</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates POST Program Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Program Module from excel "ProgramModule" and 2 with existing program name	PASSED	7.485 s
3	Then User receives 400 Bad Request Status with message and boolean success details for program module java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition. user_receives_bad_request_status_with_message_and_boolean_success_details_for_program_module(Program_Stepdefinition.java:134) at ?.User receives 400 Bad Request Status with message and boolean success details for program module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.217 s

Check if user able to create a program missing mandatory fields in request body

FAILED		DURATION - 0.011 s		<div><div>Steps</div><div>Total - 3</div><div>Pass - 1</div><div>Fail - 1</div><div>Skip - 1</div></div> <div></div>
/ 12:16:39.977 PM // 12:16:39.988 PM /				
CURD Operations for Program Module				
@ProgramModule @ProgramModule_Post_Negative_TC_003				


--

#	Step / Hook Details	Status	Duration
1	Given User creates POST Program Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Program Module from excel "ProgramModule" and 3 with missing mandatory fields java.io.FileNotFoundException: C:\Users\User\eclipse-workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Program_Stepdefinition.getAllData(Program_Stepdefinition.java:517) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_for_program_module_from_excel_and_with_missing_mandatory_fields(Program_Stepdefinition.java:141) at ?.User sends HTTPS Request and request Body for Program Module from excel "ProgramModule" and 3 with missing mandatory fields(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	Then User receives 400 Bad Request Status with message and boolean success details for program module	SKIPPED	0.001 s

Check if user able to retrieve all programs with valid LMS API for program module

FAILED	DURATION - 5.212 s	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0</td><td>Pass</td></tr><tr><td>2</td><td>5.212</td><td>Fail</td></tr><tr><td>3</td><td>0</td><td>Pass</td></tr></tbody></table>	Step	Duration (s)	Status	1	0	Pass	2	5.212	Fail	3	0	Pass	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> <table border="1"><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Pass</td><td>2</td></tr><tr><td>Fail</td><td>1</td></tr><tr><td>Skip</td><td>0</td></tr></tbody></table>	Category	Count	Pass	2	Fail	1	Skip	0
Step	Duration (s)		Status																				
1	0		Pass																				
2	5.212		Fail																				
3	0	Pass																					
Category	Count																						
Pass	2																						
Fail	1																						
Skip	0																						
/ 12:16:40.034 PM // 12:16:45.246 PM /																							
CURD Operations for Program Module																							
@ProgramModule @ProgramModule- GetAllProgram_TC_004																							

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint for program module	PASSED	0.002 s
2	When User sends HTTPS Request for getting all programs	PASSED	5.206 s
3	Then User receives 200 OK Status with response body for program module	FAILED	0.002 s
	<pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition.user_receives_ok_status_with_response_body_for_program_module(Program_Stepdefinition.java:175) at ?.User receives 200 OK Status with response body for program module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:40) * Not displayable characters are replaced by '?'. </pre>		



Check if user able to retrieve a program with valid program ID for program module

FAILED DURATION - 5.219 s / 12:16:45.284 PM // 12:16:50.503 PM / CURD Operations for Program Module @ProgramModule @ProgramModule- GetProgramById_TC_005		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request by program id for the LMS API endpoint for program module	PASSED	0.002 s
2	When User sends HTTPS Request for getting program by program id	PASSED	5.212 s
3	Then User receives 200 OK Status with response body for program module	FAILED	0.001 s
	<pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition.user_receives_ok_status_with_response_body_for_program_module(Program_Stepdefinition.java:175) at ?.User receives 200 OK Status with response body for program module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:47) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve a program with valid program ID for program module

<div>FAILED</div> <div>DURATION - 5.188 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:16:50.537 PM // 12:16:55.725 PM /</div>				
<div>CURD Operations for Program Module</div>				
<div>@ProgramModule @ProgramModule-Get_Negative_TC_006</div>				



#	Step / Hook Details	Status	Duration
1	Given Check if user able to retrieve a program with invalid valid program ID and LMS API	PASSED	0.002 s
2	When User sends HTTPS Request for getting program by program id with invalid data in program module	PASSED	5.176 s
3	Then User receives 404 Not Found Status with message and boolean success details for program module <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition.user_receives_not_found_status_with_message_and_boolean_success_details_for_program_module(Program_Stepdefinition.java:232) at ?.User receives 404 Not Found Status with message and boolean success details for program module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:53) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s

Check if user able to update a program with valid programID and mandatory request body for Program module

<div>FAILED</div> <div>DURATION - 5.182 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:16:55.769 PM // 12:17:00.951 PM /				
CURD Operations for Program Module				
@ProgramModule-UpdateProgramByID_TC_007 @ProgramModule				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint with Valid programID for program module	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Program Module	PASSED	5.173 s
3	Then User receives 200 OK Status with updated value in response body for program module java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition. user_receives_ok_status_with_updated_value_in_response_body_for_program_module(Program_Stepdefinition.java:258) at ?.User receives 200 OK Status with updated value in response body for program module(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/1_Program.feature:62) * Not displayable characters are replaced by '?'.	FAILED	0.005 s

Check if user able to update a program with valid programName and mandatory request body for Program module

FAILED		DURATION - 0.013 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
/ 12:17:00.987 PM // 12:17:01.000 PM /					
CURD Operations for Program Module					
@ProgramModule-UpdateProgramByName_TC_008 @ProgramModule					



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid program Name	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with mandatory fields. (program Description , program Name, program status)	FAILED	0.007 s
	<pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_with_mandatory_fields_program_description_program_name_program_status(Program_Stepdefinition.java:275) at ?.User sends HTTPS Request and request Body with mandatory fields. (program Description , program Name, program status)(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:71) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 200 OK Status with response body for program module	SKIPPED	0.001 s

Check if user able to update a program missing mandatory fields in request body

FAILED	DURATION - 0.009 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:17:01.033 PM // 12:17:01.042 PM /				
CURD Operations for Program Module				
@ProgramModule @ProgramModule- UpdateProgramByMissingMendatoryFields_Negative_T-C_009				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid programID	PASSED	0.002 s
2	When User sends HTTPS Request and request Body missing mandatory fields from excel "ProgramModule" and 8 java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Program_Stepdefinition.getAllData(Program_Stepdefinition.java:517) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_missing_mandatory_fields_from_excel_and(Program_Stepdefinition.java:294) at ?.User sends HTTPS Request and request Body missing mandatory fields from excel "ProgramModule" and 8(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:80) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	Then User receives 400 Bad Request Status with message and boolean success details for program module	SKIPPED	0.001 s



Check if user able to update a program missing mandatory fields in request body

FAILED	DURATION - 0.010 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:17:01.162 PM // 12:17:01.172 PM /				
CURD Operations for Program Module				
@ProgramModule @ProgramModule- UpdateProgramByinvalidprogramNameandrequestbody- _Negative_TC_0011 @ProgramModule- *				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid program Name	PASSED	0.002 s
2	When User sends HTTPS Request and request Body missing mandatory fields from excel "ProgramModule" and 3 java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31)	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	at api.stepdefinitions.Program_Stepdefinition.getAllData(Program_Stepdefinition.java:517) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_missing_mandatory_fields_from_excel_and(Program_Stepdefinition.java:294) at ?.User sends HTTPS Request and request Body missing mandatory fields from excel "ProgramModule" and 3(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:114) * Not displayable characters are replaced by '?'.		
3	Then User receives 400 Bad Request Status with message and boolean success details Program	SKIPPED	0.001 s

Check if user able to update a program with invalid programID and mandatory request body

FAILED		DURATION - 0.008 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:17:01.069 PM // 12:17:01.077 PM /						
CURD Operations for Program Module						
@ProgramModule- UpdateProgramByID_Negative_TC_010 @ProgramModule						



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and inValid programID for program module	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to update Program with invalid program id from excel "ProgramModule" and 7 java.io.FileNotFoundException: C:\Users\User\eclipse-workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Program_Stepdefinition.getAllData(Program_Stepdefinition.java:517) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_to_update_program_with_invalid_program_id_from_excel_and(Program_Stepdefinition.java:316) at ?.User sends HTTPS Request and request Body to update Program with invalid program id from excel "ProgramModule" and 7(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:91) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	Then User receives 404 Not Found Status with message and boolean success details for program module	SKIPPED	0.001 s

Check if user able to update a program with invalid program Name and request body

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:17:01.122 PM // 12:17:01.130 PM /				
CURD Operations for Program Module				
@ProgramModule @ProgramModule- UpdateProgramByinvalidprogramNameandrequestbody- _Negative_TC_0011				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and InValid program Name	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with Invalid (program Description , program Name, program status)from excel "ProgramModule" and 5 java.io.FileNotFoundException: C:\Users\User\eclipse-workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Program_Stepdefinition.getAllData(Program_Stepdefinition.java:517) at api.stepdefinitions.Program_Stepdefinition. user_sends_https_request_and_request_body_with_invalid_program_description_program_name_program_status_from_excel_and(Program_Stepdefinition.java:340) at ?.User sends HTTPS Request and request Body with Invalid (program Description , program Name, program status)from excel "ProgramModule" and 5(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:102) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then User receives 404 Not Found Status with message and boolean success details Program	SKIPPED	0.001 s

Check if user able to delete a program with valid program ID for program module

<div>FAILED</div> <div>DURATION - 5.190 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:01.214 PM // 12:17:06.404 PM /</div>				
<div>CURD Operations for Program Module</div>				
<div>@ProgramModule @ProgramModule-DeleteProgramByID_TC_013</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid program ID for program module	PASSED	0.001 s
2	When User sends HTTPS Request for delete program by program id	PASSED	5.185 s
3	Then User receives 200 Ok status with message java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition.user_receives_ok_status_with_message(Program_Stepdefinition.java:384) at ?.User receives 200 Ok status with message(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:127) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check if user able to delete a program with valid LMS API,invalid program id for program module

<div>FAILED</div> <div>DURATION - 5.218 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:06.443 PM // 12:17:11.661 PM /</div>				
<div>CURD Operations for Program Module</div>				
<div>@ProgramModule-DeleteProgramByID_Negative_TC_014</div> <div>@ProgramModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and invalid {programId} for program module	PASSED	0.001 s
2	When User sends HTTPS Request for delete program by invalid program id	PASSED	5.211 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid program id in program module <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_program_id_in_program_module(Program_Stepdefinition.java:414) at ?.User receives 404 Not Found Status with message and boolean success details for invalid program id in program module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:134) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s



Check if user able to delete a program with Invalid programName for program module

FAILED		DURATION - 5.190 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:17:11.701 PM // 12:17:16.891 PM /						
CURD Operations for Program Module						
@ProgramModule @ProgramModule-DeleteProgramByName_Negative_TC_016						



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and Invalid programName for program module	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Program to perform delete by InvalidProgramname operation	PASSED	5.180 s
3	Then User receives 404 Not Found Status with message and boolean success details Program <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Program_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details(Program_Stepdefinition.java:493) at ?.User receives 404 Not Found Status with message and boolean success details Program(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/1_Program.feature:152) * Not displayable characters are replaced by '?'. </pre>		

CURD Operations for Batch Module

FAILED	DURATION - 57.712 s	Scenarios Total - 15 Pass - 0 Fail - 15 Skip - 0		Steps Total - 45 Pass - 26 Fail - 15 Skip - 4	
/ 12:17:16.953 PM // 12:18:14.665 PM /					

Check if user able to create a Batch with valid endpoint and request body in Batch Module (non existing values)

FAILED	DURATION - 0.037 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:17:16.953 PM // 12:17:16.990 PM /				
CURD Operations for Batch Module				
@Batch_TC_001 @BatchModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API endpoint in Batch Module	PASSED	0.026 s
2	When User sends HTTPS Request and request Body for Batch Module from excel "BatchModule" <pre> java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) </pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Batch_Stepdefinition.getAllData(Batch_Stepdefinition.java:55) at api.stepdefinitions.Batch_Stepdefinition. user_sends_https_request_and_request_body_for_batch_module_from_excel_and(Batch_Stepdefinition.java:98) at ?.User sends HTTPS Request and request Body for Batch Module from excel "BatchModule"(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:8) * Not displayable characters are replaced by '?'.		
3	Then User receives 201 Created Status with response body for Batch Module.	SKIPPED	0.002 s

Check if user able to create a Batch with valid endpoint and request body (existing value in Batch Name)

FAILED DURATION - 0.007 s / 12:17:17.042 PM // 12:17:17.049 PM / CURD Operations for Batch Module @BatchModule @Batch_TC_002		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API endpoint in Batch Module	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with existing values for Batch Module from excel "BatchModule" java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Batch_Stepdefinition. user_sends_https_request_and_request_body_with_existing_values_for_batch_module_from_excel(Batch_Stepdefinition.java:160) at ?.User sends HTTPS Request and request Body with existing values for Batch Module from excel "BatchModule"(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User receives 400 Bad Request Status with message and boolean success details	SKIPPED	0.001 s

Check if user able to create a Batch missing mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:17:17.095 PM // 12:17:17.101 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@Batch_TC_003 @BatchModule</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API endpoint in Batch Module	PASSED	0.002 s
2	When User sends HTTPS Request and request Body with missing fields for Batch Module from excel "BatchModule" java.io.FileNotFoundException: C:\Users\User\workspace\Team12-API-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Batch_Stepdefinition. user_sends_https_request_and_request_body_with_missing_fields_for_batch_module_from_excel(Batch_Stepdefinition.java:198) at ?.User sends HTTPS Request and request Body with missing fields for Batch Module from excel "BatchModule"(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:29) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User receives 400 Bad Request Status with message and boolean success details missing field	SKIPPED	0.000 s

Check if user able to retrieve all batches with valid LMS API

<div>FAILED</div> <div>DURATION - 5.212 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:17.143 PM // 12:17:22.355 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@BatchModule @Batch_TC_004</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint in Batch Module	PASSED	0.001 s
2	When User sends HTTPS Request	PASSED	5.202 s
3	Then User receives 200 OK Status with response body. <pre>java.lang.AssertionError: expected [503] but found [200] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_ok_status_with_response_body(Batch_Stepdefinition.java:250) at ?.User receives 200 OK Status with response body.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:41) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.008 s



Check if user able to retrieve a batch with valid BATCH ID

FAILED DURATION - 5.187 s / 12:17:22.394 PM // 12:17:27.581 PM / CURD Operations for Batch Module @BatchModule @Batch_TC_005		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Batch ID	PASSED	0.000 s
2	When User sends HTTPS Request with valid Batch ID	PASSED	5.180 s
3	Then User receives 200 OK Status with response body. <pre>java.lang.AssertionError: expected [503] but found [200] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_ok_status_with_response_body(Batch_Stepdefinition.java:250) at ?.User receives 200 OK Status with response body.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:47) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve a batch with invalid BATCH ID

<div>FAILED</div> <div>DURATION - 5.184 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:27.629 PM // 12:17:32.813 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@BatchModule @Batch_TC_006</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid Batch ID	PASSED	0.001 s
2	When User sends HTTPS Request with invalid Batch ID	PASSED	5.173 s
3	Then User receives 404 Not Found Status with message and boolean success details <pre>java.lang.AssertionError: expected [503] but found [404] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details(Batch_Stepdefinition.java:290) at ?.User receives 404 Not Found Status with message and boolean success details(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:54) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s

Check if user able to retrieve a batch with valid BATCH NAME

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:17:32.844 PM // 12:17:32.848 PM /				
CURD Operations for Batch Module				
@BatchModule @Batch_TC_007				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Batch name	PASSED	0.001 s
2	When User sends HTTPS Request with valid BATCH NAME <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.Batch_Stepdefinition.user_sends_https_request_with_valid_BATCH_NAME(Batch_Stepdefinition.java:304) at ?.User sends HTTPS Request with valid BATCH NAME(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:61) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 200 OK Status with response body.	SKIPPED	0.000 s

Check if user able to retrieve a batch with invalid BATCH NAME

<div>FAILED</div> <div>DURATION - 5.176 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:32.874 PM // 12:17:38.050 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@BatchModule @Batch_TC_008</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid Batch name	PASSED	0.002 s
2	When User sends HTTPS Request with invalid Batch name	PASSED	5.168 s
3	Then User receives 404 Not Found Status with message and boolean success details <pre>java.lang.AssertionError: expected [503] but found [404] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_not_found_status_with_message_and_boolean_success_details(Batch_Stepdefinition.java:290) at ?.User receives 404 Not Found Status with message and boolean success details(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:69) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s

Check if user able to retrieve a batch with valid Program ID

<div>FAILED</div> <div>DURATION - 5.206 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:38.085 PM // 12:17:43.291 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@Batch_TC_09 @BatchModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Program Id	PASSED	0.001 s
2	When User sends HTTPS Request with valid Program Id	PASSED	5.197 s
3	Then User receives 200 OK Status with response body. <pre>java.lang.AssertionError: expected [503] but found [200] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_ok_status_with_response_body(Batch_Stepdefinition.java:250) at ?.User receives 200 OK Status with response body.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:76) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s



Check if user able to retrieve a batch with invalid Program Id

FAILED DURATION - 5.177 s / 12:17:43.327 PM // 12:17:48.504 PM / CURD Operations for Batch Module @BatchModule @Batch_TC_10		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid Program Id	PASSED	0.001 s
2	When User sends HTTPS Request with invalid Program Id	PASSED	5.170 s
3	Then User receives 404 Not Found Status with message and boolean success details <pre>java.lang.AssertionError: expected [503] but found [404] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) </pre>	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details(Batch_Stepdefinition.java:290) at ?.User receives 404 Not Found Status with message and boolean success details(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:83) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to update a Batch with valid batchID and mandatory request body

FAILED	DURATION - 5.200 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:17:48.542 PM // 12:17:53.742 PM /				
CURD Operations for Batch Module				
@BatchModule @Batch_TC_11				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid batch Id	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Batch Module	PASSED	5.190 s
3	Then User receives 200 OK Status with updated value in response body. <pre> java.lang.AssertionError: expected [503] but found [200] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_ok_status_with_updated_value_in_response_body(Batch_Stepdefinition.java:377) at ?.User receives 200 OK Status with updated value in response body.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:91) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s

Check if user able to update a Batch with invalid batchID and mandatory request body

<div>FAILED</div> <div>DURATION - 5.200 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:53.785 PM // 12:17:58.985 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@BatchModule @Batch_TC_12</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and invalid batch ID	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with invalid batchID and request for Batch Module	PASSED	5.193 s
3	Then User receives 404 Not Found Status with message and boolean success details <pre>java.lang.AssertionError: expected [503] but found [404] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details(Batch_Stepdefinition.java:290) at ?.User receives 404 Not Found Status with message and boolean success details(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/2_Batch.feature:99) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s

Check if user able to update a Batch with valid batchID and missing mandatory fields request body

<div>FAILED</div> <div>DURATION - 5.171 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:17:59.030 PM // 12:18:04.201 PM /</div>				
<div>CURD Operations for Batch Module</div>				
<div>@BatchModule @Batch_TC_13</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid batch Id	PASSED	0.002 s
2	When User sends HTTPS Request and request Body with valid batchId and missing mandatory fields for Batch Module	PASSED	5.168 s
3	Then User receives 400 Bad Request Status with message and boolean success details <pre>java.lang.NullPointerException: Cannot invoke "io.restassured.response.Response.then()" because "api.stepdefinitions.Batch_Stepdefinition.response1" is null at api.stepdefinitions.Batch_Stepdefinition.user_receives_bad_request_status_with_message_and_boolean_success_details(Batch_Stepdefinition.java:184) at ?.User receives 400 Bad Request Status with message and boolean success details(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:108) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Check if user able to delete a Batch with valid BatchId

FAILED	DURATION - 5.170 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:18:04.231 PM // 12:18:09.401 PM /				
CURD Operations for Batch Module				
@BatchModule @Batch_TC_14				



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid BatchId	PASSED	0.000 s
2	When User sends HTTPS Request with valid BatchId	PASSED	5.164 s
3	Then User receives 200 OK Status with response body. <pre>java.lang.AssertionError: expected [503] but found [200] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_ok_status_with_response_body(Batch_Stepdefinition.java:250) at ?.User receives 200 OK Status with response body.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:116) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s

Check if user able to delete a batch with invalid batchid



<div>FAILED</div> <div>DURATION - 5.239 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:18:09.426 PM // 12:18:14.665 PM /				
CURD Operations for Batch Module				
@BatchModule @Batch_TC_15				

#	Step / Hook Details	Status	Duration
1	Given user creates delete request for the LMS API endpoint and invalid batchid	PASSED	0.001 s
2	When user sends https request with invalid batchid	PASSED	5.228 s
3	Then user receives 404 not found status <pre>java.lang.AssertionError: expected [503] but found [404] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Batch_Stepdefinition.user_receives_not_found_status(Batch_Stepdefinition.java:462) at ?.user receives 404 not found status(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/2_Batch.feature:122) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

CRUD project for Users Module



<div>FAILED</div> <div>DURATION - 36.898 s</div>		<div>Scenarios</div> <div>Total - 19</div> <div>Pass - 7</div> <div>Fail - 12</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 57</div> <div>Pass - 33</div> <div>Fail - 12</div> <div>Skip - 12</div>	<div></div>
/ 12:18:14.719 PM // 12:18:51.617 PM /					

Check if user able to create user with the valid endpoint and request body(non-existing values)

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:14.720 PM // 12:18:14.725 PM /				
CRUD project for Users Module				
@UserModule @TC_001 @POST_Users				

#	Step / Hook Details	Status	Duration
1	Given User created POST Request for the LMS API endpoint User	PASSED	0.002 s
2	When User sends HTTPs Request and request body with mandatory and additional fields User <pre> java.io.FileNotFoundException: user_post.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition. user_sends_http_request_and_request_body_with_mandatory_and_additional_fields(Users_Stepdefinition.java:46) at ?.User sends HTTPs Request and request body with mandatory and additional fields User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:8) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User receives 201 Status with response body User	SKIPPED	0.000 s

Check if user able to create a user missing mandatory fields in request body

FAILED	DURATION - 0.000 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:14.752 PM // 12:18:14.752 PM /				
CRUD project for Users Module				
@UserModule @TC_002 @POST_Users				

#	Step / Hook Details	Status	Duration
1	Given User created POST Request for the LMS API endpoint User	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with missing mandatory fields User	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<pre>java.io.FileNotFoundException: usersInvalidModules.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition. user_sends_https_request_and_request_body_with_missing_mandatory_fields(Users_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body with missing mandatory fields User(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/3_User.feature:15) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receive "400" Bad Request status with message and boolean succuess details User	SKIPPED	0.000 s

Check if user able to create a user missing mandatory fields in request body

FAILED DURATION - 0.020 s / 12:18:14.767 PM // 12:18:14.787 PM / CRUD project for Users Module @UserModule @POST_Users @TC_003		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given User created POST Request for the LMS API endpoint User	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with missing users fields User <pre>java.io.FileNotFoundException: usersInvalidModules.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition.user_sends_https_request_and_request_body_with_missing_users_fields(Users_Stepdefinition. java:100) at ?.User sends HTTPS Request and request Body with missing users fields User(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/3_User.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receive "400" Bad Request status with message and boolean succuess details User	SKIPPED	0.000 s

Check if user able retrieve all user with valid LMS API

<div>PASSED</div> <div>DURATION - 5.169 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:18:14.815 PM // 12:18:19.984 PM /</div>				
<div>CRUD project for Users Module</div>				
<div>@UserModule @GET_Users @TC_004</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates GET request for the LMS API All User endpoint User	PASSED	0.001 s
2	When User sends HTTPS Request User	PASSED	5.163 s
3	Then User receives "200" Ok Status with response body in users module User	PASSED	0.000 s

Check if User retrieve a user with valid User ID

<div>PASSED</div>	<div>DURATION - 5.171 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 12:18:20.031 PM // 12:18:25.202 PM /</div>				
<div>CRUD project for Users Module</div>				
<div>@TC_005 @UserModule @GET_UsersID</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid User ID User	PASSED	0.000 s
2	When User sends HTTPS Request with valid User ID User	PASSED	5.164 s
3	Then User receives "200OK" status with Response Body User	PASSED	0.005 s

Check if user retrieve a user with

<div>PASSED</div>	<div>DURATION - 5.183 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:18:25.231 PM // 12:18:30.414 PM /				
CRUD project for Users Module				
@TC_006 @UserModule @GET_UsersID				



#	Step / Hook Details	Status	Duration
1	Given User creates GET request for the LMS API endpoint with invalid User ID User	PASSED	0.001 s
2	When User sends HTTPS Request with invalid User ID User	PASSED	5.179 s
3	Then User receives "404 Not found" Status with message and boolean success message User	PASSED	0.003 s

Check if user able to retrieve a user with valid LMS API

PASSED	DURATION - 5.165 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 12:18:30.451 PM // 12:18:35.616 PM /							
CRUD project for Users Module							
@TC_007 @GET_Staff @UserModule							



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API All Staff endpoint User	PASSED	0.000 s
2	When User sends HTTPS Request with valid Staff User	PASSED	5.157 s
3	Then User receives "200" OK Status with response body User	PASSED	0.005 s

Check if user able to retrieve a user with valid LMS API

<div>PASSED</div> <div>DURATION - 5.168 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:18:35.647 PM // 12:18:40.815 PM /</div>			
<div>CRUD project for Users Module</div>			
<div>@TC_008 @UserModule @GET_ByRole</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API User Roles endpoint User	PASSED	0.002 s
2	When User sends HTTPS Request User Roles User	PASSED	5.160 s
3	Then User receives "200" OK Status with response body with user roles User	PASSED	0.004 s



Check if user able to update a user with valid User ID and request body

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:18:40.844 PM // 12:18:40.848 PM /				
CRUD project for Users Module				
@TC_009 @UserModule @Update_Users				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint User	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory and additional fields User java.io.FileNotFoundException: Update_users.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition. user_sends_https_request_and_request_body_with_mandatory_and_additional_fields(Users_Stepdefinition.java:267) at ?.User sends HTTPS Request and request Body with mandatory and additional fields User(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/3_User.feature:66) * Not displayable characters are replaced by '?'.	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then User receives "200" OK Status with response body with valid user id User	SKIPPED	0.001 s

Check if user able to update a user with invalid User Id and request body

FAILED	DURATION - 0.003 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:18:40.873 PM // 12:18:40.876 PM /				
CRUD project for Users Module				
@UserModule @Update_Users @TC_010				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint User	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with mandatory fields User java.io.FileNotFoundException: Update_users.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition.user_sends_https_request_and_request_body_with_mandatory_fields(Users_Stepdefinition.java:293) at ?.User sends HTTPS Request and request Body with mandatory fields User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:73) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User receives 404 Not Found Status with message and boolean success details User	SKIPPED	0.001 s

Check if user able to update a user with valid User ID and missing mandatory fields request body

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:18:40.907 PM // 12:18:40.913 PM /</div>				
<div>CRUD project for Users Module</div>				
<div>@UserModule @Update_Users @TC_011</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint User	PASSED	0.001 s
2	When User sends HTTPS Request and request Body (missing mandatory fields) User <pre>java.io.FileNotFoundException: update_InvalidUsers.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition.user_sends_https_request_and_request_body_missing_mandatory_fields(Users_Stepdefinition.java:321) at ?.User sends HTTPS Request and request Body (missing mandatory fields) User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:80) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
3	Then User receives 400 Bad Request Status with message and boolean success details User	SKIPPED	0.001 s

Check if user able to update a user with valid User Id and request body

FAILED	DURATION - 0.006 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:40.950 PM // 12:18:40.956 PM /				
CRUD project for Users Module				
@UserModule @Update_UserRole @TC_012				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint with Role id User	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with valid user id User <pre>java.io.FileNotFoundException: update_Role.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition.user_sends_https_request_and_request_body_with_valid_user_id(Users_Stepdefinition.java:359) at ?.User sends HTTPS Request and request Body with valid user id User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:87) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User receives 200 Ok Status with response print message User	SKIPPED	0.001 s

Check if user able to update a user with invalid User Id and request body

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:40.983 PM // 12:18:40.988 PM /				
CRUD project for Users Module				
@UserModule @TC_013 @Update_UserRole				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint with Role id User	PASSED	0.000 s
2	When User sends HTTPS Request and request Body User java.io.FileNotFoundException: update_Role.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition.user_sends_https_request_and_request_body(Users_Stepdefinition.java:391) at ?.User sends HTTPS Request and request Body User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:94) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User receives 404 Not Found Status with message and boolean success details User	SKIPPED	0.001 s



Check if user able to update a user with valid User Id and request body (missing field)

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:41.012 PM // 12:18:41.016 PM /				
CRUD project for Users Module				
@UserModule @Update_UserRole @TC_014				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint with Role id User	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	When User sends HTTPS Request and request Body with missing mandatory fields with valid user id User <pre> java.io.FileNotFoundException: Update_InvalidRole.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition. user_sends_https_request_and_request_body_with_missing_mandatory_fields_with_valid_user_id(Users_Stepdefinition.java:411) at ?.User sends HTTPS Request and request Body with missing mandatory fields with valid user id User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:101) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User receives 400 Bad Request Status with message and boolean success details User	SKIPPED	0.000 s

Check if user able to assign user to program batch with valid User Id and request body

FAILED DURATION - 0.003 s / 12:18:41.047 PM // 12:18:41.050 PM / CRUD project for Users Module @Update_ProgramBatch @UserModule @TC_015		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint program batch User	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with program batch with valid User Id User <pre> java.io.FileNotFoundException: Update_UserRole.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition. user_sends_https_request_and_request_body_with_program_batch_with_valid_user_id(Users_Stepdefinition.java:438) at ?.User sends HTTPS Request and request Body with program batch with valid User Id User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:108) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User receives 200 Ok Status with response message User	SKIPPED	0.000 s

Check if user able to assign user to program / batch with invalid User Id and request body

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:41.080 PM // 12:18:41.085 PM /				
CRUD project for Users Module				
@TC_016 @Update_ProgramBatch @UserModule				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint program batch User	PASSED	0.001 s
2	When User sends HTTPS Request and request Body with program batch with invalid User Id User java.io.FileNotFoundException: Update_UserRole.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition. user_sends_https_request_and_request_body_with_program_batch_with_invalid_user_id(Users_Stepdefinition.java:466) at ?.User sends HTTPS Request and request Body with program batch with invalid User Id User(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/3_User.feature:115) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then User receives 404 Not Found Status with message and boolean success details User	SKIPPED	0.001 s

Check if user able to assign user to program / batch with valid User Id and request body (missing field)

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:41.114 PM // 12:18:41.118 PM /				
CRUD project for Users Module				
@TC_017 @Update_ProgramBatch @UserModule				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint User	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with missing fields User <pre>java.io.FileNotFoundException: Update_InvalidUserRole.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Users_Stepdefinition.user_sends_https_request_and_request_body_with_missing_fields(Users_Stepdefinition.java:485) at ?.User sends HTTPS Request and request Body with missing fields User(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/3_User.feature:122) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User receives 400 Bad Request Status with message and boolean success details User	SKIPPED	0.000 s

Check if user able to delete a user with valid User Id

PASSED	DURATION - 5.271 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:18:41.149 PM // 12:18:46.420 PM /				
CRUD project for Users Module				
@Delete_UserId @TC_018 @UserModule				



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid user ID User	PASSED	0.002 s
2	When User sends HTTPS Request valid user ID User	PASSED	5.268 s
3	Then User receives 200 Ok status with message User	PASSED	0.001 s

Check if user able to delete a user with valid LMS API,invalid user Id



<div>PASSED</div>	<div>DURATION - 5.173 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 12:18:46.444 PM // 12:18:51.617 PM /</div>			
<div>CRUD project for Users Module</div>			
<div>@Delete_UserId @TC_019 @UserModule</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and invalid user ID User	PASSED	0.000 s
2	When User sends HTTPS Request invalid user ID User	PASSED	5.166 s
3	Then User receives 404 Not Found Status with message and boolean success details User	PASSED	0.005 s

CURD Operations for Assignment Module

<div>FAILED</div> <div>DURATION - 1 m 3.094 s</div>		<div>Scenarios</div> <div>Total - 22</div> <div>Pass - 0</div> <div>Fail - 22</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 66</div> <div>Pass - 31</div> <div>Fail - 22</div> <div>Skip - 13</div>	<div></div>
/ 12:18:51.680 PM // 12:19:54.774 PM /					

Check if user able to add a record with valid endpoint and request body using dynamic variables for Assignment Module



<div>FAILED</div> <div>DURATION - 5.316 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:18:51.680 PM // 12:18:56.996 PM /</div>				
<div>CURD Operations for Assignment Module</div>				
<div>@AssignmentModule @Assignment_TC_001</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.012 s
2	<p>When User sends HTTPS Request and request Body for Assignment Module through dynamic variables</p> <pre> io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_module_through_dynamic_variables_1(Assignment_Stepdefinition.java:65) at ?.User sends HTTPS Request and request Body for Assignment Module through dynamic variables(file:///C:/Users/kodai/eclipse- workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:7) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:130) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_module_through_dynamic_variables_1(Assignment_Stepdefinition.java:65) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) </pre>	FAILED	5.301 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor161.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then User receives 201 Created Status with response body for Assignment Module.	SKIPPED	0.001 s

Check if user able to add a record with valid endpoint and request body in Assignment module (non existing values)

FAILED		DURATION - 0.006 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:57.038 PM // 12:18:57.044 PM /						
CURD Operations for Assignment Module						
@AssignmentModule @Assignment_TC_002						



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 1 <pre>java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition.user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 1(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:13) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 201 Created Status with response body for Assignment Module.	SKIPPED	0.000 s

Check if user able to add a record with valid endpoint and request body in Assignment module (existing values)

<div>FAILED</div> <div>DURATION - 0.008 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 12:18:57.083 PM // 12:18:57.091 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_003 @AssignmentModule				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 2 <pre> java.io.FileNotFoundException: C:\Users\User\workspace\Team12-API-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 2(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:23) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 400 Bad Request Status with message and boolean success details for already existing assignment name	SKIPPED	0.000 s

Check if user able to add a record missing assignment name in request body for Assignment Module

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:18:57.130 PM // 12:18:57.136 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_004 @AssignmentModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 3 <pre>java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition.user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 3(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:33) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 400 Bad Request Status with message and boolean success details for missing fields - Assignment Name	SKIPPED	0.000 s

Check if user able to add a record missing mandatory assignment description in request body for Assignment Module

FAILED	DURATION - 0.009 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:57.182 PM // 12:18:57.191 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_005 @AssignmentModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 4 <pre>java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 4(file:///C:/Users/kodai/ eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:43) * Not displayable characters are replaced by '?'. </pre>		
3	Then User receives 400 Bad Request Status with message and boolean success details for missing fields - Assignment Description	SKIPPED	0.001 s

Check if user able to add a record with invalid fields in request body for Assignment Module

FAILED DURATION - 0.006 s / 12:18:57.239 PM // 12:18:57.245 PM / CURD Operations for Assignment Module @Assignment_TC_006 @AssignmentModule		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 5 <pre>java.io.FileNotFoundException: C:\Users\User\eclipse-workspace\Team12-API-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 5(file:///C:/Users/kodai/ eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:53) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 500 Internal Server Error with message and boolean success details for invalid batch id field	SKIPPED	0.000 s

Check if user able to add a record with invalid fields in request body for Assignment Module

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:57.284 PM // 12:18:57.291 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_006 @Assignment_TC_007 @AssignmentModule				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 6 <pre> java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition.user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 6(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:63) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid created by field	SKIPPED	0.000 s

Check if user able to add a record with invalid fields in request body for Assignment Module

FAILED	DURATION - 0.009 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:57.324 PM // 12:18:57.333 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_006 @Assignment_TC_008 @AssignmentModule				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Module	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 7 java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_module_from_excel__1and(Assignment_Stepdefinition.java:73) at ?.User sends HTTPS Request and request Body for Assignment Module from excel "AssignmentModule" and 7(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:73) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid grader id field	SKIPPED	0.001 s

Check if user able to retrieve a record with valid LMS API for Assignment Module

FAILED	DURATION - 5.174 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:18:57.368 PM // 12:19:02.542 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_009 @AssignmentModule				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API Assignment Module	PASSED	0.002 s
2	When User sends HTTPS Request for getting all assignments io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition.user_sends_https_request_for_getting_all_assignments_1(Assignment_Stepdefinition.	FAILED	5.169 s

#	Step / Hook Details	Status	Duration
	<pre> java:271) at ?.User sends HTTPS Request for getting all assignments(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:83) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition.user_sends_https_request_for_getting_all_assignments_1(Assignment_Stepdefinition.java:271) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor161.invoke(Unknown Source) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User receives 200 OK Status with response body for Assignment Module	SKIPPED	0.001 s

Check if user able to retrieve a record with invalid LMS API endpoint for Assignment Module

FAILED DURATION - 5.180 s / 12:19:02.579 PM // 12:19:07.759 PM / CURD Operations for Assignment Module @AssignmentModule @Assignment_TC_010		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API invalid endpoint Assignment Module	PASSED	0.003 s
2	When User sends HTTPS Request for getting all assignments with invalid endpoint	PASSED	5.168 s
3	Then User should receives 404 Not Found status with error message <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition.user_should_receives_not_found_status_with_error_message_1(Assignment_Stepdefinition.java:338) at ?.User should receives 404 Not Found status with error message(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:90) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.008 s

Check if user able to retrieve a record with valid Assignment ID for Assignment Module

FAILED DURATION - 5.185 s / 12:19:07.798 PM // 12:19:12.983 PM / CURD Operations for Assignment Module @AssignmentModule @Assignment_TC_011		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Assignment ID	PASSED	0.002 s
2	When User sends HTTPS Request for getting all assignments by assignment id <pre>io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionCatcher.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition. </pre>	FAILED	5.183 s

#	Step / Hook Details	Status	Duration
	<p>user_sends_https_request_for_getting_all_assignments_by_assignment_id_1(Assignment_Stepdefinition.java:361)</p> <p>at ?.User sends HTTPS Request for getting all assignments by assignment id(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:95)</p> <p>Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized.</p> <p>at groovy.json.JsonLexer.nextToken(JsonLexer.java:86)</p> <p>at groovy.json.JsonLexer\$nextToken.call(Unknown Source)</p> <p>at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97)</p> <p>at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source)</p> <p>at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83)</p> <p>at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965)</p> <p>at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000)</p> <p>at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967)</p> <p>at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047)</p> <p>at io.restassured.path.json.JsonPath.get(JsonPath.java:202)</p> <p>at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237)</p> <p>at api.stepdefinitions.Assignment_Stepdefinition.</p> <p>user_sends_https_request_for_getting_all_assignments_by_assignment_id_1(Assignment_Stepdefinition.java:361)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor161.invoke(Unknown Source)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User receives 200 OK Status for valid id with response body for Assignment Module	SKIPPED	0.000 s

Check if user able to retrieve a record with invalid Assignment ID for Assignment Module

FAILED DURATION - 5.214 s / 12:19:13.013 PM // 12:19:18.227 PM / CURD Operations for Assignment Module @AssignmentModule @Assignment_TC_012		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Assignment ID	PASSED	0.001 s
2	When User sends HTTPS Request for getting all assignments by invalid assignment id	PASSED	5.181 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid assignment Id <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_assignment_id_1(Assignment_Stepdefinition. java:425) at ?.User receives 404 Not Found Status with message and boolean success details for invalid assignment Id(file:///C:/Users/kodai/eclipse- workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:102) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.016 s

Check if user able to retrieve a record with valid BATCH ID for Assignment Module

FAILED		DURATION - 5.169 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0		
/ 12:19:18.257 PM // 12:19:23.426 PM /							
CURD Operations for Assignment Module							
@AssignmentModule @Assignment_TC_013							

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Batch Id for Assignment Module	PASSED	0.001 s
2	When User sends HTTPS Request for getting all assignments by batch id	PASSED	5.167 s
3	Then User receives 200 OK Status with response body for Assignment Module for valid batch id <pre>io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_module_for_valid_batch_id_1(Assignment_Stepdefinition.java:463) at ?.User receives 200 OK Status with response body for Assignment Module for valid batch id(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:108) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getInt(JsonPath.java:237) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_module_for_valid_batch_id_1(Assignment_Stepdefinition.java:463) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor161.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

Check if user able to retrieve a record with invalid BATCH ID for Assignment Module

FAILED DURATION - 5.169 s	<p>A bar chart with a y-axis from 0 to 6 and an x-axis with indices 1, 2, and 3. A single black bar is present at index 2, reaching a height of 5.</p>	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	<p>A donut chart with a green segment (2/3) and a red segment (1/3). The number 3 is displayed in the center.</p>
/ 12:19:23.457 PM // 12:19:28.626 PM /			
CURD Operations for Assignment Module			
@Assignment_TC_014 @AssignmentModule			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Batch Id for Assignment Module	PASSED	0.010 s
2	When User sends HTTPS Request for getting all assignments by invalid batch id	PASSED	5.159 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid batch id <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition.user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_batch_id_1(Assignment_Stepdefinition.java:523) at ?.User receives 404 Not Found Status with message and boolean success details for invalid batch id(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:114) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s



Check if user able to retrieve a record with valid BATCH ID with no assignments for Assignment Module

FAILED DURATION - 5.170 s / 12:19:28.662 PM // 12:19:33.832 PM / CURD Operations for Assignment Module @Assignment_TC_015 @AssignmentModule		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Batch Id for Assignment Module	PASSED	0.012 s
2	When User sends HTTPS Request for getting all assignments by batch id	PASSED	5.158 s
3	Then User receives 404 Not Found Status with message and boolean success details for batch id with no assignments <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) </pre>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_batch_id_with_no_assignments_1(Assignment_Stepdefinition.java:546) at ?.User receives 404 Not Found Status with message and boolean success details for batch id with no assignments(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:120) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to update a record with valid AssignmentID and mandatory request body

<div>FAILED</div> <div>DURATION - 5.182 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:19:33.864 PM // 12:19:39.046 PM /</div>				
<div>CURD Operations for Assignment Module</div>				
<div>@Assignment_TC_016 @AssignmentModule</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid Assignment Id for Assignment Module	PASSED	0.005 s
2	When User sends PUT Request and request Body for Assignment Module with updated fields	PASSED	5.169 s
3	Then User receives 200 OK Status with updated value in response body for Assignment Module <pre> io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_ok_status_with_updated_value_in_response_body_for_assignment_module_1(Assignment_Stepdefinition.java:591) at ?.User receives 200 OK Status with updated value in response body for Assignment Module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:126) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading '<', no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexer\$nextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper\$parse.callCurrent(Unknown Source) </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4\$1.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$ExceptionHandler.invoke(JsonPath.java:1000) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:967) at io.restassured.path.json.JsonPath\$JsonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_ok_status_with_updated_value_in_response_body_for_assignment_module_1(Assignment_Stepdefinition.java:591) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor161.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:829) at org.testng.TestRunner.run(TestRunner.java:602) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		



Check if user able to update a record with invalid AssignmentID and mandatory request body

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:39.078 PM // 12:19:39.082 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_017 @AssignmentModule				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid Assignment Id for Assignment Module	PASSED	0.000 s
2	When User sends PUT Request and request Body for Assignment Module from excel "AssignmentModule" and 8 <pre> java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) </pre>	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_put_request_and_request_body_for_assignment_module_from_excel_and_1(Assignment_Stepdefinition.java:625) at ?.User sends PUT Request and request Body for Assignment Module from excel "AssignmentModule" and 8(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:132) * Not displayable characters are replaced by '?'.		
3	Then User receives 404 Not Found Status with message and boolean success details for invalid assignment id for update	SKIPPED	0.000 s

Check if user able to update a record with valid AssignmentID and missing mandatory field Assignment name for Assignment Module

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:39.109 PM // 12:19:39.115 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_018 @AssignmentModule				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid Assignment Id for Assignment Module	PASSED	0.000 s
2	When User sends PUT Request and request Body for Assignment Module from excel "AssignmentModule" and 9 for negative java.io.FileNotFoundException: C:\Users\User\workspace\Team12-API-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition. user_sends_put_request_and_request_body_for_assignment_module_from_excel_and_for_negative_1(Assignment_Stepdefinition.java:666) at ?.User sends PUT Request and request Body for Assignment Module from excel "AssignmentModule" and 9 for negative(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:142) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
3	Then User receives 400 Bad Request Status with message and boolean success details for missing mandatory field assignment name for update	SKIPPED	0.000 s

Check if user able to update a record with valid AssignmentID and missing mandatory field Assignment Description for Assignment Module

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:19:39.138 PM // 12:19:39.141 PM /				
CURD Operations for Assignment Module				
@Assignment_TC_019 @AssignmentModule				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid Assignment Id for Assignment Module	PASSED	0.003 s
2	When User sends PUT Request and request Body for Assignment Module from excel "AssignmentModule" and 10 for negative <pre> java.io.FileNotFoundException: C:\Users\User\workspace\Team12-Api-CodeWarriors\src\test\resources\testdata\Team12-APICodeWarriors_TestData.xlsx (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at api.utilities.XLUtility.getRowCount(XLUtility.java:31) at api.stepdefinitions.Assignment_Stepdefinition.getAllData(Assignment_Stepdefinition.java:838) at api.stepdefinitions.Assignment_Stepdefinition.user_sends_put_request_and_request_body_for_assignment_module_from_excel_and_for_negative_1(Assignment_Stepdefinition.java:666) at ?.User sends PUT Request and request Body for Assignment Module from excel "AssignmentModule" and 10 for negative(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:152) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
3	Then User receives 400 Bad Request Status with message and boolean success details for missing mandatory field assignment description for update	SKIPPED	0.000 s

Check if user able to delete a record with valid Assignment ID for Assignment Module

<div>FAILED</div> <div>DURATION - 5.189 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:19:39.156 PM // 12:19:44.345 PM /</div>				
<div>CURD Operations for Assignment Module</div>				
<div>@Assignment_TC_020 @AssignmentModule</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid Assignment Id for Assignment Module	PASSED	0.014 s
2	When User sends HTTPS Request for deleting assignments by assignment id	PASSED	5.163 s
3	Then User receives 200 Ok status with message for valid delete request java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_ok_status_with_message_for_valid_delete_request_1(Assignment_Stepdefinition.java:752) at ?.User receives 200 Ok status with message for valid delete request(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:163) * Not displayable characters are replaced by '?'.	FAILED	0.012 s

Check if user able to delete a record with invalid Assignment ID for Assignment Module

<div>FAILED</div> <div>DURATION - 5.217 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:19:44.364 PM // 12:19:49.581 PM /</div>				
<div>CURD Operations for Assignment Module</div>				
<div>@AssignmentModule @Assignment_TC_021</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid Assignment Id for Assignment Module	PASSED	0.000 s
2	When User sends HTTPS Request for deleting assignments by invalid assignment id	PASSED	5.215 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid delete assignment id <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition.user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_delete_assignment_id_1(Assignment_Stepdefinition.java:785) at ?.User receives 404 Not Found Status with message and boolean success details for invalid delete assignment id(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:169) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s



Check if user able to delete a record with invalid endpoint for Assignment Module

<div>FAILED</div> <div>DURATION - 5.169 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:19:49.605 PM // 12:19:54.774 PM /				
CURD Operations for Assignment Module				
@AssignmentModule @Assignment_TC_022				



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid Assignment Id for Assignment Module	PASSED	0.007 s
2	When UUser sends DELETE Request with invalid endpoint for assignment module	PASSED	5.147 s
3	Then User receives 404 Not Found Status with message and boolean success details for invalid endpoint for assignment module <pre>java.lang.AssertionError: expected [405] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) </pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_invalid_endpoint_for_assignment_module_1(Assignment_Stepdefinition.java:819) at ?.User receives 404 Not Found Status with message and boolean success details for invalid endpoint for assignment module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/4_Assignment.feature:175) * Not displayable characters are replaced by '?'. </pre>		

CURD Operations for Assignment Submit Module

FAILED	DURATION - 1 m 18.427 s	Scenarios		Steps	
/ 12:19:54.807 PM // 12:21:13.234 PM /		Total - 22		Total - 66	
		Pass - 3		Pass - 42	
		Fail - 19		Fail - 19	
		Skip - 0		Skip - 5	



Check if user able to retrieve all submission with valid LMS API for Assignment Submit Module

FAILED	DURATION - 5.208 s			Steps	
/ 12:19:54.807 PM // 12:20:00.015 PM /				Total - 3	
CURD Operations for Assignment Submit Module				Pass - 2	
@Assignment_Submit_TC_004 @Submit_Module				Fail - 1	
				Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint for Assignment Submit Module	PASSED	0.016 s
2	When User sends HTTPS Request for getting all submissions	PASSED	5.192 s
3	Then User receives 200 OK Status with response body for Assignment Submit Module.	FAILED	0.000 s
	<pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:114) at ?.User receives 200 OK Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:8) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to create a submission with valid endpoint and request body in Assignment Submit Module(non existing values)

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:20:00.055 PM // 12:20:00.060 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_001				

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Submit Module	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment Submit Module from excel "Assignment_Submit_Module" and 1 <pre> java.io.FileNotFoundException: AssignmentSubmit.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_submit_module_from_excel_and(Assignment_Submit_Stepdefinition.java:49) at ?.User sends HTTPS Request and request Body for Assignment Submit Module from excel "Assignment_Submit_Module" and 1(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:13) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User receives 201 Created Status with response body for Assignment Submit Module.	SKIPPED	0.000 s

Check if user able to create a submission with valid endpoint and request body in Assignment Submit Module(non existing values)

<div>FAILED</div> <div>DURATION - 0.000 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:20:00.086 PM // 12:20:00.086 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_002 @Assignment_Submit_TC_001				



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API Assignment Submit Module	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment Submit Module from excel "Assignment_Submit_Module" and 1 java.io.FileNotFoundException: AssignmentSubmit.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_sends_https_request_and_request_body_for_assignment_submit_module_from_excel_and(Assignment_Submit_Stepdefinition.java:49) at ?.User sends HTTPS Request and request Body for Assignment Submit Module from excel "Assignment_Submit_Module" and 1(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then User receives 400 Bad Request Status with message and boolean success details for Assignment Submit Module	SKIPPED	0.000 s

Check if user able to create a submission missing mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.01</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.00</td></tr></tbody></table>	Step	Value	1	0.01	2	0.00	3	0.00	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
Step	Value											
1	0.01											
2	0.00											
3	0.00											
/ 12:20:00.118 PM // 12:20:00.134 PM /												
CURD Operations for Assignment Submit Module												
@Submit_Module @Assignment_Submit_TC_003												

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for the LMS API endpoint with missing field	PASSED	0.015 s
2	When User sends HTTPS Request and request Body for Assignment Submit Module <pre>java.io.FileNotFoundException: AssignmentSubmit.json (The system cannot find the file specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileReader.<init>(FileReader.java:75) at api.stepdefinitions.Assignment_Submit_Stepdefinition.user_sends_https_request_and_request_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:93) at ?.User sends HTTPS Request and request Body for Assignment Submit Module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:33) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
3	Then User receives 400 Bad Request Status with message and boolean success details for Assignment Submit Module	SKIPPED	0.000 s



Check if user able to retrieve a grades with invalid Assignment ID for assignment Submit Module

FAILED		DURATION - 5.200 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0		
/ 12:20:00.150 PM // 12:20:05.350 PM /							
CURD Operations for Assignment Submit Module							
@Assignment_Submit_TC_006 @Submit_Module							

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid Assignment ID Submit	PASSED	0.000 s
2	When User sends HTTPS Request with invalid Assignment ID	PASSED	5.188 s
3	Then User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module. <pre>java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. </pre>	FAILED	0.012 s



#	Step / Hook Details	Status	Duration
	user_receives_not_found_status_with_message_and_boolean_success_details_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:133) at ?.User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:40) * Not displayable characters are replaced by '?'.		

Check if user able to retrieve a grades with valid Assignment ID for assignment Submit Module

<div><div>FAILED</div><div>DURATION - 5.190 s</div></div>		<div></div>	<div>Steps Total - 3 Pass - 2 Fail - 1 Skip - 0</div> <div></div>
/ 12:20:05.370 PM // 12:20:10.560 PM /			
CURD Operations for Assignment Submit Module			
@Assignment_Submit_TC_005 @Submit_Module			



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Assignment ID Assignment Submit Module	PASSED	0.000 s
2	When User sends HTTPS Request with valid Assignment ID	PASSED	5.174 s
3	Then User receives 200 OK Status with response body for Assignment Submit Module. java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:114) at ?.User receives 200 OK Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:46) * Not displayable characters are replaced by '?'.	FAILED	0.016 s

Check if user able to retrieve a submission with invalid User Id Assignment Submit Module

<div>FAILED</div> <div>DURATION - 5.167 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:20:10.576 PM // 12:20:15.743 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_014				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid user ID for Assignment Submit Module	PASSED	0.000 s
2	When User sends HTTPS Request submission with Invalid User ID to LMS API	PASSED	5.152 s
3	Then User receives 404 Status with response body for Assignment Submit Module. java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:212) at ?.User receives 404 Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/5_Submission.feature:52) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

Check if user able to retrieve a submission with valid User ID for Assignment Submit Module

FAILED	DURATION - 0.000 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 12:20:15.775 PM // 12:20:15.775 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_013				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid User Id for Assignment Submit Module	PASSED	0.000 s
2	When User sends HTTPS Request with valid User Id for Assignment Submit Module <pre>java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.Assignment_Submit_Stepdefinition.user_sends_https_request_with_valid_user_id_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:194) at ?.User sends HTTPS Request with valid User Id for Assignment Submit Module(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:57) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
3	Then User receives 200 OK Status with response body for Assignment Submit Module.	SKIPPED	0.000 s



Check if user able to retrieve a grades with invalid Student ID for Assignment Submit Module

FAILED	DURATION - 5.212 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:20:15.807 PM // 12:20:21.019 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_008				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid Student ID	PASSED	0.000 s
2	When User sends HTTPS Request with invalid Student ID for Assignment Submit Module	PASSED	5.212 s

#	Step / Hook Details	Status	Duration
3	<p>Then User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module.</p> <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:133) at ?.User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:64) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s



Check if user able to retrieve a grades with valid Student ID for Assignment Submit Module

FAILED DURATION - 5.177 s / 12:20:21.038 PM // 12:20:26.215 PM / CURD Operations for Assignment Submit Module @Assignment_Submit_TC_007 @Submit_Module		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	---	--	---

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Student Id	PASSED	0.000 s
2	When User sends HTTPS Request with valid Student ID for Assignment Submit Module	PASSED	5.161 s
3	<p>Then User receives 200 OK Status with response body for Assignment Submit Module.</p> <pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) </pre>	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:114) at ?.User receives 200 OK Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:70) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to retrieve a grades with invalid Batch ID for Assignment Submit Module

<div>FAILED</div> <div>DURATION - 5.168 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:20:26.250 PM // 12:20:31.418 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_010				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with invalid Batch Id	PASSED	0.000 s
2	When User sends HTTPS Request with invalid Batch Id for Assignment Submit Module	PASSED	5.153 s
3	Then User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module. <pre> java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:133) at ?.User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:76) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.015 s

Check if user able to retrieve a grades with valid batch ID Check for Assignment Submit Module

<div>FAILED</div> <div>DURATION - 5.205 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:20:31.454 PM // 12:20:36.659 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_009				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with valid Batch Id	PASSED	0.000 s
2	When User sends HTTPS Request with valid Batch Id for Assignment Submit Module	PASSED	5.205 s
3	Then User receives 200 OK Status with response body for Assignment Submit Module. java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:114) at ?.User receives 200 OK Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/5_Submission.feature:82) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

Check if user able to retrieve a submission with invalid Batch Id for Assignment Submit Module

<div>FAILED</div> <div>DURATION - 5.175 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:20:36.690 PM // 12:20:41.865 PM /</div>				
<div>CURD Operations for Assignment Submit Module</div>				
<div>@Submit_Module @Assignment_Submit_TC_012</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint with submisssion invalid Batch Id	PASSED	0.000 s
2	When User sends HTTPS Request with submission invalid Batch Id for Assignment Submit Module	PASSED	5.162 s
3	Then User receives 404 Not Found Status with message and boolean success details for submission invalid Assignment Submit Module. java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_submission_invalid_assignment_submit_module(Assignm ent_Submit_Stepdefinition.java:294) at ?.User receives 404 Not Found Status with message and boolean success details for submission invalid Assignment Submit Module. (file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:88) * Not displayable characters are replaced by '?'.	FAILED	0.013 s



Check if user able to retrieve a submission with valid batch ID for Assignment Submit Module

FAILED		DURATION - 5.178 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:20:41.892 PM // 12:20:47.070 PM /						
CURD Operations for Assignment Submit Module						
@Submit_Module @Assignment_Submit_TC_011						

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the LMS API endpoint submission with valid Batch Id	PASSED	0.000 s
2	When User sends HTTPS Request with submission valid Batch Id for Assignment Submit Module	PASSED	5.154 s
3	Then User receives 200 OK Status with response body for Assignment Submit Module. java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149)	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:114) at ?.User receives 200 OK Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/5_Submission.feature:94) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to update a submission with invalid submission ID and mandatory request body

PASSED	DURATION - 5.207 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:20:47.087 PM // 12:20:52.294 PM /				
CURD Operations for Assignment Submit Module				
@Assignment_Submit_TC_016 @Submit_Module				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and invalid submission ID	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory, additional fields	PASSED	5.207 s
3	Then User receives 404 Not Found Status with message and boolean success details Submit	PASSED	0.000 s

Check if user able to update a submission with invalid submission ID and mandatory request body

FAILED	DURATION - 5.181 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:20:52.325 PM // 12:20:57.506 PM /				
CURD Operations for Assignment Submit Module				
@Assignment_Submit_TC_017 @Submit_Module				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and invalid submission ID	PASSED	0.000 s
2	When User sends HTTPS Request and request Body (missing mandatory fields)	PASSED	5.181 s
3	Then User receives 400 Bad Request Status with message and boolean success details Submit	FAILED	0.000 s
	<pre> java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_bad_request_status_with_message_and_boolean_success_details(Assignment_Submit_Stepdefinition.java:330) at ?.User receives 400 Bad Request Status with message and boolean success details Submit(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/5_Submission.feature:106) * Not displayable characters are replaced by '?'. </pre>		



Check if user able to update a submission with valid submission ID and mandatory request body

FAILED DURATION - 5.165 s / 12:20:57.538 PM // 12:21:02.703 PM / CURD Operations for Assignment Submit Module @Assignment_Submit_TC_015 @Submit_Module		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid submission Id	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with valid info for mandatory ,additional fields	PASSED	5.165 s
3	Then User receives 200 OK Status with response body for Assignment Submit Module.	FAILED	0.000 s
	<pre> java.lang.AssertionError: expected [200] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_ok_status_with_response_body_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:114) at ?.User receives 200 OK Status with response body for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/5_Submission.feature:112) * Not displayable characters are replaced by '?'. </pre>		

Check if user able to grade assignment with invalid submission Id and mandatory request body

PASSED	DURATION - 0.000 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:21:02.757 PM // 12:21:02.757 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_019				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and invalid submission ID	PASSED	0.000 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.000 s
3	Then User receives 404 Not Found Status with message and boolean success details Submit	PASSED	0.000 s



Check if user able to grade assignment with valid submission Id and missing mandatory request body

FAILED	DURATION - 5.186 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:21:02.787 PM // 12:21:07.973 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_020				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for the LMS API endpoint and Valid submission Id	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	When User sends HTTPS Request and request Body (missing mandatory fields)	PASSED	5.174 s
3	Then User receives 400 Bad Request Status with message and boolean success details Submit <pre>java.lang.AssertionError: expected [400] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_bad_request_status_with_message_and_boolean_success_details(Assignment_Submit_Stepdefinition.java:330) at ?.User receives 400 Bad Request Status with message and boolean success details Submit(file:///C:/Users/kodai/eclipse-workspace/ RestAssured_Project/src/test/resources/features/5_Submission.feature:124) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.012 s

Check if user able to grade assignment with valid submission Id and mandatory request body

PASSED	DURATION - 0.011 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:21:07.993 PM // 12:21:08.004 PM /				
CURD Operations for Assignment Submit Module				
@Assignment_Submit_TC_018 @Submit_Module				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Request for Grade assignment the LMS API endpoint and Valid submission Id	PASSED	0.011 s
2	When User sends HTTPS Request and request Body with mandatory fields	PASSED	0.000 s
3	Then User receives 200 OK Status with updated value in response body with valid submission id	PASSED	0.000 s

Check if user able to delete a submission with valid LMS API,invalid Submission Id for Assignment Submit module

<div>FAILED</div> <div>DURATION - 5.179 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:21:08.024 PM // 12:21:13.203 PM /</div>				
<div>CURD Operations for Assignment Submit Module</div>				
<div>@Submit_Module @Assignment_Submit_TC_022</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and invalid submission id	PASSED	0.000 s
2	When User sends HTTPS Request with invalid submissionID	PASSED	5.163 s
3	Then User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module. java.lang.AssertionError: expected [404] but found [503] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1418) at org.testng.Assert.assertEquals(Assert.java:1382) at org.testng.Assert.assertEquals(Assert.java:1428) at api.stepdefinitions.Assignment_Submit_Stepdefinition. user_receives_not_found_status_with_message_and_boolean_success_details_for_assignment_submit_module(Assignment_Submit_Stepdefinition.java:133) at ?.User receives 404 Not Found Status with message and boolean success details for Assignment Submit Module.(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:136) * Not displayable characters are replaced by '?'.	FAILED	0.016 s

Check if user able to delete a submission with valid submission Id for Assignment Submit Module

<div>FAILED</div> <div>DURATION - 0.000 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:21:13.234 PM // 12:21:13.234 PM /				
CURD Operations for Assignment Submit Module				
@Submit_Module @Assignment_Submit_TC_021				

#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Request for the LMS API endpoint and valid submission ID	PASSED	0.000 s
2	When User sends HTTPS Request with valid submissionID <pre> java.lang.IllegalArgumentException: parameterValue cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.pathParam(RequestSpecificationImpl.groovy:515) at api.stepdefinitions.Assignment_Submit_Stepdefinition.user_sends_https_request_with_valid_submission_id(Assignment_Submit_Stepdefinition.java:160) at ?.User sends HTTPS Request with valid submissionID(file:///C:/Users/kodai/eclipse-workspace/RestAssured_Project/src/test/resources/features/5_Submission.feature:141) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then User receives 200 Ok status with message Submit	SKIPPED	0.000 s