# NCERT 2026
# ALL EXAMPLES

**Quick Revision for NEET 2026 Aspirants**




— TriGO Publication —

| Examples | | |
|---|---|---|
| 1) | Asexual Reproduction | i. Binary Fission : Amoeba<br>ii. Budding : Yeast<br>iii. Cell Division : Protists and Monerans |
| 2) | Asexual Reproduction Structures | i. Zoospores : Chlamydomonas<br>ii. Conidia : Penicillium<br>iii. Buds : Hydra<br>iv. Gemmules : Sponge |
| 3) | Vegetative Propagules in Angiosperms | i. Eyes : Potato<br>ii. Rhizome : Ginger, Banana<br>iii. Bulbil : Agave<br>iv. Leaf buds : Bryophyllum<br>v. Offset : Water Hyacinth |
| 4) | Oestrus Cycle | Tiger, cows, sheep, rats, deers, dogs |
| 5) | Menstrual Cycle | Monkeys, apes and humans |
| 6) | Monoecious Plants (Bisexual plants) | Cucurbits and coconut, Chara |
| 7) | Dioecious Plants (Unisexual Plants) | Papaya and date palm, Marchantia |

| | Examples |
|---|---|
| 8) Bisexual animals (Hermaphrodite) | Earthworm, sponge, tapeworm and leech |
| 9) Unisexual animals | Cockroach |
| 10) Parthenogenesis | Rotifers, honeybees, some lizards, birds (Turkey) |
| 11) External fertilization | Most aquatic organisms – Majority of algae and fishes as well as amphibians |
| 12) Internal fertilization | i. Many terrestrial organisms – Belonging to fungi<br>ii. Higher animals (reptiles, birds, mammals)<br>iii. Majority of plants – Bryophytes, pteridophytes, gymnosperms and angiosperms) |
| 13) Multicarpellary, Syncarpous pistil | Papaver |
| 14) Multicarpellary, Apocarpus gynoecium | Michelia |
| 15) Presence of one ovule in an ovary | Wheat, Paddy, Mango |
| 16) Presence of many ovules in an ovary | Papaya, Watermelon, Orchids |

| | Examples |
|---|---|
| 16) Autogamy | Viola (common pansy), Oxalis and Commelina |
| 17) Abiotic agents of pollination | Wind and water |
| 18) Biotic agents of pollination | Animals [Bees, Butterflies, beetles, wasp, ants, moths, birds (sunbird and humming birds), bats, some primates(lemurs) and arboreal(tree-dwelling) rodents, reptiles (gecko lizard and garden lizard)] |
| 19) Wind pollination | Grasses |
| 20) Water pollination | Algae, bryophytes, pteridophytes<br>▪ Vallisneria and Hydrilla (grow in fresh water<br>▪ Zostera (grow in marine water) |
| **Insect or Wind pollination – Water hyacinth and water lily** | |
| 21) Endosperms completely consumed by developing embryo before seed maturation | Pea, groundnuts, beans |

| | |
|---|---|
| 22) Persistent Endosperm | Castor and coconut |
| 23) Albuminous seed | Wheat, maize, barley, castor, sunflower |
| 24) Non-Albuminous seed | Pea and groundnut |
| 25) True fruits | Most of the fruits |
| 26) False fruits | Apple, strawberry, cashew |
| 27) Parthenocarpic fruits | Banana |
| 28) Apomixis | Asteraceae and grasses |
| 29) Polyembryony | Citrus fruits |
| 30) Hormones released during pregnancy | ▪ hCG, hPL, Estrogens, Progestogens (by placenta)<br>▪ Relaxin (by ovary)<br>▪ During pregnancy levels of estrogens, progestrogens, cortisol, prolactin, thyroxine are also increased in maternal blood |

| | Examples |
|---|---|
| 31) Natural methods of contraception | ▪ Periodic abstinence<br>▪ Withdrawal or coitus interrupts<br>▪ Lactational amenorrhea |
| 32) Barrier methods of contraception | ▪ Condoms, Diaphragms, cervical caps and vaults |
| 33) IUDs | ▪ Non-medicated IUDs – Lippes loop<br>▪ Copper releasing IUDs – CuT, Cu7, Multiload 375<br>▪ Hormone releasing IUDs – Progestasert and LNG- 20 |
| 34) Incomplete Dominance | Dog flower (snapdragon or Antirrhinum species) |
| 35) Co-dominance | ABO blood grouping |
| 36) Multiple Allelism | ABO blood grouping |
| 37) Pleiotropy | Phenylketonuria |

| | Examples |
|---|---|
| 38) Male Heterogamety | Humans and drosophila (XY) |
| 39) Female Heterogamety | Birds (ZW) |
| 40) Point mutation | Sickle cell anemia |
| 41) Mendelian Disorders | Haemophilia, Cystic fibrosis, Sickle cell anemia, colorblindness, phenylketonuria, thalassemia |
| 42) Chromosomal disorders | Down's syndrome, Klinefelter's syndrome, Turner's syndrome |
| 43) Purines | Adenine and Guanine |
| 44) Pyrimidines | Cytosine, Uracil and Thymine |
| 45) Homologous structures (Divergent evolution) | ▪ Forelimbs of whales, bats, cheetah and humans<br>▪ Vertebrate hearts or brains<br>▪ Thorns and tenders of Bougainvillea and Cucurbita |

| | Examples |
|---|---|
| 46) Analogous structures (Convergent evolution) | ▪ Wings of butterfly and birds<br>▪ Eye of octopus and mammals<br>▪ Flippers of penguins and dolphins |
| 47) Root modification | Sweet potato |
| 48) Stem modification | Potato |
| 49) Adaptive radiation | ▪ Darwin finches<br>▪ Australian Marsupial |
| 50) Placental mammals | Mole, anteater, mouse, lemur, flying squirrel, bobcat, wolf |
| 51) Australian mammals | Marsupial mole, numbat(anteater), marsupial mouse, spotted cuscus, flying phalanger, Tasmanian tiger cat, Tasmanian wolf |
| 52) Passive Immunity | Colostrum, Injection in case of snake bites |
| 53) Primary lymphoid organs | Bone marrow, and thymus |

| | Examples |
|---|---|
| 54) Secondary lymphoid organs | Spleen lymph nodes, tonsils, Peyer's patches of small intestine and appendix |
| 55) Fresh water fish | Catla, Rohu, and Common carp |
| 56) Marine fishes | Hilsa, sardines, Mackerel and Pomfrets |
| 57) Semi-dwarf varieties of wheat | Sonalika and Kalyan Sona |
| 58) Semi-dwarf varieties of rice | Jaya and Ratna |
| 59) Diseases caused by fungi | Brown rust of wheat, red rot of sugarcane, late blight of potato |
| 60) Diseases caused by bacteria | Black rot od crucifers |
| 61) Diseases caused by viruses | Tobacco mosaic and turnip mosaic |
| 62) Free living nitrogen fixing bacteria | Azospirillum, Azotobacter |
| 63) Cyanobacteria as Nitrogen fixers | Anabaena, Nostoc, Oscillatoria |
| 64) Symbiotic Nitrogen fixing Bacteria | Rhizobium |

| | Examples |
|---|---|
| 65) Major biomes of India | ▪ Tropical rain forest<br>▪ Deciduous forest<br>▪ Desert<br>▪ Sea coast |
| 66) Predation | Prickly pear cactus and cactus feeding predator (a moth) |
| 67) Parasitism | ▪ Life cycle of human liver fluke<br>▪ Malarial parasite<br>▪ Cuscuta |
| 68) A brute parasitism | Cuckoo (Koel) and the crow |
| 69) Commensalism | ▪ Barnacles growing on the back of a whale<br>▪ An orchid growing on as an epiphyte on a mango branch<br>▪ Cattle Egret and grazing cattle<br>▪ Sea anemone and clown fish |

| | Examples |
|---|---|
| 70) Mutualism | ▪ Lichens – mutualistic relationship between a fungus and a photosynthesizing algae or cyanobacteria<br>▪ Mycorrhizae – association between fungi and roots of higher plants<br>▪ Pollination (zoophily, entomophily)<br>▪ Between fig tree and wasp |
| 71) Gaseous nutrient cycle | Nitrogen, carbon cycle |
| 72) Sedimentary cycle | Sulphur and phosphorus cycle |
| 73) Plants with Hallucinogenic properties | Erythroxylum coca, Atropa belladonna and Datura |
| 74) Symbiotic Nitrogen fixing bacteria | Rhizobium |
| 75) Free living Nitrogen fixing bacteria | Azospirillum and Azotobacter |
| 76) Cyanobacteria as nitrogen fixer | Anabaena, Nostoc, Oscillatoria |

| | Examples |
|---|---|
| 77) Competition | Between superior barnacle Balanus and smaller barnacle |
| 78) In situ conservation | Biosphere reserve, national parks, wildlife sanctuaries |
| 79) Ex situ conservation | Zoological parks, botanical gardens and wildlife safari parks |

| | | Examples |
|---|---|---|
| 1) | Red Dinoflagellates | Gonyaulax |
| 2) | Euglenoids | Euglena |
| 3) | Amoeboid protozoans | Amoeba, Entamoeba |
| 4) | Flagellate protozoans | Trypanosoma |
| 5) | Ciliated protozoans | Paramoecium |
| 6) | Sporozoans | Plasmodium (malarial parasite) |
| 7) | Phycomycetes | Mucor, Rhizopus, Albugo (the parasitic fungi on mustard) |
| 8) | Ascomycetes | Penicillium(multicellular), yeast (unicellular), Aspergillus, Claviceps and Neurospora |
| 9) | Basidiomycetes | Agaricus(mushroom), Ustilago(smut), Puccinia(rust fungus) |
| 10) | Deuteromycetes | Alternaria, Colletotrichum and Trichoderma |
| 11) | Colonial algae | Volvox |
| 12) | Filamentous algae | Ulothrix and Spirogyra |

| | Examples |
|---|---|
| 13) Isogamous reproduction | ▪ Flagellated and similar in size : Ulothrix<br>▪ Non-flagellated (non-motile) but similar in size : Spirogyra |
| 14) Anisogamous reproduction | Eudorina |
| 15) Oogamous reproduction | Volvox, Fucus |
| 16) Marine algae used as food | Porphyra, Laminaria and Sargassum |
| 17) Algae producing hydrocolloids (water holding substance) | Algin (brown algae) and carrageen (red algae) |
| 18) Unicellular algae rich in protein used as food supplement by space travellers | Clorella |
| 19) Chlorophyceae | Chlamydomonas, Volvox, Ulothrix, Spirogyra and Chara |
| 20) Phaeophyceae | Ectocarpus, Dicyota, Laminaria, Sargassum and Fucus |
| 21) Rhodophyceae | Polysiphonia, Poryphyra, Gracilaria and Gelidium |

| | Examples |
|---|---|
| 22) Liverworts (Bryophytes) | Marchantia |
| 23) Mosses (Bryophytes) | Funaria, Polytrichum and Sphagnum |
| 24) Pteridophyte Classes | ▪ Psilopsida : Psilotum<br>▪ Lycopodium : Selaginella, Lycopodium<br>▪ Sphenopsida : Equisetum<br>▪ Pteropsida : Dryopteris, Pteris, Adiantum |
| 25) Pteridophytes having microphylls | Selaginella |
| 26) Pteridophytes having macrophylls | Ferns |
| 27) Pteridophytes having strobily or cones | Selaginella, Equisetum |
| 28) Heterosporous Pteridophytes | Selaginella and Salvinia |
| 29) Unbranched stem | Cycas |

| | Examples |
|---|---|
| 30) Branched stem | Pinus, Cedrus |
| 31) Bisexual gymnosperm | Pinus |
| 32) Unisexual gymnosperm | Cycas |
| 33) Haplontic life cycle | Spirogyra, Volvox, some species of Chlamydomonas |
| 34) Diplontic life cycle | Fucus, Gymnosperms and Angiosperms |
| 35) Haplo-diplontic | Bryophytes and Pteridophytes, Ectocarpus, Polysiphonia, kelps |
| 36) Coelomates | Annelids, Molluscs, arthropods, echinoderms, hemichordates and chordates |
| 37) Pseudocoelomates | Aschelminthes |
| 38) Acoelomates | Platyhelminthes |
| 39) Phylum – Porifera | Sycon (Scypha), Spongilla (Fresh water sponge) and Euspongia (Bath sponge) |

| | Examples |
|---|---|
| 40) Phylum – Coelenterata (Cnidaria) | Physalia (Portuguese man-of-war), Adamsia (Sea anemone), Pennatula (Sea-pen), Gorgonia (Sea-fan) and Meandrina (Brain coral) |
| 41) Phylum – Ctenophora | Pleurobrachia and Ctenoplana |
| 42) Phylum – Platyhelminthes | Taenia (Tapeworm), Fasciola (Liver fluke) |
| 43) Phylum – Aschelminthes | Ascaria (Roundworm), Wuchereria (Filaria worm), Ancylostoma (Hookworm) |
| 44) Phylum – Annelida | Nereis, Pheretima (Earthworm), and Hirudinaria (Blood sucking leech) |
| 45) Phylum – Arthropoda | ▪ Economically important insects – Apis (Honeybee), Bombyx (Silkworm), Laccifer (Lac insect)<br>▪ Vectors – Anopheles, Culex and Aedes(mosquitoes)<br>▪ Gregarious pest – Locusta (Locust)<br>▪ Living fossils – Limulus (King crab) |

| | Examples |
|---|---|
| 46) Phylum – Mollusca | Pila (Apple snail), Pinctada (Pearl oyster), Sepia (cuttlefish), Loligo (Squid), Octopus (Devil fish), Aplysia (Sea-hare), Dentalium (Tusk shell) and Chaetopleura (Chiton) |
| 47) Phylum – Echinodermata | Asteria (Star fish), Echinus (sea urchin), Antedon (Sea lily), Cucumaria (sea cucumber) amd Ophiura (Brittle star) |
| 48) Phylum – Hemichordata | Balanoglossus and Saccoglossus |
| 49) Urochordata | Ascidia, Salpa, Doliolum |
| 50) Cephalochordata | Branchiostoma, Amphioxus or Lancelet |
| 51) Cyclostomata | Petromyzon (Lamprey), Myxine (Hagfish) |
| 52) Chondrichthyes | Scoliodon (Dog fish), Pristis (Saw fish), Carcharodon (Great white shark), Trygon (Sting ray) |
| 53) Osteichthyes | ▪ Marine : Exocoetus (Flying fish), Hippocampus (Sea horse)<br>▪ Fresh water : Labeo (Rohu), Catla (Katla), Clarias (Magur)<br>▪ Aquarium : Betta (Fighting fish), Pterophyllum (Angel fish) |

| | Examples |
|---|---|
| 54) Amphibia | Bufo (Toad), Rana (Frog), Hyla (Tree frog), Salamandra (Salamander), Ichthyophis (Limbless amphibia) |
| 55) Reptilia | ▪ Chelone (Turtle), Testudo (Tortoise), Chameleon (Tree lizard), Calotes (Garden lizard), Crocodilus (Crocodile), Alligator (Alligator), Hemidactylus (Wall lizard)<br>▪ Poisonous snakes - Naja (Cobra), Bangarus (Krait), Vipera (Viper) |
| 56) Aves | Corvus (Crow), Columba (Pigeon), Psittacula (Parrot), Struthio (Ostrich), Pavo (Peacock), Aptenodytes (Penguin), Neophron (Vulture) |
| 57) Mammalia | ▪ Oviparous – Ornithorhynchus (Platypus)<br>▪ Viviparous – Macropus (Kangaroo), Pteropus (Flying fox), Camelus (Camel), Macaca (Monkey), Rattus (Rat), Canis (Dog), Felis (Cat), Elephas (Elephant), Equus (Horse), Delphinus (Common Dolphin), Balaenoptera (Blue whale), Panthera Tigris (Tiger), Panthera leo (Lion) |
| 58) Tap root system | Mustard |

| | Examples |
|---|---|
| 59) Fibrous root system | Monocotyledonous plants |
| 60) Adventitious root system | Grass, Monstera and the banyan tree |
| 61) Prop roots | Banyan tree |
| 62) Stilt roots | Maize, sugarcane |
| 63) Pneumatophores | Rhizophora |
| 64) Modified stem | Potato, ginger, turmeric, zaminkand, Colocasia, |
| 65) Modified root | Sweet potato |
| 66) Pinnately compound leaf | Neem |
| 67) Palmately compound leaf | Silk cotton |
| 68) Alternate phyllotaxy | China rose, mustard and sunflower plants |
| 69) Opposite phyllotaxy | Calotropis and guava plants |
| 70) Whorled phyllotaxy | Alstonia |

| | Examples |
|---|---|
| 71) Actinomorphic | Mustard, datura, chili |
| 72) Zygomorphic | Pea, gulmohur, bean, Cassia |
| 73) Hypogynous flower, superior ovary | Mustard, china rose, brinjal |
| 74) Perigynous flower, half inferior ovary | Plum, rose, peach |
| 75) Epigynous flower, inferior ovary | Guava and cucumber |
| 76) Valvate aestivation | Calotropis |
| 77) Twisted aestivation | China rose, lady's finger and cotton |
| 78) Imbricate aestivation | Cassia and gulmohur |
| 79) Vexillary aestivation | Pea and bean flowers |
| 80) Monoadelphous androecium | China rose |
| 81) Diadelphous androecium | Pea |
| 82) Polyadelphous androecium | Citrus |

| | Examples |
|---|---|
| 83) Apocarpous gynoecium | Lotus and rose |
| 84) Syncarpous gynoecium | Mustard and tomato |
| 85) Marginal placentation | Pea |
| 86) Axile placentation | China rose, tomato and lemon |
| 87) Parietal placentation | Mustard and Argemone |
| 88) Free central placentation | Dianthus and Primrose |
| 89) Basal placentation | Sunflower, marigold |
| 90) Fabaceae | ▪ Pulses – gram, arhar, sem, moong, soyabean<br>▪ Edible oil – Soya bean, ground nut<br>▪ Dye – Indigofera<br>▪ Fibers – sunhemp<br>▪ Fodder – Sesbania, Trifolium<br>▪ Ornamentals – Lupin, sweet pea<br>▪ Medicine - muliathi |

| | Examples |
|---|---|
| 91) Solanaceae | Tomato, brinjal, potato, spice (chili), medicine (belladonna, ashwagandha), fumigatory (tobacco), ornamentals (petunia) |
| 92) Liliaceae | Tulip, Gloriosa, source of medicine (Aloe), vegetables (Asparagus), and colchine (Cilchicum autumnale) |
| 93) Endo membrane system | Endoplasmic reticulum (ER), golgi complex, lysosomes and vacuoles |
| 94) Pigments | Carotenoids, Anthocyanins |
| 95) Alkaloids | Morphine, Codeine |
| 96) Terpenoides | Monoterpenes, Diterpenes |
| 97) Essential oils | Lemon grass oil |
| 98) Toxins | Abrin, Ricin |
| 99) Lectins | Concanavalin A |

| | Examples |
|---|---|
| 100)Drugs | Vinblastin, curcumin |
| 101)Polymeric substance | Rubber, gums, cellulose |
| 102)Macronutrients | Carbon, hydrogen, oxygen, nitrogen, phosphorous, sulphur, potassium, calcium and magnesium |
| 103)Micronutrients | Iron, manganese, copper, molybdenum, zinc, boron, chlorine and nickel |
| 104)Beneficial elements | Sodium, silicon, cobalt and selenium |
| 105)Chlorosis is caused by the deficiency of | N, K, Mg, S, Fe, Mn, Zn AND Co |
| 106)Necrosis or death of tissue is caused by the deficiency of | Ca, Mg, Cu, K |
| 107)Inhibition of cell division is caused by the deficiency of | N, K, S, Mo |
| 108)Delay in flowering is caused by the deficiency of | N, S, Mo |

| | Examples |
|---|---|
| 109)Nitrifying bacteria | Nitrosomonas, Nitrococcus, Nitrobacter |
| 110)Denitrifying bacteria | Pseudomonas, Thiobacillus |
| 111)Vernalization | ▪ Biennial plants – Sugarbeet, cabbages, carrots |
| 112)Respiration by simple diffusion (over entire body surface) | Lower invertebrates like sponges, coelenterates, flatworms |
| 113)Cutaneous respiration | Earthworms |
| 114)Tracheal respiration | Insects |
| 115)Branchial respiration (Gills) | Most of the aquatic arthropods and molluscs |
| 116)Pulmonary respiration | Amphibians, reptiles, birds and mammals |
| 117)2-chambered heart | Fishes |
| 118)3-chambered heart | Amphibians and reptiles (except crocodiles) |
| 119)4-chambered heart | Birds and mammals |

| | Examples |
|---|---|
| 120)Ammonotelic animals | Many bony fishes, aquatic amphibians and aquatic insects |
| 121)Ureotelic animals | Mammals, many terrestrial amphibians and marine fishes |
| 122)Uricotelic animals | Reptiles, birds, land snails and insects |
| 123)Excretory structures | ▪ Protonephridia or flame cells – flatworm (Planaria), rotifers, some annelids and the cephalochordate – Amphioxus<br>▪ Nephridia – earthworms and other annelids<br>▪ Malpighian tubules – most of the insects including cockroaches<br>▪ Antennal glands or green glands – crustaceans like prawns |
| 124)Amoeboid movement | Amoeba |
| 125)Ciliary movement | Coordinated movement of cilia in trachea, passage of ova through the female reproductive tracts |
| 126)Muscular movement | Movement of our jaws, limbs, tongue |
| 127)Flagellar movement | Swimming of spermatozoa, canal system of sponges, locomotion of protozoans like Euglena |

| | Examples |
|---|---|
| 128)Fibrous joints | Sutures of skull |
| 129)Cartilaginous joints | Between the adjacent vertebrae in the vertebral column |
| 130)Synovial joint | ▪ Ball and socket joints – between humerus and pectoral girdle)<br>▪ Hinge joint – Knee joint<br>▪ Pivot joint – between atlas and axis<br>▪ Gliding joint – between the carpals<br>▪ Saddle joint – between carpal and metacarpal of thumb |
| 131)Multipolar neurons | In cerebral cortex |
| 132)Bipolar neurons | Retina of eye |
| 133)Unipolar neurons | Usually in the embryonic stage |
| 134)Peptide, polypeptide, protein hormones | Insulin, glucagon, pituitary hormones, hypothalamic hormones |
| 135)Steroids | Cortisol, testosterone, estradiol, progesterone |

| | Examples |
|---|---|
| 136)Iodothyronines | Thyroid hormones |
| 137)Amino – acid derivatives | Epinephrine |
| 138)Hormones with membrane – bound receptors | Protein hormones |
| 139)Hormones with intracellular receptors | Steroid hormones, idothyronines |