Building ToDo app Delete

```
Add deleteTodo method
@Controller
@SessionAttributes("name")
public class TodoController {
     @Autowired
     private TodoService todoService;
     @RequestMapping(value = "/list-todos", method =
RequestMethod.GET)
     public String listTodo(ModelMap modelMap) {
           String name = (String) modelMap.get("name");
           modelMap.put("todos", todoService.listTodo(name));
           return "list-todos";
     }
     @RequestMapping(value = "/add-todo", method =
RequestMethod.GET)
     public String showTodoPage(ModelMap modelMap) {
           return "todo";
     @RequestMapping(value = "/add-todo", method =
RequestMethod. POST)
     public String addTodo(ModelMap modelMap, @RequestParam String
desc) {
           todoService.addTodo(new Todo((String)
modelMap.get("name"), desc, new Date(), false));
           return "redirect:/list-todos";
     @RequestMapping(value = "/delete-todo", method =
RequestMethod.GET)
     public String deleteTodo(@RequestParam int id) {
           todoService.deleteTodo(id):
           return "redirect:/list-todos";
     }
}
In list-todos.jsp add delete button
List-todos.jsp
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c"%>
<html>
     <head>
           <title>Todo's for ${name}</title>
           <link href="webjars/bootstrap/4.5.3/css/</pre>
bootstrap.min.css" rel="stylesheet">
     </head>
     <body>
           <div class = "container">
```

```
<caption>Your Todos are/caption>
             <thead>
                     Description
                          Target Date
                          Is it Done ?
                          Delete
                      </thead>
                 <c:forEach items="${todos}" var =</pre>
"todo">
                          ${todo.desc}
                              ${todo.targetDate}
                              ${todo.done}
                              <a type = "button" class =
"btn btn-warning" href = "/delete-todo?id=${todo.id}">Delete</a></
td>
                          </c:forEach>
                 <div>
                 <a class = "button" href = "add-todo">Add a
Todo</a>
             </div>
             <script src="webjars/jquery/3.5.1/jquery.min.js">
script>
            <script src="webjars/bootstrap/4.5.3/js/</pre>
bootstrap.min.js"></script>
        </div>
    </body>
</html>
```