Building ToDo app nav bar and jsp fragments

Adding navigation bar to application

```
After <body> in todo.jsp add the following code. If it doesn't work
try with a lower version
<nav role="navigation" class="navbar navbar-default">
     <div class="">
          <a href="http://www.in28minutes.com" class="navbar-
brand">Todo App</a>
     </div>
     <div class="navbar-collapse">
          <a href="/login">Home</a>
                <a href="/list-todos">Todos</a>
          </div>
</nav>
Instead of adding this in all other pages we can make it generic in
all pages. Its called as JSP Fragments. Lets do it
Create a new folder common and have header.jspf, footer.jspf and
navigation.jspf file created.
Now put this below code to header.jspf
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/fmt" prefix="fmt"%>
<%@taglib uri="http://www.springframework.org/tags/form"</pre>
prefix="form"%>
<html>
     <head>
          <title>First web application</title>
          <link href="webjars/bootstrap/3.4.1/css/</pre>
bootstrap.min.css" rel="stylesheet">
     </head>
     <body>
Now put this below code to footer.jspf
     <script src="webjars/jquery/3.5.1/jquery.min.js"></script>
          <script src="webjars/bootstrap/3.4.1/js/</pre>
bootstrap.min.js"></script>
          <script src="webjars/bootstrap-datepicker/1.9.0/js/</pre>
bootstrap-datepicker.js"></script>
          <script>
                $('#targetDate').datepicker({
                     format : 'dd/mm/yyyy'
                });
          </script>
     </body>
</html>
```

```
Now put this below code to navigation.jspf
<nav role="navigation" class="navbar navbar-default">
     <div class="">
          <a href="http://www.in28minutes.com" class="navbar-
brand"><u>Todo App</u></a>
     </div>
     <div class="navbar-collapse">
          <a href="/login">Home</a>
               <a href="/list-todos">Todos</a>
          </div>
</nav>
Remove these code from todo.jsp and add a link to common files
todo.isp
<%@ include file = "common/header.jspf"%>
<%@ include file = "common/navigation.jspf"%>
<div class = "container">
     Add Todo page for ${name}
     <form:form method="post" modelAttribute="todo">
          <fieldset class = "form-group">
               <form:label path = "desc">Description</form:label>
               <form:input path = "desc" type = "text" class =</pre>
"form-control" required="required"/>
               <form:errors path = "desc" cssClass = "text-</pre>
warning"/>
          </fieldset>
          <fieldset class = "form-group">
               <form:label path = "targetDate">Target Date/
form: label>
               <form:input path = "targetDate" type = "text" class</pre>
= "form-control" required="required"/>
               <form:errors path = "targetDate" cssClass = "text-</pre>
warning"/>
          </fieldset>
          <button type = "submit" class = "btn btn-success">Add/
button>
     </form:form>
</div>
<%@ include file = "common/footer.jspf"%>
list-todos.jsp
<%@ include file = "common/header.jspf"%>
<%@ include file = "common/navigation.jspf"%>
     <div class = "container">
          <caption>Your Todos are
          <thead>
                    Description
                         Target Date
```

```
Is it Done ?
                         </thead>
               <c:forEach items="${todos}" var = "todo">
                         $\todo_desc}
                              <fmt:formatDate value="$
{todo.targetDate}" pattern = "dd/MM/yyyy"/>
                              ${todo.done}
                              <a type = "button" class = "btn
btn-success" href = "/update-todo?id=${todo.id}">Update</a>
                              <a type = "button" class = "btn"
btn-warning" href = "/delete-todo?id=${todo.id}">Delete</a>
                         </c:forEach>
               <div>
               <a class = "button" href = "add-todo">Add a Todo
a>
          </div>
          <script src="webjars/jquery/3.5.1/jquery.min.js">
script>
        <script src="webjars/bootstrap/3.4.1/js/</pre>
bootstrap.min.js"></script>
     </div>
<%@ include file = "common/footer.jspf"%>
login.jsp
<%@ include file = "common/header.jspf"%>
<%@ include file = "common/navigation.jspf"%>
     <form method = "post">
          Name : <input type = "text" name = "name"/>
          Password : <input type = "password" name = "password"/
><br>
          <input type = "submit"/>
     </form>
     <font color = "red">${errorMessage}</font>
<%@ include file = "common/footer.jspf"%>
welcome.jsp
<%@ include file = "common/header.jspf"%>
<%@ include file = "common/navigation.jspf"%>
                                                  Welcome !!! $
{name}<br>
     <a href = "/list-todos">Click here</a> to manage your todo's.
<%@ include file = "common/footer.jspf"%>
```