

# Basic todo list in the react

## 1. By normal way creating using the usestate :

```
1  import React from 'react';
2  import { useState } from 'react'
3
4  function App(){
5
6    const [task, settask] =useState([]);
7    const [input, setinput] =useState("");
8    function addtask(){
9      if(input.trim()=="")return ;
10     settask([...task, input]);
11     setinput("");
12   }
13   function deletetask(index){
14     const update = task.filter((_, i) => i !== index);
15     settask(update);
16   }
17   function edittask(index){
18     const update=prompt("edit the task", task[index]);
19     if(update !== null && update.trim() !== ""){
20       const res=[...task];
21       res[index]=update;
22       settask(res);
23     }
24   }
25   return (
26     <div style={{ padding: "20px" }}>
27       <h2>React Todo App</h2>
28
29       <input
30         type="text"
31         placeholder="Enter Task"
32         value={input}
33         onChange={(e) => setinput(e.target.value)}
34       />
35
36       <button onClick={addtask}>Add</button>
37
38       <ul>
39         {task.map((task, index) => (
40           <li key={index}>
41             {task}
42
43             <button onClick={() => edittask(index)}>
44               Edit
45             </button>
46
47             <button onClick={() => deletetask(index)}>
48               Delete
49             </button>
50           </li>
51         ))}
52       </ul>
53
54     </div>
55   );
56 }
57
```

Output:

## React Todo App

- going to walk

### 2.By using usestate and useeff:

```
1 |
2 import { useState, useEffect } from "react";
3
4 function App() {
5
6   // Load tasks from localStorage
7   const [tasks, setTasks] = useState(() => {
8     | return JSON.parse(localStorage.getItem("tasks")) || [];
9   });
10
11   // Input state
12   const [input, setInput] = useState("");
13
14   // Save tasks whenever tasks change
15   useEffect(() => {
16     | localStorage.setItem("tasks", JSON.stringify(tasks));
17   }, [tasks]);
18
19   // Add Task
20   function addTask() {
21     | if (input.trim() === "") return;
22
23     setTasks([...tasks, input]);
24     setInput("");
25   }
26
27   // Delete Task
28   function deleteTask(index) {
29     | const updatedTasks = tasks.filter((task, i) => i !== index);
30     setTasks(updatedTasks);
31   }
32 }
```

```

33 // Edit Task
34 function editTask(index) {
35   const updatedTask = prompt("Edit your task:", tasks[index]);
36
37   if (updatedTask !== null && updatedTask.trim() !== "") {
38
39     const updatedTasks = [...tasks];
40
41     updatedTasks[index] = updatedTask;
42
43     setTasks(updatedTasks);
44   }
45 }

```

```

47 return (
48   <div style={{ padding: "20px" }}>
49     <h2>React Todo App</h2>
50
51     <input
52       type="text"
53       placeholder="Enter Task"
54       value={input}
55       onChange={(e) => setInput(e.target.value)}
56     />
57
58     <button onClick={addTask}>Add</button>
59
60     <ul>
61       {tasks.map((task, index) => (
62         <li key={index}>
63           {task}
64
65           <button onClick={() => editTask(index)}>
66             Edit
67           </button>
68
69           <button onClick={() => deleteTask(index)}>
70             Delete
71           </button>
72         </li>
73       ))}
74     </ul>
75
76   </div>
77 );
78 }

```

# React Todo App

Add

- going to walk

EditDelete