

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 1: Choose an Amazon Machine Image (AMI)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace; or you can select one of your own AMIs.

Search for an AMI by entering a search term e.g. "Windows"

Quick Start

My AMIs

AWS Marketplace

Community AMIs

☐ Free tier only (1)

Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5e8b8b840b45e9 (64-bit x86) / ami-09d19e919d57453b8 (64-bit Arm)

Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is approaching end of life on December 31, 2020 and has been removed from this wizard.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

macOS Big Sur 11.4 - ami-0459d9b36d9c5ba5

The macOS Big Sur AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

macOS Catalina 10.15.7 - ami-04c57b416ca98499

The macOS Catalina AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

macOS Mojave 10.14.6 - ami-075723d78ced20b6

The macOS Mojave AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

Red Hat Enterprise Linux 8 (HVM), SSD Volume Type - ami-0b0af35771e5c3532 (64-bit x86) / ami-01fc429821bf1f4b4 (64-bit Arm)

Red Hat Enterprise Linux version 8 (HVM), EBS General Purpose (SSD) Volume Type

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

Explore AWS

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic to your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more about Amazon EC2 security groups.](#)

Assign a security group: ☐ Create a new security group

☐ Select an existing security group

Security group name: launch-wizard-2

Description: launch-wizard-2 created 2021-06-07T11:30:07.135+05:30

Type	Protocol	Port Range	Source	Description
SSH	TCP	22	Custom 0.0.0.0/0	e.g. SSH for Admin Desktop
All traffic	All	0 - 65535	Anywhere 0.0.0.0/0	e.g. SSH for Admin Desktop

Add Rule

Warning
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Cancel Previous Review and Launch

Choose AMI2. Choose Instance Type3. Configure Instance4. Add Storage5. Add Tags6. Configure Security Group7. Review

Step 7: Review Instance Launch

⚠️

Improve your instances' security. Your security group, launch-wizard-2, is open to the world.

Your instances may be accessible from any IP address. We recommend that you update your security group rules to allow access from known IP addresses only. You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. [Edit security groups](#)

AMI Details

Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5eff06f840b45e

Free tier eligible

Root device type: ebs

Virtualization type: hvm

Instance Type

Instance Type	ECUs	vCPUs	Memory (GiB)	Instance
t2.micro	-	1	1	EBS on

Security Groups

Security group name

launch-wizard-2

Description

launch-wizard-2 created 2021-06-07T11:30:07.135+05:30

Type	Protocol	Port Range
SSH	TCP	22
All traffic	All	All
All traffic	All	All

Instance Details

Storage

Tags

Cancel

Previous

Launch

Select an existing key pair or create a new key pair

A key pair consists of a **public key** that AWS stores, and a **private key file** that you store. Together, they allow you to connect to your instance securely. For Windows AMIs, the private key file is required to obtain the password used to log into your instance. For Linux AMIs, the private key file allows you to securely SSH into your instance.

Note: The selected key pair will be added to the set of keys authorized for this instance. Learn more about [removing existing key pairs from a public AMI](#).

Create a new key pair

Key-pair name

my-move-pksh

Download Key Pair

You have to download the **private key file** (*.pem file) before you can continue. **Store it in a secure and accessible location.** You will not be able to download the file again after it's created.

Cancel

Launch Instances

Services

Search for services, features, marketplace products, and docs

[Alt+S]

Corestack_Role/nagaraju2186@gmail @ 4354-7449-1181 N. Virginia Support

New EC2 Experience

EC2 Dashboard

Tags

Limits

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Scheduled Instances

Capacity Reservations

Images

AMIs

Elastic Block Store

Instances (1/1)

Info

Filter instances

Instance state: running

Clear filters

Connect

Instance state

Actions

Launch Instances

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
<input checked="" type="checkbox"/>	-	i-0b18d5979f1518b1f	Running	t2.micro	Initializing	No alarms	us-east-1d	ec2-3-87-23-8.compute...	3.87.23.8	-

← → ↻ 🏠 <https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#ConnectToInstance:instanceId=i-0e19201d262ba77e5>

aws Services ▾ 🔍 Search for services, features, marketplace products, and docs [Alt+S]

EC2 > Instances > i-0e19201d262ba77e5 > Connect to instance

Connect to instance [Info](#)

Connect to your instance i-0e19201d262ba77e5 using any of these options

EC2 Instance Connect | Session Manager | **SSH client** | EC2 Serial Console

Instance ID
📄 i-0e19201d262ba77e5

1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is my-movie-plan.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.
📄 `chmod 400 my-movie-plan.pem`
4. Connect to your instance using its Public DNS:
📄 `ec2-52-7-134-66.compute-1.amazonaws.com`

Example:
📄 `ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com`

Note: In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.

Cancel

```
Aditya@pc: ~/Downloads
$ chmod 400 my-movie-plan.pem

Aditya@pc: ~/Downloads
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWpV9ya8umISUNYw/ntPzLfvtXE.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.

--|  --|  )
_| (  /   Amazon Linux 2 AMI
---|---|---
```

<https://aws.amazon.com/amazon-linux-2/>
6 package(s) needed for security, out of 17 available
Run "sudo yum update" to apply all updates.
[ec2-user@ip-172-31-86-0 ~]\$

```
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvtxE.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.
```

```
__|__|__| )
_|_|_|_|_| / Amazon Linux 2 AMI
_|_|_|_|_|
```

```
https://aws.amazon.com/amazon-linux-2/
$ package(s) needed for security, out of 17 available
Run "sudo yum update" to apply all updates.
ec2-user@ip-172-31-86-0 ~]$ sudo yum update -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Resolving Dependencies
--> Running transaction check
--> Package chrony.x86_64 0:3.5.1-1.amzn2.0.1 will be updated
--> Package chrony.x86_64 0:4.0-3.amzn2.0.1 will be an update
--> Package ec2-utils.noarch 0:1.2-43.amzn2 will be updated
--> Package ec2-utils.noarch 0:1.2-44.amzn2 will be an update
--> Package glibc.x86_64 0:2.26-44.amzn2 will be updated
--> Package glibc.x86_64 0:2.26-45.amzn2 will be an update
--> Package glibc-all-langpacks.x86_64 0:2.26-44.amzn2 will be updated
--> Package glibc-all-langpacks.x86_64 0:2.26-45.amzn2 will be an update
--> Package glibc-common.x86_64 0:2.26-44.amzn2 will be updated
--> Package glibc-common.x86_64 0:2.26-45.amzn2 will be an update
--> Package glibc-locale-source.x86_64 0:2.26-44.amzn2 will be updated
--> Package glibc-locale-source.x86_64 0:2.26-45.amzn2 will be an update
--> Package glibc-minimal-langpack.x86_64 0:2.26-44.amzn2 will be updated
--> Package glibc-minimal-langpack.x86_64 0:2.26-45.amzn2 will be an update
```

```
Complete!
root@ip-172-31-29-148 ~]$ java -version
penjdk version "1.8.0_282"
penJDK Runtime Environment (build 1.8.0_282-b08)
penJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
root@ip-172-31-29-148 ~]$ sudo yum install java-1.8.0-openjdk
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package 1:java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64 already installed and latest version
Nothing to do
root@ip-172-31-29-148 ~]$ java -version
penjdk version "1.8.0_282"
penJDK Runtime Environment (build 1.8.0_282-b08)
penJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
root@ip-172-31-29-148 ~]$
```

```
xml-commons-resolver.noarch 0:1.2-15.amzn2

Complete!
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install git
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package git-2.23.4-1.amzn2.0.1.x86_64 already installed and latest version
Nothing to do
[ec2-user@ip-172-31-29-148 ~]$ git --version
git version 2.23.4
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install maven
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package maven-3.0.5-17.amzn2.noarch already installed and latest version
Nothing to do
[ec2-user@ip-172-31-29-148 ~]$ mvn -v
Apache Maven 3.0.5 (Red Hat 3.0.5-17)
Maven home: /usr/share/maven
Java version: 1.8.0_282, vendor: Red Hat, Inc.
Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "4.14.231-173.360.amzn2.x86_64", arch: "amd64", family: "unix"
[ec2-user@ip-172-31-29-148 ~]$
```

```

__|  __|_ )
_| C /   Amazon Linux 2 AMI
---|---|---|

https://aws.amazon.com/amazon-linux-2/
[ec2-user@ip-172-31-29-148 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo https://pkg.jenkins.io/redhat-stable/jenkins.repo
--2021-04-29 05:12:56-- https://pkg.jenkins.io/redhat-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.250.133, 2a04:4e42:2f::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 85
Saving to: '/etc/yum.repos.d/jenkins.repo'

100%[=====] 85 --.-K/s in 0s

2021-04-29 05:12:56 (6.00 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]

[ec2-user@ip-172-31-29-148 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key
[ec2-user@ip-172-31-29-148 ~]$ yum install jenkins
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
You need to be root to perform this command.
[ec2-user@ip-172-31-29-148 ~]$ sudo -i
[root@ip-172-31-29-148 ~]# yum install jenkins
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
amzn2-core | 3.7 kB 00:00:00
jenkins | 2.9 kB 00:00:00
jenkins/primary_db | 37 kB 00:00:00
Resolving Dependencies
--> Running transaction check

```

```

[root@ip-172-31-29-148 ~]# sudo systemctl start jenkins
[root@ip-172-31-29-148 ~]# sudo cat /var/lib/jenkins/secrets/initialAdminPassword
0811c483fdc84df7906bf37a2906754c
[root@ip-172-31-29-148 ~]#

```

Not secure | 52.7.134.66:8080/login?from=%2F

Getting Started


Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password



Continue

Getting Started

Customize Jenkins


Plugins extend Jenkins with additional features to support many different needs.

Install suggested plugins

Install plugins the Jenkins community finds most useful.

Select plugins to install

Select and install plugins most suitable for your needs.



Jenkins


Dashboard > All

search


Enter an item name

mysql-my-movie-plan


Required field

**Freestyle project**


This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

**Pipeline**


Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

**Multi-configuration project**


Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

**Folder**


Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

**GitHub Organization**

Scans a GitHub organization (or user account) for all repositories matching some defined markers.

**GitHub Organization**

Scans a GitHub organization (or user account) for all repositories matching some defined markers.

**Multibranch Pipeline**

Creates a set of Pipeline projects according to detected branches in one SCM repository.

OK

```

45 haproxy2          available [ =stable ]
46 collectd          available [ =stable ]
47 aws-nitro-enclaves-cli available [ =stable ]
48 R4                available [ =stable ]
49 kernel-5.4        available [ =stable ]
50 selinux-ng         available [ =stable ]
51 php8.0            available [ =stable ]
52 tomcat9           available [ =stable ]
53 unbound1.13       available [ =stable ]
54 mariadb10.5       available [ =stable ]
55 kernel-5.10       available [ =stable ]
56 redis6            available [ =stable ]
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
ec2-user@ip-172-31-86-0 ~]$

```

```

47 aws-nitro-enclaves-cli available [ =stable ]
48 R4                available [ =stable ]
49 kernel-5.4        available [ =stable ]
50 selinux-ng         available [ =stable ]
51 php8.0            available [ =stable ]
52 tomcat9           available [ =stable ]
53 unbound1.13       available [ =stable ]
54 mariadb10.5       available [ =stable ]
55 kernel-5.10       available [ =stable ]
56 redis6            available [ =stable ]
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ docker images
EPOSITORY TAG IMAGE ID CREATED SIZE
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker jenkins
ec2-user@ip-172-31-86-0 ~]$

```

Not secure | 52.7134.66.8080/view/all/newJob

Jenkins

board > All >

Enter an item name

» Required field

- Freestyle project**
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.
- Pipeline**
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.
- Multi-configuration project**
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
- Folder**
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.
- GitHub Organization**
Scans a GitHub organization (or user account) for all repositories matching some defined markers.
- Multibranch Pipeline**
Creates a set of Pipeline projects according to detected branches in one SCM repository.

If you want to create a new item from other existing, you can use this option:

OK

hboard > my-movie-plan-backend >

General Build Triggers Advanced Project Options **Pipeline**

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

https://github.com/Riyaz/my-movie-plan-backend.git

Credentials

- none - Add

Advanced... Add Repository

Branches to build

Branch Specifier (blank for 'any')

/main

Add Branch

Repository browser

(Auto)

Additional Behaviours

Add

Script Path

Save Apply

Dashboard > **Global Tool Configuration**

Add Git

Gradle

Gradle installations

Add Gradle

List of Gradle installations on this system

Ant

Ant installations

Add Ant

List of Ant installations on this system

Maven

Maven installations

Add Maven

Maven

Name

maven

MAVEN_HOME

/usr/share/maven

☐ Install automatically

Delete Maven

Add Maven

List of Maven installations on this system

Save Apply

Jenkins

sshboard > All


54.172.237.186:8080/view/all/newJob


search


Enter an item name


my-movie-plan-backend


Required field


**Freestyle project**
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

**Pipeline**
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

**Multi-configuration project**
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

**Folder**
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

**GitHub Organization**
Scans a GitHub organization (or user account) for all repositories matching some defined markers.

**Multibranch Pipeline**
Creates a set of Pipeline projects according to detected branches in one SCM repository.

If you want to create a new item from other existing, you can use this option:

Copy from

Type to autocomplete

OK

Dashboard > my-movie-plan-backend

General

Build Triggers

Advanced Project Options

Pipeline

☐ Pipeline speed/durability override

☐ Preserve stashes from completed builds

☐ This project is parameterized

☐ Throttle builds

Build Triggers

☒ Build after other projects are built

Projects to watch

mysql-movie-plan.

☒ Trigger only if build is stable

☐ Trigger even if the build is unstable

☐ Trigger even if the build fails

☐ Build periodically

☐ GitHub hook trigger for GITScm polling

☐ Poll SCM

☐ Disable this project

☐ Quiet period

☐ Trigger builds remotely (e.g., from scripts)

Advanced Project Options

Advanced...

Pipeline

Definition

Pipeline script from SCM



SCM

Git

Repositories

Save

Apply



NMS Cinemas

[Home](#)[Login](#)[Register](#)[Forgot Password](#)

Invalid username or password

Login Page




Enter your username

nagaraju21186@gmail.com

Enter your password

••••••••

Login



NMS Cinemas

[Home](#)
[Movies](#)
[About Us](#)
[Contact Us](#)
[Admin Panel](#)

Cinema Halls

INOX

PVR

GOPALAN GRAND MALL

Add Cinema Hall

Shows

Morning Show | Time: 11:00 AM


Matinee | Time: 02:00 PM

First Show | Time: 06:00 PM

Second Show | Time: 09:00 PM

Add Show

Movies



Rrr | lang: Telugu | start: June 2, 2021 | end: June 10, 2021

Add New Movie

Your profile

Name

Nagaraju Ch

Email

nagaraju21186@gmail.com

Mobile

9966887756

Gender

Male

SHOW

Show

Now Playing

FILTERS

Language

Clear

Genre

Clear

Now Playing

Search for movie, genre or language



Now Playing

[RRR](#)

Now Playing

[RRR](#)

Now Playing

PUSHPA : Pushpa



4D Telugu

2H 30M . Crime, Action, Romance

[Book Tickets](#)LOADING IN
THEATRES FROM
13th
AUGUST 2021

About the Movie

Pushpa is an upcoming Indian Telugu language action thriller film written and directed by Sukumar. Produced by Navneet Verma and V. Ravi



Payment Gateway (do not refresh the page)

Booking Details

Auditorium	INOX
Show	First Show
Show Timing	06:00 PM
Movie Name	PUSHPA
Movie Lang	Telugu
Date	Jun 15, 2021

Card Number

16 digit card number

Month

Year

CVV

Select card expiry month

Select card expiry year

Pay ₹2,200.00

REGISTER NEW AUDITORIUM HERE

1 Auditorium Details

Seating Capacity

[Next](#)

Movie: PUSHPA

NOTE: do not refresh the page

Time: 06:00 PM

Date: Tuesday, June 15, 2021

Seats Selected: F4, F5, F6, F7, E5

Amount: 2000

[Proceed](#)

	GOLD ₹500.00															
J																
I																
H																
	SILVER ₹400.00															
G																
F																
E																
D																
	EXECUTIVE ₹300.00															
C																
B																
A																

Screen is this way

Your booking list

Booking 1 2021-06-10

Booking 2 2021-06-10



PUSHPA

INOX

Movie Language	Telugu
Total seats	5
Seat No.	F4, F5, F6, F7, E5
Price	₹2,000.00
Date	Jun 15, 2021
Time	06:00 PM
Status	Confirmed

