


Problem 1.




(i) For each input below, follow the flowchart and write the output.

input n	output
7	
-4	
0	
-19	

(ii) Can you tell what this algorithm is doing?


Problem 2.

Trace this algorithm for $n = 4$, and complete the trace table.

[illegible]


Problem 3.

Trace this algorithm for $n = 5$, and complete the trace table.

[illegible]

Problem 4.

Trace this algorithm for $n = 7$, and complete the trace table.

[illegible]

Problem 5.

Trace this algorithm for $n = 472$, and complete the trace table.

Note: $n // 10$ means whole-number division — divide and drop the remainder. For example, $472 // 10 = 47$ (not 47.2).

[illegible]


Problem 6.

Draw a flowchart for this algorithm:


Ask the user for a number n . Then go through the numbers 1, 2, 3, ... up to n , one by one: if a number is divisible by 3, print “buzz”; otherwise print the number itself.

Problem 7.

Trace this algorithm for $n = 3$, where the values of *marks* entered are 55, 82, 40 (in that order), and complete the trace table.

[illegible]

Problem 8.



(i) For each input below, follow the flowchart and write the output.


Note: $n \% 10$ gives the remainder after dividing by 10 — the last digit of n . For example, $472 \% 10 = 2$.

input n	output
123	
47	
5	
470	

(ii) Can you tell what this algorithm is doing?

Problem 9.

(i) Trace this algorithm for $n = 16$, and complete the trace table.

[illegible]

(ii) For each input below, follow the flowchart and write the output.


input n	output
8	
16	
100	
1000	

(iii) n grew from 8 all the way to 1000 — but look how little the output grew! Can you explain why?

Problem 10.

At the end of the day, a shopkeeper adds up the money received from each customer. She enters the amounts one by one, and enters 0 when there are no more. The program then shows the total. Notice that the algorithm cannot know in advance how many customers there were!

Trace this algorithm, where the values of *amount* entered are 120, 75, 200, 0 (in that order), and complete the trace table.



total	amount	output