

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>AJAX with PHP Example</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      padding: 30px;

    }

    #result {

      margin-top: 20px;

      font-size: 18px;

      color: green;

    }

    button {

      padding: 10px 20px;

      background-color: #007bff;

      color: white;

      border: none;

      cursor: pointer;

      border-radius: 5px;

    }

    button:hover {

      background-color: #0056b3;

    }

  </style>

</html>
```

```
</style>
</head>
<body>

<h2>AJAX Request to PHP</h2>
<button onclick="loadData()">Get Message from Server</button>


<div id="result"></div>

<script>
function loadData() {
    const xhttp = new XMLHttpRequest();
    xhttp.onreadystatechange = function () {
        if (this.readyState === 4 && this.status === 200) {
            document.getElementById("result").innerHTML = this.responseText;
        }
    };
    xhttp.open("GET", "response.php", true);
    xhttp.send();
}
</script>

</body>
</html>
```


Response.php:

```
<?php  
  
// You can also fetch data from a database or API here  
  
echo "Hello! This is a response from the PHP server using AJAX.";  
  
?>
```



AJAX Request to PHP

Get Message from Server



AJAX Request to PHP

Get Message from Server

Hello! This is a response from the PHP server using AJAX.

