

Practical no. 7: Write a php program to display a digital clock which displays the current time of the server.

Code :

```
<?php
// Set the timezone to match server time (can be adjusted as needed)
date_default_timezone_set('Asia/Kolkata');
?>

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Digital Clock</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
      background-color: #f0f0f0;
    }
    .clock-container {
      background-color: #fff;
      padding: 20px 40px;
      border-radius: 10px;
```

```
        box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
        text-align: center;
    }
    #clock {
        font-size: 48px;
        font-weight: bold;
        color: #333;
    }
    .date {
        font-size: 24px;
        color: #666;
        margin-top: 10px;
    }
</style>
</head>
<body>
    <div class="clock-container">
        <div id="clock"><?php echo date('H:i:s'); ?></div>
        <div class="date"><?php echo date('F j, Y'); ?></div>
    </div>

    <script>
        function updateClock() {
            const now = new Date();
            const hours = String(now.getHours()).padStart(2, '0');
            const minutes = String(now.getMinutes()).padStart(2, '0');
            const seconds = String(now.getSeconds()).padStart(2, '0');
            document.getElementById('clock').textContent = `${hours}:${minutes}:${seconds}`;
        }
    </script>
</body>
</html>
```

```
// Update clock every second
setInterval(updateClock, 1000);
updateClock(); // Initial call to avoid delay
</script>
</body>
</html>
```

12:53:24

June 18, 2025

12:53:43

June 18, 2025