



Tests you can trust

Name : B Madhavi (48Y/F)

Date : 07 Jul 2024

Test Asked : Aarogyam C Pro With Utsh



9 out of 10 Doctors trust that Thyrocare reports are accurate & reliable*



98% Reports
released within
06 Hours
of sample reaching the lab⁺



Samples
Processed in
NABL Accredited
Labs[®]



700+
Tests & Profiles



Temperature-
Controlled
Sample Logistics



Unique Barcode Tracking
& Reports with
QR Code Verification



Fully Automated
Machines Inspected
Daily



Abnormal Values
Re-Checked Twice



Reports Verified By Expert
MD Pathologists Stationed
at Every Lab

Accredited by



NABL From 2005*



ISO 9001: 2015
- From 2015



CAP From
2007

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)

REF. BY : DR SAI CNR

TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :

(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIHAH HALL LANE, OPP RISHI HIGH
SCHOOL, JPN ROAD, YELLAM BAZAR, WARANGAL,

Summary Report**Tests outside reference range**

TEST NAME	OBSERVED VALUE	UNITS	Bio. Ref. Interval.
CARDIAC RISK MARKERS			
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	6.6	mg/L	< 3
COMPLETE HEMOGRAM			
HEMATOCRIT(PCV)	46.1	%	36.0-46.0
MEAN CORP.HEMO.CONC(MCHC)	29.7	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	46.8	fL	39.0-46.0
TOTAL LEUCOCYTES COUNT (WBC)	10.23	X 10 ³ / µL	4.0 - 10.0
TOTAL RBC	5.01	X 10 ⁶ /µL	3.8-4.8
DIABETES			
AVERAGE BLOOD GLUCOSE (ABG)	163	mg/dL	90-120
HbA1c	7.3	%	< 5.7
LIPID			
LDL / HDL RATIO	1	Ratio	1.5-3.5
TC/ HDL CHOLESTEROL RATIO	2.2	Ratio	3 - 5
VITAMIN			
25-OH VITAMIN D (TOTAL)	23.8	ng/mL	30-100

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : HBA PROFILE,HEMOGRAM

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIH HALL LANE, OPP
RISHI HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC)	H.P.L.C	7.3	%

Bio. Ref. Interval. :**Bio. Ref. Interval.: As per ADA Guidelines**

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
>=6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG) **CALCULATED** **163** **mg/dL**

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) :07 Jul 2024 07:20

Sample Received on (SRT) : 08 Jul 2024 01:05

Report Released on (RRT) : 08 Jul 2024 03:17

Sample Type : EDTA Whole Blood

Labcode : 0707109127/TE052

Barcode : CE070401



Dr Amulya MD (Path)

Dr Ramya MD (Path)

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : HBA PROFILE,HEMOGRAM

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIHAH HALL LANE, OPP
RISHI HIGH SCHOOL, JPN ROAD, YELLAM
BAZAR, WARANGAL, INDIA,506002

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL LEUCOCYTES COUNT (WBC)	HF & FC	10.23	X 10³ / µL	4.0 - 10.0
NEUTROPHILS	Flow Cytometry	64.9	%	40-80
LYMPHOCYTE	Flow Cytometry	26.9	%	20-40
MONOCYTES	Flow Cytometry	5.2	%	2-10
EOSINOPHILS	Flow Cytometry	2.2	%	1-6
BASOPHILS	Flow Cytometry	0.6	%	0-2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	Flow Cytometry	0.2	%	0.0-0.4
NEUTROPHILS - ABSOLUTE COUNT	Calculated	6.64	X 10 ³ / µL	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	Calculated	2.75	X 10 ³ / µL	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	Calculated	0.53	X 10 ³ / µL	0.2 - 1.0
BASOPHILS - ABSOLUTE COUNT	Calculated	0.06	X 10 ³ / µL	0.02 - 0.1
EOSINOPHILS - ABSOLUTE COUNT	Calculated	0.23	X 10 ³ / µL	0.02 - 0.5
IMMATURE GRANULOCYTES(IG)	Calculated	0.02	X 10 ³ / µL	0.0-0.3
TOTAL RBC	HF & EI	5.01	X 10⁶/µL	3.8-4.8
NUCLEATED RED BLOOD CELLS	Calculated	0.01	X 10 ³ / µL	0.0-0.5
NUCLEATED RED BLOOD CELLS %	Flow Cytometry	0.01	%	0.0-5.0
HEMOGLOBIN	SLS-Hemoglobin Method	13.7	g/dL	12.0-15.0
HEMATOCRIT(PCV)	CPH Detection	46.1	%	36.0-46.0
MEAN CORPUSCULAR VOLUME(MCV)	Calculated	92	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	Calculated	27.3	pq	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	Calculated	29.7	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	Calculated	46.8	fL	39.0-46.0
RED CELL DISTRIBUTION WIDTH (RDW-CV)	Calculated	13.9	%	11.6-14.0
PLATELET DISTRIBUTION WIDTH(PDW)	Calculated	15.1	fL	9.6-15.2
MEAN PLATELET VOLUME(MPV)	Calculated	11.7	fL	6.5-12
PLATELET COUNT	HF & EI	310	X 10 ³ / µL	150-410
PLATELET TO LARGE CELL RATIO(PLCR)	Calculated	39	%	19.7-42.4
PLATELET CRIT(PCT)	Calculated	0.36	%	0.19-0.39


Remarks : Alert!!! Predominantly normocytic normochromic with ovalocytes. Platelets:Appear adequate in smear.

Clinical history is asked for all the relevant abnormalities detected and in absence / failure of receiving of clinical history, results are rechecked twice and released. Advised clinical correlation.

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height)

Sample Collected on (SCT) : 07 Jul 2024 07:20
Sample Received on (SRT) : 08 Jul 2024 01:05
Report Released on (RRT) : 08 Jul 2024 03:17
Sample Type : EDTA Whole Blood
Labcode : 0707109127/TE052
Barcode : CE070401



Dr Amulya MD (Path)



Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIH HALL LANE, OPP
RISHI HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
-----------	------------	-------	-------

25-OH VITAMIN D (TOTAL)**E.C.L.I.A****23.8****ng/mL****Bio. Ref. Interval. :**

Deficiency : <=20 ng/ml || Insufficiency : 21-29 ng/ml

Sufficiency : >= 30 ng/ml || Toxicity : >100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health.

Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome.

Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):9.20%, Inter assay (%CV):8.50%

Kit Validation Reference : Holick M. Vitamin D the underappreciated D-Lightful hormone that is important for Skeletal and cellular health Curr Opin Endocrinol Diabetes 2002:9(1)87-98.

Method : Fully Automated Electrochemiluminescence Competitive Immunoassay

VITAMIN B-12**E.C.L.I.A****424****pg/mL****Bio. Ref. Interval. :**

Normal: 197-771 pg/ml

Clinical significance :

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath.

Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):2.6%, Inter assay (%CV):2.3 %

Kit Validation Reference : Thomas L.Clinical laborator Diagnostics : Use and Assessment of Clinical laboratory Results 1st Edition,TH Books-Verl-Ges,1998:424-431

Method : Fully Automated Electrochemiluminescence Compititive Immunoassay

Please correlate with clinical conditions.

Sample Collected on (SCT) :07 Jul 2024 07:20

Sample Received on (SRT) : 08 Jul 2024 01:07

Report Released on (RRT) : 08 Jul 2024 05:55

Sample Type : SERUM

Labcode : 0707109303/TE052

Barcode : CO790936

Dr Amulya MD (Path)

Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIHAH HALL LANE, OPP RISHI
HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP) Bio. Ref. Interval. :-	IMMUNOTURBIDIMETRY	6.6	mg/L

< 1.00 - Low Risk
1.00 - 3.00 - Average Risk
>3.00 - 10.00 - High Risk
> 10.00 - Possibly due to Non-Cardiac Inflammation

Disclaimer: Persistent unexplained elevation of HSCRP >10 should be evaluated for non-cardiovascular etiologies such as infection , active arthritis or concurrent illness.

Clinical significance:

High sensitivity C- reactive Protein (HSCRP) can be used as an independent risk marker for the identification of Individuals at risk for future cardiovascular Disease. A coronary artery disease risk assessment should be based on the average of two hs-CRP tests, ideally taken two weeks apart.

Kit Validation Reference:

- 1.Clinical management of laboratory data in medical practice 2003-3004, 207(2003).
- 2.Tietz : Textbook of Clinical Chemistry and Molecular diagnostics :Second edition :Chapter 47:Page no.1507- 1508.

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION – BECKMAN COULTER

Sample Collected on (SCT) : 07 Jul 2024 07:20
Sample Received on (SRT) : 08 Jul 2024 01:07
Report Released on (RRT) : 08 Jul 2024 05:55
Sample Type : SERUM
Labcode : 0707109303/TE052
Barcode : CO790936

Dr Amulya MD (Path)

Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIHAH HALL LANE, OPP RISHI
HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
TESTOSTERONE	E.C.L.I.A	17.3	ng/dL
Bio. Ref. Interval. :-			

6 - 82

Clinical Significance: Clinical evaluation of serum testosterone, along with serum LH, assists in evaluation of Hypogonadal males. Major causes of lowered testosterone in males include Hypogonadotropic hypogonadism, testicular failure Hyperprolactinemia, Hypopituitarism some types of liver and kidney diseases and critical illness.

Specifications: Precision: Intra assay (%CV): 11.50 %, Inter assay (%CV): 5.70%; Sensitivity: 7 ng/dL.
Kit Validation Reference: Wilson JD Foster DW (Eds) Williams Textbook of Endocrinology 8th Edition WB Saunders Piladelphia Pennsylvania.

Note : The Biological Reference Range mentioned is specific to the age group and gender. Kindly correlate clinically.

Please correlate with clinical conditions.

Method:- Fully Automated Electrochemiluminescence Compititive Immunoassay

Sample Collected on (SCT) : 07 Jul 2024 07:20
Sample Received on (SRT) : 08 Jul 2024 01:07
Report Released on (RRT) : 08 Jul 2024 05:55
Sample Type : SERUM
Labcode : 0707109303/TE052
Barcode : CO790936

Dr Amulya MD (Path)

Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGRAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAH HALL LANE, OPP
RISHI HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON Bio. Ref. Interval. : Male : 65 - 175 Female : 50 - 170 Method : Ferrozine method without deproteinization	PHOTOMETRY	65.61	µg/dL
TOTAL IRON BINDING CAPACITY (TIBC) Bio. Ref. Interval. : Male: 225 - 535 µg/dl Female: 215 - 535 µg/dl Method : Spectrophotometric Assay	PHOTOMETRY	385.07	µg/dL
% TRANSFERRIN SATURATION Bio. Ref. Interval. : 13 - 45 Method : Derived from IRON and TIBC values	CALCULATED	17.04	%
UNSAT.IRON-BINDING CAPACITY(UIBC) Bio. Ref. Interval. : 162 - 368 Method : SPECTROPHOTOMETRIC ASSAY	PHOTOMETRY	319.46	µg/dL

Please correlate with clinical conditions.

Sample Collected on (SCT) :07 Jul 2024 07:20

Sample Received on (SRT) : 08 Jul 2024 01:07

Report Released on (RRT) : 08 Jul 2024 05:55

Sample Type : SERUM

Labcode : 0707109303/TE052

Barcode : CO790936

Dr Amulya MD (Path)

Dr Ramya MD (Path)

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIH HALL LANE, OPP RISHI HIGH
SCHOOL, JPN ROAD, YELLAM BAZAR, WARANGAL,
INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL CHOLESTEROL	PHOTOMETRY	131	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	58	mg/dL	40-60
HDL / LDL RATIO	CALCULATED	0.98	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	60	mg/dL	< 100
TRIG / HDL RATIO	CALCULATED	2.02	Ratio	< 3.12
TRIGLYCERIDES	PHOTOMETRY	118	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	2.2	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	1	Ratio	1.5-3.5
NON-HDL CHOLESTEROL	CALCULATED	72.5	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	23.59	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
HD/LD - Derived from HDL and LDL values.
LDL - Direct Measure
TRI/H - Derived from TRIG and HDL Values
TRIG - Enzymatic, End Point
TC/H - Derived from serum Cholesterol and Hdl values
LDL/ - Derived from serum HDL and LDL Values
NHDL - Derived from serum Cholesterol and HDL values
VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : 07 Jul 2024 07:20


Sample Received on (SRT) : 08 Jul 2024 01:07

Report Released on (RRT) : 08 Jul 2024 05:55

Sample Type : SERUM

Labcode : 0707109303/TE052

Barcode : CO790936



Dr Amulya MD (Path)



Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILIAH HALL LANE, OPP RISHI HIGH
SCHOOL, JPN ROAD, YELLAM BAZAR, WARANGAL,
INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
ALKALINE PHOSPHATASE	PHOTOMETRY	86.55	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.64	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.15	mg/dL	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.49	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	19.16	U/L	< 38
SGOT / SGPT RATIO	CALCULATED	1.24	Ratio	< 2
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	18.23	U/L	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	14.75	U/L	< 34
PROTEIN - TOTAL	PHOTOMETRY	6.68	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.9	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	2.78	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.4	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILT - Vanadate Oxidation
BILD - Vanadate Oxidation
BILI - Derived from serum Total and Direct Bilirubin values
GGT - Modified IFCC method
OT/PT - Derived from SGOT and SGPT values.
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation
PROT - Biuret Method
SALB - Albumin Bcg¹method (Colorimetric Assay Endpoint)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - Derived from serum Albumin and Protein values

Sample Collected on (SCT) : 07 Jul 2024 07:20

Sample Received on (SRT) : 08 Jul 2024 01:07

Report Released on (RRT) : 08 Jul 2024 05:55

Sample Type : SERUM

Labcode : 0707109303/TE052

Barcode : CO790936

Dr Amulya MD (Path)

Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :

(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIH HALL LANE, OPP RISHI HIGH
SCHOOL, JPN ROAD, YELLAM BAZAR, WARANGAL,
INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
UREA (CALCULATED)	CALCULATED	25.89	mg/dL	Adult : 17-43
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	12.1	mg/dL	7.94 - 20.07
UREA / SR.CREATININE RATIO	CALCULATED	39.84	Ratio	< 52
CREATININE - SERUM	PHOTOMETRY	0.65	mg/dL	0.55-1.02
BUN / SR.CREATININE RATIO	CALCULATED	18.62	Ratio	9:1-23:1
CALCIUM	PHOTOMETRY	9.9	mg/dL	8.8-10.6
URIC ACID	PHOTOMETRY	4.48	mg/dL	3.2 - 6.1
SODIUM	I.S.E	137.27	mmol/L	136 - 145
CHLORIDE	I.S.E	105.08	mmol/L	98 - 107

Please correlate with clinical conditions.

Method :

UREAC - Derived from BUN Value.
BUN - Kinetic UV Assay.
UR/CR - Derived from UREA and Sr.Creatinine values.
SCRE - Creatinine Enzymatic Method
B/CR - Derived from serum Bun and Creatinine values
CALC - Arsenazo III Method, End Point.
URIC - Uricase / Peroxidase Method
SOD - ION SELECTIVE ELECTRODE
CHL - ION SELECTIVE ELECTRODE

Sample Collected on (SCT) : 07 Jul 2024 07:20

Sample Received on (SRT) : 08 Jul 2024 01:07

Report Released on (RRT) : 08 Jul 2024 05:55

Sample Type : SERUM

Labcode : 0707109303/TE052

Barcode : CO790936

Dr Amulya MD (Path)

Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIAH HALL LANE, OPP RISHI HIGH
SCHOOL, JPN ROAD, YELLAM BAZAR, WARANGAL,
INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	E.C.L.I.A	107	ng/dL	80-200
TOTAL THYROXINE (T4)	E.C.L.I.A	8.98	µg/dL	4.8-12.7
TSH - ULTRASENSITIVE	E.C.L.I.A	2.97	µIU/mL	0.54-5.30

Comments : SUGGESTING THYRONORMALCY

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3,T4 - Fully Automated Electrochemiluminescence Compititive Immunoassay

USTSH - Fully Automated Electrochemiluminescence Sandwich Immunoassay

Pregnancy reference ranges for TSH/USTSH :

Trimester || T3 (ng/dl) || T4 (µg/dl) || TSH/USTSH (µIU/ml)

1st || 83.9-196.6 || 4.4-11.5 || 0.1-2.5

2nd || 86.1-217.4 || 4.9-12.2 || 0.2-3.0

3rd || 79.9-186 || 5.1-13.2 || 0.3-3.5

References :

1. Carol Devilia, C I Parhon. First Trimester Pregnancy ranges for Serum TSH and Thyroid Tumor reclassified as Benign. Acta Endocrinol. 2016; 12(2) : 242 - 243

2. Kulhari K, Negi R, Kalra DK et al. Establishing Trimester specific Reference ranges for thyroid hormones in Indian women with normal pregnancy : New light through old window. Indian Journal of Contemporary medical research. 2019; 6(4)

Disclaimer :Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Sample Collected on (SCT) : 07 Jul 2024 07:20

Sample Received on (SRT) : 08 Jul 2024 01:07

Report Released on (RRT) : 08 Jul 2024 05:55

Sample Type : SERUM

Labcode : 0707109303/TE052 Dr Amulya MD (Path)

Barcode : CO790936

Dr Ramya MD (Path)

Page : 10 of 12

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : B MADHAVI (48Y/F)
REF. BY : DR SAI CNR
TEST ASKED : AAROGYAM C PRO WITH UTSH

SAMPLE COLLECTED AT :
(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIH HALL LANE, OPP RISHI
HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR) Bio. Ref. Interval. :-	CALCULATED	105	mL/min/1.73 m2

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

~~ End of report ~~

Sample Collected on (SCT) : 07 Jul 2024 07:20
Sample Received on (SRT) : 08 Jul 2024 01:07
Report Released on (RRT) : 08 Jul 2024 05:55
Sample Type : SERUM
Labcode : 0707109303/TE052
Barcode : CO790936



Dr Amulya MD (Path)

Dr Ramya MD (Path)

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>
- ✓ For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!

Download Thyroapp Now

Launching

Jaanh

For a closer look at your health with

Doctor-Curated Specialised Packages All Under One Roof

Heart	Fever	Cancer	Women's - Reproductive Health	
Thyroid	Diabetes	STDs	Skin Care	Hair Fall

Thyrocare
Tests you can trust

+T&C Apply, # Upto 95% Samples in NABL Accredited Labs, * As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)