



Tests you can trust

Name : M Kethamma (52Y/F)

Date : 26 Jun 2024

Test Asked : Scre



9 out of 10 Doctors trust that Thyrocare reports are accurate & reliable*



98% Reports
released within
06 Hours
of sample reaching the lab⁺



Samples
Processed in
NABL Accredited
Labs[®]



700+
Tests & Profiles



Temperature-
Controlled
Sample Logistics



Unique Barcode Tracking
& Reports with
QR Code Verification



Fully Automated
Machines Inspected
Daily



Abnormal Values
Re-Checked Twice



Reports Verified By Expert
MD Pathologists Stationed
at Every Lab

Accredited by



NABL From 2005*



ISO 9001: 2015
- From 2015



CAP From
2007

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : M KETHAMMA (52Y/F)

REF. BY : DR SAI CNR

TEST ASKED : SERUM CREATININE

SAMPLE COLLECTED AT :

(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIHAH HALL LANE, OPP RISHI
HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
CREATININE - SERUM	PHOTOMETRY	7.15	mg/dL
Bio. Ref. Interval. :-			

Male : 0.72 -1.18 mg/dL

Female: 0.55 - 1.02 mg/dL

Clinical Significance :

The significance of a single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACEI) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic.

Please correlate with clinical conditions.

Method:- Creatinine Enzymatic Method

Sample Collected on (SCT) : 26 Jun 2024 06:25

Sample Received on (SRT) : 27 Jun 2024 00:27

Report Released on (RRT) : 27 Jun 2024 09:52

Sample Type : SERUM

Labcode : 2606115211/TE052

Barcode : CB766582



Dr Amulya MD (Path)

Dr Ramya MD (Path)

PROCESSED AT :**Thyrocare**

H. NO. 1-9-645,Vidyanagar,
Adikmet Road,Near SBH,
Hyderabad-500 044



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703 98706 66333 wellness@thyrocare.com

9 out of 10 Doctors Trust that Thyrocare Reports are Accurate & Reliable

NAME : M KETHAMMA (52Y/F)

REF. BY : DR SAI CNR

TEST ASKED : SERUM CREATININE

SAMPLE COLLECTED AT :

(5060021493),SAI CNR POLYCLINIC AND
DIAGNOSTICS,MOGILAIHAH HALL LANE, OPP RISHI
HIGH SCHOOL, JPN ROAD, YELLAM BAZAR,
WARANGAL, INDIA,506002

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR) Bio. Ref. Interval. :-	CALCULATED	< 15	mL/min/1.73 m2

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

~~ End of report ~~

Sample Collected on (SCT) : 26 Jun 2024 06:25

Sample Received on (SRT) : 27 Jun 2024 00:27

Report Released on (RRT) : 27 Jun 2024 09:52

Sample Type : SERUM

Labcode : 2606115211/TE052

Barcode : CB766582



Dr Amulya MD (Path)

Dr Ramya MD (Path)

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>
- ✓ For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!

Download Thyroapp Now

Launching

Jaanh

For a closer look at your health with

Doctor-Curated Specialised Packages All Under One Roof

Heart	Fever	Cancer	Women's - Reproductive Health
Thyroid	Diabetes	STDs	Skin Care
			Hair Fall

Thyrocare
Tests you can trust

+T&C Apply, # Upto 95% Samples in NABL Accredited Labs, * As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)