```
Dt: 9/12/2023
Layout:
EditProfileServlet.java
package test;
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.*;
@SuppressWarnings("serial")
@WebServlet("/edit")
public class EditProfileServlet extends HttpServlet{
      @Override
protected void doGet(HttpServletRequest req,HttpServletResponse res)
throws ServletException,IOException{
      Cookie c[] = req.getCookies();
      if(c==null) {
            req.setAttribute("msg", "Session Expired...<br>");
            RequestDispatcher rd = req.getRequestDispatcher("Home.jsp");
            rd.forward(req, res);
      }else {
            String fName = c[0].getValue();
```

```
req.setAttribute("fname",fName);
         RequestDispatcher rd = req.getRequestDispatcher
                   ("EditProfile.jsp");
         rd.forward(reg, res);
    }
}
}
EditProfile.jsp
<%@ page language="java"</pre>
         contentType="text/html; charset=ISO-8859-1"
         pageEncoding="ISO-8859-1"
         import="test.UserBean"
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
< %
String fName = (String) request.getAttribute("fname");
UserBean ub =
(UserBean) application.getAttribute("ubean");
out.println("Page belongs to : "+fName+"<br>");
응> _
<form action="update" method="post">
Address:<input type="text" name="addr"
value=<%=ub.getAddr() %>><br>
MailId:<input type="text" name="mid"
value=<%=ub.getmId() %>><br>
PhoneNo:<input type="text" name="phno"
value=<%=ub.getPhNo() %>><br>
<input type="submit" value="UpdateProfile">
```

```
</form>
</body>
</html>
UpdateProfileDAO.java
package test;
import java.sql.*;
public class UpdateProfileDAO {
    public int k=0;
    public int update(UserBean ub) {
    try {
         Connection con = DBConnection.getCon();
         PreparedStatement ps = con.prepareStatement
         ("update UserReg57 set addr=?,mid=?,phno=?
where uname=? and pword=?");
         ps.setString(1, ub.getAddr());
         ps.setString(2, ub.getmId());
         ps.setLong(3, ub.getPhNo());
         ps.setString(4, ub.getuName());
         ps.setString(5, ub.getpWord());
         k = ps.executeUpdate();
    }catch(Exception e) {e.printStackTrace();}
    return k;
}
UpdateProfileServlet.java
package test;
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
```

import javax.servlet.annotation.*;

```
@SuppressWarnings("serial")
@WebServlet("/update")
public class UpdateProfileServlet extends HttpServlet{
      @Override
protected void doPost(HttpServletRequest req,HttpServletResponse res
throws ServletException,IOException{
      Cookie c[] = req.getCookies();
      if(c==null) {
            req.setAttribute("msg", "Session Expired...<br
            RequestDispatcher rd =
                        req.getRequestDispatcher("Home.jsp");
            rd.forward(reg, res);
      }else {
            ServletContext sct = req.getServletContext();
            //Accessing the reference of ServletContext Object
            UserBean ub = (UserBean)sct.getAttribute("ubean");
       ub.setAddr(req.getParameter("addr"));
            ub.setmId(req.getParameter("mid"));
            ub.setPhNo(Long.parseLong(req.getParameter("phno")));
            int k = new UpdateProfileDAO().update(ub);
            String fName = c[0].getValue();
            req.setAttribute("fname", fName);
```

```
if(k>0) {
              req.setAttribute("msg", "Profile Updated Successfully..<br>");
         }
         RequestDispatcher rd = req.getRequestDispatcher
                   ("UpdateProfile.jsp");
         rd.forward(req, res);
    }
}
UpdateProfile.jsp
<%@ page language="java"</pre>
         contentType="text/html; charset=ISO-8859-1"
         pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
< %
String fName = (String)request.getAttribute("fname");
String msg = (String)request.getAttribute("msg");
out.println("Page belongs to : "+fName+"<br>");
out.println(msg);
응>
<a href="view">ViewProfile</a>
<a href="logout">Logout</a>
</body>
</html>
```

=

Assignment:


ApplicationName: EmployeeMangement

DB Tables:

AdminTab57(uname,pword,fname,Iname,addr,mid,phno)

Employee57(eid,ename,edesg,bsal,hra,da,totsal)

Layout:



====

Jenkaieshnaipathil