

Draw-Integration_Suite

Execution Environment

Host name	nagesh.allu - DESKTOP-9VU7G8T.attlocal.net
OS	Windows 10 64bit
Katalon version	7.6.6.205
Browser	Chrome 85.0.4183.102

Summary

ID	Test Suites/Draw-Integration_Suite		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2020-09-16 11:08:20	End	2020-09-16 11:11:51
Elapsed	3m - 30.317s		

#	ID	Description	Status
1	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Reject-Vouchers-Receipts		FAILED

FDR-Draw-Reject-Vouchers-Receipts

Information

ID	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Reject-Vouchers-Receipts		
Description			
Tag			
Start	2020-09-16 11:08:21	End	2020-09-16 11:11:51
Elapsed	3m - 30.016s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.005s	PASSED
2	Start listener action : beforeTestCase	0.002s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr.cammis-mod-sit.dhcs.ca.gov' successfully	22.012s	PASSED
4	Start listener action : executeRows	0.017s	PASSED
5	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.137s	PASSED
6	drawDate = "10/21/2020"	0.000s	PASSED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
7	Uifunctions.clickOnReconcileButton(drawDate) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 3 second(s)	12.944s	PASSED
8	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.299s	PASSED
9	click(findTestObject("FDR-Draw/RejectVocuherReceipts/thumbsUpButtonVoucher")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thumbsUpButtonVoucher' is clicked on	0.397s	PASSED
10	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.212s	PASSED
11	rejectVoucherNum = getText(findTestObject("FDR-Draw/RejectVocuherReceipts/voucherNum1")) Text of object 'Object Repository/FDR-Draw/RejectVocuherReceipts/voucherNum1' is: 'CAP00000038'	0.280s	PASSED
12	click(findTestObject("FDR-Draw/RejectVocuherReceipts/thubmsDownVoucher1")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thubmsDownVoucher1' is clicked on	0.708s	PASSED
13	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.106s	PASSED
14	click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)' is clicked on	0.392s	PASSED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
15	<code>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</code> Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.088s	PASSED
16	<code>click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"))</code> Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' is clicked on	0.354s	PASSED
17	<code>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</code> Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.229s	PASSED
18	<code>sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), "Federal")</code> Keys 'Federal' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'	0.385s	PASSED
19	<code>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</code> Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.060s	PASSED
20	<code>sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), Keys.chord(UP, ENTER))</code> Keys 'UP + ENTER + ' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'	0.349s	PASSED
21	<code>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</code> Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.112s	PASSED
22	<code>click(findTestObject("FDR-Draw/RejectVocuherReceipts/addFundButton"))</code> Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/addFundButton' is clicked on	0.376s	PASSED
23	<code>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)</code> Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)	5.067s	PASSED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
24	click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' is clicked on	0.356s	PASSED
25	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)	5.186s	PASSED
26	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), "Non-Federal") Keys 'Non-Federal' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2'	0.366s	PASSED
27	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.232s	PASSED
28	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2'	0.320s	PASSED
29	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.244s	PASSED
30	click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry' is clicked on	0.371s	PASSED
31	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.077s	PASSED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
32	rejectionReason1 = getAttribute(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), "value", STOP_ON_FAILURE) Attribute 'value' of object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' is: 'Non-Federal Fund HQAF (3158), FY 2020/2021 SCHIP (611) HQAF, 611 SB239 (2013) HQAF'	0.297s	PASSED
33	rejectionReason2 = getAttribute(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), "value", STOP_ON_FAILURE) Attribute 'value' of object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' is: 'Non-Federal Fund HQAF (3158), FY 2020/2021 MA (611) HQAF, 611 SB239 (2013) HQAF'	0.297s	PASSED
34	click(findTestObject("Object Repository/FDR-Draw/RejectVocuherReceipts/rejectVoucherButton")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/rejectVoucherButton' is clicked on	0.491s	PASSED
35	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)	5.251s	PASSED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
36	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/thumbsUpButtonReceipt"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/thumbsUpButtonReceipt' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/thumbsUpButtonReceipt'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:46)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thumbsUpButtonReceipt' located by '([/*[text()='Expenditures']/parent::*//parent::*//parent::*//parent::*//button)[12]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)</p>	4.403s	FAILED


FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:46) ... 13 more)</pre>		
37	<pre>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</pre> <p>Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)</p>	3.256s	PASSED
38	<pre>click(findTestObject("FDR-Draw/RejectVoucherReceipts/thubmsDownReceipts1"))</pre> <p>Object: 'Object Repository/FDR-Draw/RejectVoucherReceipts/thubmsDownReceipts1' is clicked on</p>	0.332s	PASSED
39	<pre>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</pre> <p>Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)</p>	3.215s	PASSED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
40	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run (FDR-Draw-Reject-Vouchers-Receipts:54)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1600279698766.run (TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)' located by '//span[contains(.,'Overdrawn Fund(s)')]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call</p>	4.575s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:54) ... 13 more)</pre> 		

41 waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)


3.255s PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
42	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run (FDR-Draw-Reject-Vouchers-Receipts:58)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1600279698766.run (TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call</p>	4.368s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:58) ... 13 more)</pre> 		

43

waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)

3.084s


PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
44	<p>sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), "Federal")</p> <p>Unable to send keys 'Federal' to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'Federal' to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$9.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:62) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin.</p>	4.471s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_sendKeys\$9.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:62) ... 13 more)</pre> 		

45

waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)

3.258s


PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
46	<p>sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), Keys.chord (UP, ENTER))</p> <p>Unable to send keys " to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys " to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$9.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:66) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)</p>	4.563s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_sendKeys\$_call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:66) ... 13 more)</pre> 		

47

waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)

3.248s


PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
48	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/addFundButton"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/addFundButton' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/addFundButton'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run (FDR-Draw-Reject-Vouchers-Receipts:70)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1600279698766.run (TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/addFundButton' located by '//button[@type='button' and contains(., 'Add Fund')]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call</p>	4.602s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:70) ... 13 more)</pre> 		

49 waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)


5.245s PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
50	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run (FDR-Draw-Reject-Vouchers-Receipts:74)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1600279698766.run (TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' located by '//*[@id='overdrawnFunds[1]']' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call</p>	4.580s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:74) ... 13 more)</pre> 		

51 waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)


5.126s PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
52	<p>sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), "Non-Federal")</p> <p>Unable to send keys 'Non-Federal' to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'Non-Federal' to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$9.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:78) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' located by '//*[@id='overdrawnFunds[1]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)</p>	4.382s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_sendKeys\$9.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:78) ... 13 more)</pre> 		

53

waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)

3.371s

PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
54	<p>sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), Keys.chord (DOWN, ENTER))</p> <p>Unable to send keys " to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys " to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$9.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:82) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' located by '//*[@id='overdrawnFunds[1]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)</p>	4.397s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_sendKeys\$9.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:82) ... 13 more)</pre> 		

55

waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)

3.057s

PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
56	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:86)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry' located by '//*[@data-id='checkbox']'[2]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)</p>	4.565s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:86) ... 13 more)</pre>		

57

waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)

3.241s


PASSED

Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
58	<p>click(findTestObject("FDR-Draw/RejectVocuherReceipts/rejectReceiptButton"))</p> <p>Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/rejectReceiptButton' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/RejectVocuherReceipts/rejectReceiptButton'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:76)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run (FDR-Draw-Reject-Vouchers-Receipts:90)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1600279698766.run (TempTestSuite1600279698766.groovy:39)</p> <p>Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/rejectReceiptButton' located by '//*[@data-id='action-button']/*[contains(text(),'Reject Receipt')]' not found</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call</p>	4.373s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
	<pre>(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:90) ... 13 more)</pre> 		
59	<pre>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</pre> <p>Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)</p>	3.101s	PASSED
60	<pre>Uifunctions.logoutFDR()</pre> <p>Browser is closed</p>	0.667s	PASSED
61	<pre>Uifunctions.loginFDR(drawCashierAcc6, drawCashierAcc6Pwd)</pre> <p>Object: 'Object Repository/FDR-SignIn/SignInButton' is clicked on</p>	15.095s	PASSED
62	<pre>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)</pre> <p>Object 'Object Repository/FDR-Draw/reconcileButton' is present</p>	2.465s	PASSED

FDR-Draw-Reject-Vouchers-Receipts


#	Description	Elapsed	Status
63	<div><div>navigateToUrl(URL + "/vouchers/" + Integer.parseInt(rejectVoucherNum.split("CAP")[1]) + "/entry")</div><div>Navigate to 'https://fdr.cammis-mod-sit.dhcs.ca.gov/vouchers/38/entry' successfully</div></div>	0.646s	PASSED
64	<div><div>waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)</div><div>Object 'Object Repository/FDR-Draw/reconcileButton' is present</div></div>	1.052s	PASSED


FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
65	<p>verifyElementPresent(findTestObject("FDR-Draw/RejectVocuherReceipts/vchrjreasonssubtitle"), 2)</p> <p>com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/vchrjreasonssubtitle' located by '//*[contains(text(),'Overdrawn Fund (s)')]' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/vchrjreasonssubtitle' located by '//*[contains(text(),'Overdrawn Fund (s)')]' not found</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent (VerifyElementPresentKeyword.groovy:92)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute (VerifyElementPresentKeyword.groovy:68)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent (WebUiBuiltInKeywords.groovy:1460)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementPresent\$12.call (Unknown Source)</p> <p>at FDR-Draw-Reject-Vouchers-Receipts.run (FDR-Draw-Reject-Vouchers-Receipts:105)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1600279698766.run (TempTestSuite1600279698766.groovy:39)</p> <p>)</p>	3.424s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
---	-------------	---------	--------

Federal Draw and Reporting



VERSION
1.4.1192

tests, fdr
Cash Management Processor

Upcoming


Completed

Search...

10/21/2020
Draw Date

10/22/2020
Deposit Date

SK202015
Draw Identifier

Reconcile Re-opened Fund 0912 Draw

Reconcile entries fixed following re-opening of the draw

Reconcile

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
66	<pre>verifyTextPresent(rejectionReason1, false) Text 'Non-Federal Fund HQAF (3158), FY 2020/2021 SCHIP (611) HQAF, 611 SB239 (2013) HQAF' is not present on page (Root cause: com.kms.katalon.core.exception. StepFailedException: Text 'Non-Federal Fund HQAF (3158), FY 2020/2021 SCHIP (611) HQAF, 611 SB239 (2013) HQAF' is not present on page at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword. groovy:79) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.call(VerifyTextPresentKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent (WebUiBuiltInKeywords.groovy:1719) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyTextPresent\$13.call(Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers- Receipts:107) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39))</pre>	0.276s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
67	<p>verifyTextPresent(rejectionReason2, false)</p> <p>Text 'Non-Federal Fund HQAF (3158), FY 2020/2021 MA (611) HQAF, 611 SB239 (2013) HQAF' is not present on page (Root cause: com.kms.katalon.core.exception.StepFailedException: Text 'Non-Federal Fund HQAF (3158), FY 2020/2021 MA (611) HQAF, 611 SB239 (2013) HQAF' is not present on page at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. VerifyTextPresentKeyword\$_verifyTextPresent_closure1.call(VerifyTextPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent (WebUiBuiltInKeywords.groovy:1719) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyTextPresent\$13.call(Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:109) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39))</p>	0.262s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
68	verifyTextPresent("Incorrect Amount", false) Text 'Incorrect Amount' is not present on page (Root cause: com.kms.katalon.core.exception.StepFailedException: Text 'Incorrect Amount' is not present on page at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword\$_verifyTextPresent_closure1.call(VerifyTextPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent (WebUiBuiltInKeywords.groovy:1719) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyTextPresent\$13.call(Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:111) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1600279698766.run(TempTestSuite1600279698766.groovy:39))	0.268s	FAILED

FDR-Draw-Reject-Vouchers-Receipts

#	Description	Elapsed	Status
69	Start listener action : sampleAfterTestCase	0.001s	PASSED
70	Start listener action : afterTestCase	0.001s	PASSED
71	Start listener action : sampleAfterTestCase	0.595s	PASSED
72	Start listener action : addFailedTCToList	0.002s	PASSED