FDR_ProductionSmokeTest

Execution Environment

Host name	nagesh.allu - DESKTOP-9VU7G8T.attlocal.net
OS	Windows 10 64bit
Katalon version	7.6.6.205
Browser	

Summary

ID	Test Suites/FDR_ProductionSmokeTest		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2020-09-21 10:56:21	End	2020-09-21 10:56:29
Elapsed	7.741s		

#	ID	Description	Status
1	Test Cases/FDR_Production_SmokeTest/FDR-Draw-Dashboard		FAILED

FDR-Draw-Dashboard

Information

ID	Test Cases/FDR_Production_SmokeTest/FDR-Draw-Dashboard
Description	
Tag	

Start	2020-09-21 10:56:21	End	2020-09-21 10:56:29
Elapsed	7.371s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.005s	PASSED
2	Start listener action : beforeTestCase	0.003s	PASSED
3	Start listener action : sampleBeforeTestCase	0.008s	PASSED
4	Start listener action : executeRows	0.017s	PASSED
5	data = ["waiverType":waiverType, "waiverName":waiverName, "fundingSource":fundingSource, "fundRatio":fundRatio, "nonFederalFund":nonFederalFund, ...]	0.001s	PASSED

FDR-Draw-Dashboard

#	Description	Elapsed	Status
6	values = callTestCase(findTestCase("WEB-UI-TESTS/Voucher/FDR-Validate-Approve-Modal"), ["data":data, "giveFutureDate":true, "plusMonths":9], STOP_ON_FAILURE) Unable to call Test Case 'Test Cases/WEB-UI-TESTS/Voucher/FDR-Validate-Approve-Modal' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/WEB-UI-TESTS/Voucher/FDR-Validate-Approve-Modal' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at FDR-Draw-Dashboard.run(FDR-Draw-Dashboard:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source) at TempTestSuite1600710979427.run(TempTestSuite1600710979427.groovy:39) Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/WEB-UI-TESTS/Voucher/FDR-Create-Simple-Voucher' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	6.892s	FAILED

#	Description	Elapsed	Status

executeKeywordForPlatform(KeywordExecutor.groovy:73)
          at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
          at FDR-Validate-Approve-Modal.run(FDR-Validate-Approve-Modal:10)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:339)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:330)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:309)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:301)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:235)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object
'Object Repository/FDR-Dashboard/createNewVoucherButton' to be present (Root cause:
com.kms.katalon.core.exception.StepFailedException: Unable to wait for object 'Object
Repository/FDR-Dashboard/createNewVoucherButton' to be present
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
waitForElementPresent(WaitForElementPresentKeyword.groovy:95)
          at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
execute(WaitForElementPresentKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:73)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
waitForElementPresent(WebUiBuiltInKeywords.groovy:343)
          at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$waitForElementPresent.call(Unknown Source)
          at com.functions.Uifunctions.createVoucherHeader(Uifunctions.groovy:100)
          at com.functions.Uifunctions$createVoucherHeader.call(Unknown Source)
          at FDR-Create-Simple-Voucher.run(FDR-Create-Simple-Voucher:9)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:339)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:330)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:309)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:301)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:235)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)

#	Description	Elapsed	Status
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at FDR-Validate-Approve-Modal.run(FDR-Validate-Approve-Modal:10) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at FDR-Draw-Dashboard.run(FDR-Draw-Dashboard:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235)		

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)		
	at TempTestSuite1600710979427.run(TempTestSuite1600710979427.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'DESKTOP-9VU7G8T', ip: '192.168.1.188', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:890)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:875)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:861)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:997)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:908)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:891)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:886)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:882)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:719)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1363)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword$_waitForElementPresent_closure1.doCall (WaitForElementPresentKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword$_waitForElementPresent_closure1.call (WaitForElementPresentKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword. waitForElementPresent(WaitForElementPresentKeyword.groovy:95)		
	at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword. execute(WaitForElementPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementPresent(WebUiBuiltInKeywords.groovy:343)		
	at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$waitForElementPresent.call(Unknown Source)		
	at com.functions.Uifunctions.createVoucherHeader(Uifunctions.groovy:100)		

#	Description	Elapsed	Status
	at com.functions.Uifunctions$createVoucherHeader.call(Unknown Source) at Script1568763787561.run(Script1568763787561.groovy:9) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1574724840108.run(Script1574724840108.groovy:10) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

FDR-Draw-Dashboard

#	Description	Elapsed	Status

	executeKeywordForPlatform(KeywordExecutor.groovy:73)
	      at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
	groovy:334)
	      at Script1600705746759.run(Script1600705746759.groovy:16)
	      ... 13 more
	)
	      at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
	groovy:39)
	      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
	(WebUIKeywordMain.groovy:64)
	      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
	(WebUIKeywordMain.groovy:26)
	      at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
	waitForElementPresent(WaitForElementPresentKeyword.groovy:95)
	      at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.
	execute(WaitForElementPresentKeyword.groovy:68)
	      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
	executeKeywordForPlatform(KeywordExecutor.groovy:73)
	      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
	waitForElementPresent(WebUiBuiltInKeywords.groovy:343)
	      at com.kms.katalon.core.webui.keyword.
	WebUiBuiltInKeywords$waitForElementPresent.call(Unknown Source)
	      at com.functions.Uifunctions.createVoucherHeader(Uifunctions.groovy:100)
	      at com.functions.Uifunctions$createVoucherHeader.call(Unknown Source)
	      at FDR-Create-Simple-Voucher.run(FDR-Create-Simple-Voucher:9)
	      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
	java:119)
	      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
	java:339)
	      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
	java:330)
	      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
	(TestCaseExecutor.java:309)
	      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
	(TestCaseExecutor.java:301)
	      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
	java:235)
	      at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
	114)
	      at com.kms.katalon.core.keyword.builtin.
	CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
	      ... 36 more
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object
	'Object Repository/FDR-Dashboard/createNewVoucherButton' to be present
	      ... 55 more
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser
	is not opened
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
	System info: host: 'DESKTOP-9VU7G8T', ip: '192.168.1.188', os.name: 'Windows 10', os.
	arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
	Driver info: driver.version: unknown
	      at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen
	(DriverFactory.java:890)
	      at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
	(DriverFactory.java:875)
	      at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
	java:861)		

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:997) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:908) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:891) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:886) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:882) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:719) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1363) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword$_waitForElementPresent_closure1.doCall (WaitForElementPresentKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword$_waitForElementPresent_closure1.call (WaitForElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 53 more)		
7	Start listener action : sampleAfterTestCase	0.001s	PASSED
8	Start listener action : afterTestCase	0.000s	PASSED
9	Start listener action : sampleAfterTestCase	0.001s	PASSED
10	Start listener action : addFailedTCToList	0.001s	PASSED