

# Receipt-Integration\_Suite

## Execution Environment

Host name	nagesh.allu - DESKTOP-9VU7G8T.attlocal.net
OS	Windows 10 64bit
Katalon version	7.6.6.205
Browser	Chrome 85.0.4183.102

## Summary

ID	Test Suites/Receipt-Integration_Suite		
Description			
Total	19		
Passed	18	Failed	1
Error	0	Incomplete	0
Start	2020-09-15 14:22:16	End	2020-09-15 14:40:25
Elapsed	18m - 8.804s		

#	ID	Description	Status
1	Test Cases/WEB-UI-TESTS/Receipt/FDR-Create-Receipt-Header		PASSED
2	Test Cases/WEB-UI-TESTS/Receipt/FDR-Display-Receipt-Header		PASSED
3	Test Cases/WEB-UI-TESTS/Receipt/FDR-Edit-Receipt-Header		PASSED
4	Test Cases/WEB-UI-TESTS/Receipt/FDR-Create-Receipt-CheckLine		PASSED
5	Test Cases/WEB-UI-TESTS/Receipt/FDR-Edit-Receipt_Line		PASSED
6	Test Cases/WEB-UI-TESTS/Receipt/FDR-Delete-Undo-Receipt-Header		PASSED
7	Test Cases/WEB-UI-TESTS/Receipt/FDR-Review Receipt		PASSED
8	Test Cases/WEB-UI-TESTS/Receipt/FDR-Receipts-FixStateReasons		FAILED
9	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-Receipt-RA-CR-checkMarked		PASSED
10	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-Updated-Receipt-DistributionLine		PASSED
11	Test Cases/WEB-UI-TESTS/Receipt/FDR-Review-Preview-Forms-Prior-Approval		PASSED
12	Test Cases/WEB-UI-TESTS/Receipt/FDR-Review-Print-Forms		PASSED
13	Test Cases/WEB-UI-TESTS/Receipt/FDR-Delete-Undo-Receipt-Line		PASSED
14	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-ReceiptHeader-RA-CR		PASSED
15	Test Cases/WEB-UI-TESTS/Receipt/FDR-Create-Receipt-DistributionLine		PASSED
16	Test Cases/WEB-UI-TESTS/Receipt/FDR-Delete-Receipt-Distribution-Line		PASSED

# Receipt-Integration\_Suite

#	ID	Description	Status
17	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-Account-AltAccount-0555		PASSED
18	Test Cases/WEB-UI-TESTS/Receipt/FDR-Generate-Reports		PASSED
19	Test Cases/WEB-UI-TESTS/Receipt/FDR-Search-Receipt		PASSED

# FDR-Create-Receipt-Header

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Create-Receipt-Header		
Description			
Tag			
Start	2020-09-15 14:22:17	End	2020-09-15 14:22:55
Elapsed	37.776s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	18.257s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.002s	PASSED
4	Start listener action : executeRows	0.032s	PASSED
5	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)  <a href="#">Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)</a>	5.116s	PASSED
6	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"), 3)  <a href="#">Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is present</a>	0.260s	PASSED

## FDR-Create-Receipt-Header

#	Description	Elapsed	Status
7	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is clicked on	0.461s	PASSED
8	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate' is present	0.485s	PASSED
9	setText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), Drawdate)  Text '10/05/2020' is set on object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate'	1.069s	PASSED
10	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate' is present	0.460s	PASSED
11	setText(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), Paydate)  Text '10/07/2020' is set on object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate'	0.584s	PASSED
12	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID' is present	0.256s	PASSED
13	depositId = RandomStringUtils.randomNumeric(7)	0.003s	PASSED
14	setText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), depositId)  Text '8422186' is set on object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID'	0.782s	PASSED

## FDR-Create-Receipt-Header

#	Description	Elapsed	Status
15	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes' is present	0.476s	PASSED
16	<code>setText(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), Receiptnotes)</code>  Text 'rqewrq' is set on object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes'	0.741s	PASSED
17	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is present	0.464s	PASSED
18	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	0.377s	PASSED
19	<code>waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)</code>  Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.176s	PASSED
20	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/pDrawDate"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/pDrawDate' is present	0.255s	PASSED
21	<code>if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/pDrawDate")) == findTestData("Receipt/FDR-ReceiptHeaderTestData").getValue(1, 1))</code>  Valid DrawDate	0.307s	PASSED
22	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/payDate"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/payDate' is present	0.265s	PASSED
23	<code>if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/payDate")) == findTestData("Receipt/FDR-ReceiptHeaderTestData").getValue(2, 1))</code>  Valid PayDate	0.270s	PASSED

## FDR-Create-Receipt-Header

#	Description	Elapsed	Status
24	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/depositId"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/depositId' is present	0.263s	PASSED
25	if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/depositId"))) == depositId)  Valid DepositId	0.277s	PASSED
26	closeBrowser(CONTINUE_ON_FAILURE)  Browser is closed	0.612s	PASSED
27	Start listener action : sampleAfterTestCase  Browser is closed	0.006s	PASSED
28	Start listener action : afterTestCase	0.000s	PASSED
29	Start listener action : sampleAfterTestCase	0.001s	PASSED
30	Start listener action : addFailedTCToList	0.001s	PASSED

# FDR-Display-Receipt-Header

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Display-Receipt-Header		
Description			
Tag			
Start	2020-09-15 14:22:55	End	2020-09-15 14:23:30
Elapsed	35.038s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	17.207s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
6	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on</a>	14.826s	PASSED
7	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/depositId"), 10)  <a href="#">Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/depositId' is present</a>	0.848s	PASSED

## FDR-Display-Receipt-Header

#	Description	Elapsed	Status
8	depositId = getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/depositId"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/depositId' is: '6796248'	0.270s	PASSED
9	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/pDrawDate"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/pDrawDate' is present	0.253s	PASSED
10	drawDate = getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/pDrawDate"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/pDrawDate' is: '10/05/2020'	0.266s	PASSED
11	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/payDate"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/payDate' is present	0.260s	PASSED
12	payDate = getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/payDate"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/payDate' is: '10/07/2020'	0.263s	PASSED
13	println(" DepositId " + depositId + " DrawDate " + drawDate + " Paydate " + payDate)	0.002s	PASSED
14	closeBrowser(CONTINUE_ON_FAILURE)  Browser is closed	0.594s	PASSED
15	Start listener action : sampleAfterTestCase  Browser is closed	0.004s	PASSED
16	Start listener action : afterTestCase	0.001s	PASSED



# FDR-Display-Receipt-Header

#	Description	Elapsed	Status
17	Start listener action : sampleAfterTestCase	0.000s	PASSED
18	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Edit-Receipt-Header

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Edit-Receipt-Header		
Description			
Tag			
Start	2020-09-15 14:23:30	End	2020-09-15 14:24:13
Elapsed	43.162s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.761s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.001s	PASSED
6	newDepositId2 = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
7	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext'</a> is clicked on	15.321s	PASSED

## FDR-Edit-Receipt-Header

#	Description	Elapsed	Status
8	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over' is present	0.916s	PASSED
9	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over' is clicked on	0.286s	PASSED
10	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon' is present	0.467s	PASSED
11	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon' is clicked on	0.621s	PASSED
12	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/edit-Icon"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/edit-Icon' is clicked on	0.638s	PASSED
13	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate' is present	0.818s	PASSED
14	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), Keys.chord(TAB, TAB))  Keys 'TAB + TAB + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate'	0.320s	PASSED
15	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/deposit_ID"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/deposit_ID' is present	0.476s	PASSED

## FDR-Edit-Receipt-Header

#	Description	Elapsed	Status
16	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/deposit_ID"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/deposit_ID'	0.621s	PASSED
17	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/deposit_ID"), newDepositId2 + Keys.chord(TAB))  Keys 'TAB + 4327014' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/deposit_ID'	0.728s	PASSED
18	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes' is present	0.479s	PASSED
19	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes'	0.300s	PASSED
20	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes"), receiptnotes)  Keys '123456' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes'	0.629s	PASSED
21	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes"), Keys.chord(TAB))  Keys 'TAB + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/receipt_Notes'	0.520s	PASSED
22	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/next_Button"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/next_Button' is present	0.454s	PASSED
23	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/next_Button"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/next_Button' is clicked on	0.520s	PASSED

## FDR-Edit-Receipt-Header

#	Description	Elapsed	Status
24	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over' is present	0.494s	PASSED
25	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over' is clicked on	0.371s	PASSED
26	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/depositId"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/depositId' is present	0.462s	PASSED
27	if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/depositId")) == newDepositId2.toString())  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/depositId' is: '1324811'	0.569s	PASSED
28	else	0.000s	PASSED
29	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/receiptsNotes"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/receiptsNotes' is present	0.250s	PASSED
30	if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/receiptsNotes")) == receiptnotes)  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/receiptsNotes' is: 'rqewrq'	0.258s	PASSED
31	else	0.001s	PASSED
32	closeBrowser(CONTINUE_ON_FAILURE)  Browser is closed	0.600s	PASSED

# FDR-Edit-Receipt-Header

#	Description	Elapsed	Status
33	Start listener action : sampleAfterTestCase  Browser is closed	0.004s	PASSED
34	Start listener action : afterTestCase	0.001s	PASSED
35	Start listener action : sampleAfterTestCase	0.000s	PASSED
36	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Create-Receipt-CheckLine

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Create-Receipt-CheckLine		
Description			
Tag			
Start	2020-09-15 14:24:13	End	2020-09-15 14:24:55
Elapsed	41.389s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	16.263s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.003s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
6	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext'</a> is clicked on	14.424s	PASSED
7	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2'</a> is clicked on	9.791s	PASSED

## FDR-Create-Receipt-CheckLine

---

#	Description	Elapsed	Status
8	Start listener action : sampleAfterTestCase  Browser is closed	0.615s	PASSED
9	Start listener action : afterTestCase	0.000s	PASSED
10	Start listener action : sampleAfterTestCase	0.002s	PASSED
11	Start listener action : addFailedTCToList	0.000s	PASSED



# FDR-Edit-Receipt\_Line

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Edit-Receipt_Line		
Description			
Tag			
Start	2020-09-15 14:24:55	End	2020-09-15 14:25:49
Elapsed	54.117s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	19.196s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.001s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
6	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext'</a> is clicked on	14.596s	PASSED
7	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2'</a> is clicked on	9.831s	PASSED

## FDR-Edit-Receipt\_Line

#	Description	Elapsed	Status
8	<code>waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)</code>  Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.269s	PASSED
9	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon"), 4)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon' is present	0.356s	PASSED
10	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/3dots_Icon"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/3dots_Icon' is clicked on	0.288s	PASSED
11	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/li_Edit"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/li_Edit' is clicked on	0.537s	PASSED
12	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID' is present	0.461s	PASSED
13	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID' is clicked on	0.288s	PASSED
14	<code>Uifunctions.clearElementText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"))</code>  Execute JavaScript 'arguments[0].value="";' successfully	0.294s	PASSED
15	<code>elementri = findWebElement(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"), 30)</code>	0.259s	PASSED
16	<code>elementri.clear()</code>	0.025s	PASSED

## FDR-Edit-Receipt\_Line

#	Description	Elapsed	Status
17	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"), ReceiptId)  Keys 'CHK10322' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID'	0.396s	PASSED
18	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/button_Save"), 30)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/button_Save' is present	0.470s	PASSED
19	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/button_Save"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/button_Save' is clicked on	0.387s	PASSED
20	if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receiptId_Added")) == findTestData("Receipt/FDR-EditCheckLineTestData").getValue(1, 1))  ReceiptId updated successfully	0.591s	PASSED
21	Start listener action : sampleAfterTestCase  Browser is closed	0.641s	PASSED
22	Start listener action : afterTestCase	0.000s	PASSED
23	Start listener action : sampleAfterTestCase	0.001s	PASSED
24	Start listener action : addFailedTCToList	0.001s	PASSED

# FDR-Delete-Undo-Receipt-Header

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Delete-Undo-Receipt-Header		
Description			
Tag			
Start	2020-09-15 14:25:49	End	2020-09-15 14:26:38
Elapsed	49.319s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.989s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.003s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
6	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext'</a> is clicked on	14.602s	PASSED
7	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2'</a> is clicked on	9.819s	PASSED

## FDR-Delete-Undo-Receipt-Header

#	Description	Elapsed	Status
8	delay(2)  Delayed 2 second(s)	2.014s	PASSED
9	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Delete/3dots_icon"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Delete/3dots_icon' is present	0.263s	PASSED
10	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Delete/3dots_icon"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Delete/3dots_icon' is clicked on	0.336s	PASSED
11	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Delete/deleteHeader"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Delete/deleteHeader' is present	0.373s	PASSED
12	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Delete/deleteHeader"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Delete/deleteHeader' is clicked on	0.635s	PASSED
13	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/undolcon"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/undolcon' is present	0.885s	PASSED
14	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/undolcon"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/undolcon' is clicked on	0.306s	PASSED
15	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/lineAttribute"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/lineAttribute' is not present after 2 second(s)	3.179s	PASSED

# FDR-Delete-Undo-Receipt-Header

#	Description	Elapsed	Status
16	Start listener action : sampleAfterTestCase  Browser is closed	0.660s	PASSED
17	Start listener action : afterTestCase	0.001s	PASSED
18	Start listener action : sampleAfterTestCase	0.001s	PASSED
19	Start listener action : addFailedTCToList	0.001s	PASSED

# FDR-Review Receipt

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Review Receipt		
Description			
Tag			
Start	2020-09-15 14:26:38	End	2020-09-15 14:27:15
Elapsed	37.359s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.842s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.004s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.001s	PASSED
6	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"), 3)  <a href="#">Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is present</a>	2.015s	PASSED

## FDR-Review Receipt

#	Description	Elapsed	Status
7	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is clicked on	0.400s	PASSED
8	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)  Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.160s	PASSED
9	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate' is present	0.246s	PASSED
10	setText(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), Drawdate)  Text '10/05/2020' is set on object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate'	0.988s	PASSED
11	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate' is present	0.463s	PASSED
12	setText(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), Paydate)  Text '10/07/2020' is set on object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate'	0.575s	PASSED
13	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID' is present	0.254s	PASSED
14	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), newDepositId)  Keys '3582255' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID'	0.531s	PASSED



## FDR-Review Receipt

#	Description	Elapsed	Status
15	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), 10)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes' is present	0.453s	PASSED
16	sendKeys(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), Receiptnotes)  Keys 'rqewrq' sent to object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes'	0.449s	PASSED
17	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/remittanceNo"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/remittanceNo' is present	0.452s	PASSED
18	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/remittanceNo"), Remittance)  Keys '1234' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/remittanceNo'	0.407s	PASSED
19	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/controllerNo"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/controllerNo' is present	0.461s	PASSED
20	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/controllerNo"), Controller)  Keys '4567' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/controllerNo'	0.409s	PASSED
21	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is present	0.454s	PASSED
22	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	0.365s	PASSED

## FDR-Review Receipt

#	Description	Elapsed	Status
23	delay(5)  Delayed 5 second(s)	5.002s	PASSED
24	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Review"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Review' is present	0.260s	PASSED
25	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Review"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Review' is clicked on	0.307s	PASSED
26	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval' is present	0.460s	PASSED
27	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval' is clicked on	0.608s	PASSED
28	closeBrowser(CONTINUE_ON_FAILURE)  Browser is closed	0.600s	PASSED
29	Start listener action : sampleAfterTestCase  Browser is closed	0.004s	PASSED
30	Start listener action : afterTestCase	0.000s	PASSED

# FDR-Review Receipt

---

#	Description	Elapsed	Status
31	Start listener action : sampleAfterTestCase	0.000s	PASSED
32	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Receipts-FixStateReasons

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Receipts-FixStateReasons		
Description			
Tag			
Start	2020-09-15 14:27:15	End	2020-09-15 14:28:19
Elapsed	1m - 3.983s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.882s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	d = Date().plus(1)	0.000s	PASSED
6	dd = Date().plus(2)	0.001s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED

## FDR-Receipts-FixStateReasons

#	Description	Elapsed	Status
8	<code>servicedateto = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
9	<code>originalwarrantdate = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
10	<code>newDepositId = RandomStringUtils.randomNumeric(7)</code>	0.000s	PASSED
11	<code>editors.createReceipt(Drawdate, Paydate, newDepositId, ReceiptNotes, Remittance, Controller)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	14.669s	PASSED
12	<code>editors.createReceiptline(ReceiptID, SupplierID, DepositDate)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	9.786s	PASSED
13	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"), 5)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is present	0.582s	PASSED
14	<code>click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is clicked on	0.296s	PASSED
15	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval' is present	0.455s	PASSED
16	<code>click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval' is clicked on	0.639s	PASSED

## FDR-Receipts-FixStateReasons

#	Description	Elapsed	Status
17	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch' is present	1.161s	PASSED
18	<code>waitForElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch' is clickable	0.269s	PASSED
19	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch' is clicked on	0.323s	PASSED
20	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate' is present	1.010s	PASSED
21	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate' is clicked on	0.790s	PASSED
22	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Reject"), 5)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Reject' is present	0.729s	PASSED
23	<code>click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Reject"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Reject' is clicked on	0.326s	PASSED
24	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/incorrectDrawDate"), 5)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/incorrectDrawDate' is present	0.462s	PASSED

## FDR-Receipts-FixStateReasons

#	Description	Elapsed	Status
25	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/incorrectDrawDate"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/incorrectDrawDate' is clicked on	0.511s	PASSED
26	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_RejectReceiptBatch"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_RejectReceiptBatch' is present	0.453s	PASSED
27	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_RejectReceiptBatch"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_RejectReceiptBatch' is clicked on	0.362s	PASSED
28	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/clearButton"), 5)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/clearButton' is present	1.125s	PASSED
29	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/clearButton"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/clearButton' is clicked on	0.313s	PASSED
30	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/fixBatchButton"), 5)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/fixBatchButton' is present	0.947s	PASSED
31	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/fixBatchButton"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/fixBatchButton' is clicked on	0.357s	PASSED
32	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/fixButton"), 5)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/fixButton' is present	0.934s	PASSED
33	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/fixButton"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/fixButton' is clicked on	0.477s	PASSED

## FDR-Receipts-FixStateReasons


#	Description	Elapsed	Status
34	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)  Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.243s	PASSED
35	instructionsLabel = "INSTRUCTIONS FOR FIXING THIS RECEIPT"	0.000s	PASSED
36	verifyElementText(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/instructionsLabel"), instructionsLabel, STOP_ON_FAILURE)  Actual text and expected text of test object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/instructionsLabel' are matched.	0.277s	PASSED
37	instructionsIncorrectDrawDate = "Incorrect Draw Date"	0.000s	PASSED



# FDR-Receipts-FixStateReasons

#	Description	Elapsed	Status
38	<p>verifyElementText(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/instructionsIncorrectDrawDate"), instructionsIncorrectDrawDate, STOP_ON_FAILURE)</p> <p>Verify element text of test object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/instructionsIncorrectDrawDate' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/instructionsIncorrectDrawDate' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.verifyElementText (VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.execute (VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText (WebUiBuiltInKeywords.groovy:3673) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementText\$14.call (Unknown Source) at FDR-Receipts-FixStateReasons.run (FDR-Receipts-FixStateReasons:93) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1600204928244.run (TempTestSuite1600204928244.groovy:39) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/instructionsIncorrectDrawDate' located by '//span[contains(text(),'Incorrect')]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword\$_verifyElementText_closure1.call (VerifyElementTextKeyword.groovy:64)</p>	4.699s	FAILED

# FDR-Receipts-FixStateReasons

#	Description	Elapsed	Status														
	<div>groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 19 more )</div> <div></div> <div>39</div> <div>Start listener action : sampleAfterTestCase</div> <div>0.615s</div> <div>PASSED</div> <tr><td></td><td>Browser is closed</td><td></td><td></td></tr> <tr><td>40</td><td>Start listener action : afterTestCase</td><td>0.001s</td><td>PASSED</td></tr> <tr><td>41</td><td>Start listener action : sampleAfterTestCase</td><td>0.001s</td><td>PASSED</td></tr> <tr><td>42</td><td>Start listener action : addFailedTCToList</td><td>0.002s</td><td>PASSED</td></tr>		Browser is closed			40	Start listener action : afterTestCase	0.001s	PASSED	41	Start listener action : sampleAfterTestCase	0.001s	PASSED	42	Start listener action : addFailedTCToList	0.002s	PASSED
	Browser is closed																
40	Start listener action : afterTestCase	0.001s	PASSED														
41	Start listener action : sampleAfterTestCase	0.001s	PASSED														
42	Start listener action : addFailedTCToList	0.002s	PASSED														

# FDR-Validate-Receipt-RA-CR-checkMarked

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-Receipt-RA-CR-checkMarked		
Description			
Tag			
Start	2020-09-15 14:28:20	End	2020-09-15 14:28:55
Elapsed	35.264s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	18.788s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.001s	PASSED
6	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"), 3)  <a href="#">Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is present</a>	1.885s	PASSED

## FDR-Validate-Receipt-RA-CR-checkMarked

#	Description	Elapsed	Status
7	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is clicked on	0.414s	PASSED
8	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)  Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.254s	PASSED
9	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate' is present	0.253s	PASSED
10	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), Drawdate)  Keys '10/05/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate'	0.993s	PASSED
11	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate' is present	0.461s	PASSED
12	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), Paydate)  Keys '10/07/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate'	0.320s	PASSED
13	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID' is present	0.248s	PASSED
14	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), newDepositId)  Keys '8616633' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID'	0.533s	PASSED

## FDR-Validate-Receipt-RA-CR-checkMarked

#	Description	Elapsed	Status
15	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), 5)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes' is present	0.479s	PASSED
16	sendKeys(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), Receiptnotes)  Keys 'rqewrq' sent to object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes'	0.449s	PASSED
17	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/remittanceNo"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/remittanceNo' is present	0.455s	PASSED
18	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/remittanceNo"), Remittance)  Keys '1234' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/remittanceNo'	0.422s	PASSED
19	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/controllerNo"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/controllerNo' is present	0.468s	PASSED
20	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/controllerNo"), Controller)  Keys '4567' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/controllerNo'	0.428s	PASSED
21	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is present	0.459s	PASSED
22	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	0.396s	PASSED

## FDR-Validate-Receipt-RA-CR-checkMarked

#	Description	Elapsed	Status
23	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/colorRA"), 5)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/colorRA' is present	0.892s	PASSED
24	<code>css_color_RA = getCSSValue(findTestObject("FDR-Receipt/FDR-ReceiptBatch/colorRA"), "color")</code>  Get CSS 'color' value on 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/colorRA' successfully: 'rgba(71, 185, 112, 1)'.	0.283s	PASSED
25	<code>css_color_CA = getCSSValue(findTestObject("FDR-Receipt/FDR-ReceiptBatch/colorCA"), "color")</code>  Get CSS 'color' value on 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/colorCA' successfully: 'rgba(71, 185, 112, 1)'.	0.274s	PASSED
26	<code>verifyEqual(css_color_RA, "rgba(71, 185, 112, 1)")</code>  Actual object 'rgba(71, 185, 112, 1)' and expected object 'rgba(71, 185, 112, 1)' are equal	0.010s	PASSED
27	<code>if (css_color_RA == "rgba(71, 185, 112, 1)" &amp;&amp; css_color_CA == "rgba(71, 185, 112, 1)")</code>  <style forecolor='#0099FF'>Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/reviewButton' is clickable</style>	0.273s	PASSED
28	Start listener action : sampleAfterTestCase  Browser is closed	0.630s	PASSED
29	Start listener action : afterTestCase	0.001s	PASSED
30	Start listener action : sampleAfterTestCase	0.001s	PASSED
31	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Validate-Updated-Receipt-DistributionLine

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-Updated-Receipt-DistributionLine		
Description			
Tag			
Start	2020-09-15 14:28:55	End	2020-09-15 14:30:08
Elapsed	1m - 12.653s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	16.001s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	d = Date().plus(1)	0.000s	PASSED
6	dd = Date().plus(2)	0.001s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED

## FDR-Validate-Updated-Receipt-DistributionLine

#	Description	Elapsed	Status
8	servicedateto = dd.format("MM/dd/yyyy")	0.000s	PASSED
9	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
10	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	14.070s	PASSED
11	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	9.735s	PASSED
12	editors.createReceiptDistributionLine(servicedatefrom, servicedateto, amount, waiverType, waiverName, fundingSource, fundCode, fundRatio, nonFederalFund, serviceLocation, index, programType, serviceCategory, increaseDecreaseLine, accountId, altAccountId)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	26.589s	PASSED
13	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/InvoiceNumberTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/InvoiceNumberTitle' is present	1.561s	PASSED
14	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FundCodeTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FundCodeTitle' is present	0.255s	PASSED
15	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FundingSourceTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FundingSourceTitle' is present	0.273s	PASSED



## FDR-Validate-Updated-Receipt-DistributionLine

#	Description	Elapsed	Status
16	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FundRatioTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FundRatioTitle' is present	0.249s	PASSED
17	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/Non-FederalFundTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/Non-FederalFundTitle' is present	0.261s	PASSED
18	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FederalShareTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/FederalShareTitle' is present	0.284s	PASSED
19	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/Non-FederalShareTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/Non-FederalShareTitle' is present	0.254s	PASSED
20	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/SubtotalTitle"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/SubtotalTitle' is present	0.249s	PASSED
21	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/popoverIcon"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/popoverIcon' is present	0.257s	PASSED
22	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/popoverIcon"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/popoverIcon' is clicked on	0.287s	PASSED

## FDR-Validate-Updated-Receipt-DistributionLine

#	Description	Elapsed	Status
23	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAccountIdText"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAccountIdText' is present	0.499s	PASSED
24	accountIdTxt = getText(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAccountIdText"), STOP_ON_FAILURE)  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAccountIdText' is: '5432000'	0.493s	PASSED
25	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAltAccountIdText"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAltAccountIdText' is present	0.254s	PASSED
26	altAccountIdTxt = getText(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAltAccountIdText"), STOP_ON_FAILURE)  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-View-DitributionLine/pAltAccountIdText' is: '5432000019'	0.258s	PASSED
27	if (accountIdTxt == accountId && altAccountIdTxt == altAccountId)  <style forecolor='#0099FF'>Valid Account and Alt Account</style>	0.001s	PASSED
28	Start listener action : sampleAfterTestCase  Browser is closed	0.618s	PASSED
29	Start listener action : afterTestCase	0.001s	PASSED
30	Start listener action : sampleAfterTestCase	0.000s	PASSED

# FDR-Validate-Updated-Receipt-DistributionLine

---

#	Description	Elapsed	Status
31	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Review-Preview-Forms-Prior-Approval

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Review-Preview-Forms-Prior-Approval		
Description			
Tag			
Start	2020-09-15 14:30:08	End	2020-09-15 14:31:21
Elapsed	1m - 13.144s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	17.011s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.001s	PASSED
5	d = Date().plus(1)	0.001s	PASSED
6	dd = Date().plus(2)	0.000s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED

## FDR-Review-Preview-Forms-Prior-Approval

#	Description	Elapsed	Status
8	<code>servicedateto = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
9	<code>newDepositId = RandomStringUtils.randomNumeric(7)</code>	0.000s	PASSED
10	<code>editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes, RA, CR)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	14.783s	PASSED
11	<code>editors.createReceiptline(ReceiptID, SupplierID, DepositDate)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	10.473s	PASSED
12	<code>editors.createReceiptDistributionLine(servicedatefrom, servicedateto, amount, waiverType, waiverName, fundingSource, fundCode, fundRatio, nonFederalFund, serviceLocation, index, programType, serviceCategory, increaseDecreaseLine, accountId, altAccountId)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	26.196s	PASSED
13	<code>buttonColor = getCSSValue(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"), "color")</code>  Get CSS 'color' value on 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' successfully: 'rgba(255, 255, 255, 1)'.	1.384s	PASSED
14	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"), 5)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is present	0.247s	PASSED
15	<code>click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is clicked on	0.341s	PASSED

## FDR-Review-Preview-Forms-Prior-Approval

#	Description	Elapsed	Status
16	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/PrintForms/buttonTransactionRequestPreview"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/PrintForms/buttonTransactionRequestPreview' is present	1.013s	PASSED
17	<code>click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/PrintForms/buttonTransactionRequestPreview"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/PrintForms/buttonTransactionRequestPreview' is clicked on	0.370s	PASSED
18	<code>verifyElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/PrintForms/titleTransactionRequestPreview"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/PrintForms/titleTransactionRequestPreview' is present	0.467s	PASSED
19	Start listener action : sampleAfterTestCase  Browser is closed	0.617s	PASSED
20	Start listener action : afterTestCase	0.000s	PASSED
21	Start listener action : sampleAfterTestCase	0.000s	PASSED
22	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Review-Print-Forms

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Review-Print-Forms		
Description			
Tag			
Start	2020-09-15 14:31:21	End	2020-09-15 14:32:41
Elapsed	1m - 20.394s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.930s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.003s	PASSED
5	d = Date().plus(1)	0.000s	PASSED
6	dd = Date().plus(2)	0.000s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
8	<code>servicedateto = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
9	<code>originalwarrantdate = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
10	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"), 3)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is present	1.559s	PASSED
11	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/createNew_ReceiptBatch_Button' is clicked on	0.448s	PASSED
12	<code>waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)</code>  Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.066s	PASSED
13	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), 3)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate' is present	0.251s	PASSED
14	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), Drawdate)</code>  Keys '10/05/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate'	0.856s	PASSED
15	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), 3)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate' is present	0.458s	PASSED



## FDR-Review-Print-Forms

#	Description	Elapsed	Status
16	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/payDate"), Paydate)  Keys '10/07/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/payDate'	0.312s	PASSED
17	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID' is present	0.261s	PASSED
18	depositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
19	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/deposit ID"), depositId)  Keys '2824881' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/deposit ID'	0.519s	PASSED
20	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), 10)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes' is present	0.467s	PASSED
21	sendKeys(findTestObject("FDR-Receipt/FDR-ReceiptBatch/receiptNotes"), Receiptnotes)  Keys 'rqewrq' sent to object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/receiptNotes'	0.488s	PASSED
22	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/remittanceNo"), Remittance)  Keys '1234' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/remittanceNo'	0.707s	PASSED
23	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/controllerNo"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/controllerNo' is present	0.465s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
24	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/controllerNo"), Controller)  Keys '4567' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/controllerNo'	0.421s	PASSED
25	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is present	0.456s	PASSED
26	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/buttonNext"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	0.373s	PASSED
27	delay(2)  Delayed 2 second(s)	2.002s	PASSED
28	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID' is present	0.253s	PASSED
29	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID"), ReceiptID)  Keys 'CHK10322' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receipt_ID'	0.400s	PASSED
30	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/supplier_Id"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/supplier_Id' is present	0.471s	PASSED
31	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/supplier_Id"), SupplierID)  Keys '0000007954' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/supplier_Id'	0.380s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
32	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/supplier_Id"), Keys.chord(DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/supplier_Id'	0.499s	PASSED
33	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Date"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Date' is present	0.483s	PASSED
34	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Date"), DepositDate)</code>  Keys '02/24/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Date'	0.413s	PASSED
35	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is present	0.454s	PASSED
36	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	0.338s	PASSED
37	<code>verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clickable	0.573s	PASSED
38	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clicked on	0.339s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
39	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is present	0.987s	PASSED
40	<code>scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3)</code>  Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	0.260s	PASSED
41	<code>verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.254s	PASSED
42	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.405s	PASSED
43	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present	0.432s	PASSED
44	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield)</code>  Keys '524342' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'	0.592s	PASSED
45	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on	1.692s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
46	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)", 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)' is present</p>	0.479s	PASSED
47	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)", servicedatefrom)</p> <p>Keys '09/16/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)'</p>	0.604s	PASSED
48	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)", 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)' is present</p>	0.256s	PASSED
49	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)", servicedateto)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)'</p>	0.636s	PASSED
50	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate", 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate' is present</p>	0.256s	PASSED
51	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate", originalwarrantdate)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate'</p>	0.637s	PASSED
52	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount", 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount' is present</p>	0.253s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
53	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), Amount)  Keys '3000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount'	0.510s	PASSED
54	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.299s	PASSED
55	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 8)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.258s	PASSED
56	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype)  Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.355s	PASSED
57	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.565s	PASSED
58	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present	0.484s	PASSED
59	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivertype)  Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.526s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
60	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'</p>	0.522s	PASSED
61	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present</p>	0.453s	PASSED
62	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource)</p> <p>Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'</p>	0.339s	PASSED
63	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'</p>	0.518s	PASSED
64	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present</p>	0.472s	PASSED
65	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)</p> <p>Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.455s	PASSED
66	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.432s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
67	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present	0.478s	PASSED
68	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio)  Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.355s	PASSED
69	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.573s	PASSED
70	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present	0.484s	PASSED
71	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund)  Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.326s	PASSED
72	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.534s	PASSED
73	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation' is present	0.453s	PASSED



## FDR-Review-Print-Forms

#	Description	Elapsed	Status
74	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), ServiceLocation)</p> <p>Keys '3445' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'</p>	0.472s	PASSED
75	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'</p>	0.271s	PASSED
76	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index' is present</p>	0.262s	PASSED
77	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Index)</p> <p>Keys '1155' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'</p>	0.370s	PASSED
78	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'</p>	0.506s	PASSED
79	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present</p>	0.450s	PASSED
80	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype)</p> <p>Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'</p>	0.457s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
81	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.407s	PASSED
82	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present	0.453s	PASSED
83	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory)  Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.343s	PASSED
84	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.556s	PASSED
85	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine' is present	0.473s	PASSED
86	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), IncreaseDecreaseLine)  Keys '10b: Receipts or any decrease' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.446s	PASSED
87	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), Keys.chord(ARROW_DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.425s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
88	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present</p>	0.455s	PASSED
89	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'</p>	0.438s	PASSED
90	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present</p>	0.475s	PASSED
91	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId)</p> <p>Keys '5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'</p>	0.456s	PASSED
92	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'</p>	0.565s	PASSED
93	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is present</p>	0.456s	PASSED
94	<p>waitForElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clickable</p>	0.254s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
95	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	0.386s	PASSED
96	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"), 5)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is present	1.467s	PASSED
97	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is clicked on	0.330s	PASSED
98	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTROthers"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTROthers' is present	0.976s	PASSED
99	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTROthers"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTROthers' is clicked on	0.361s	PASSED
100	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview' is present	0.460s	PASSED
101	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview' is clicked on	0.511s	PASSED
102	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHQAF"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHQAF' is present	0.454s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
103	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHQAF"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHQAF' is clicked on	0.329s	PASSED
104	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview' is present	0.465s	PASSED
105	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview' is clicked on	0.513s	PASSED
106	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHHP"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHHP' is present	0.477s	PASSED
107	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHHP"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/previewTRHHP' is clicked on	0.359s	PASSED
108	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview' is present	0.466s	PASSED
109	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/closePreview' is clicked on	0.515s	PASSED
110	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval"), 2)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval' is present	0.459s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
111	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Submitforapproval' is clicked on	0.307s	PASSED
112	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch' is present	0.977s	PASSED
113	waitForElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch' is clickable	0.256s	PASSED
114	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/filterValidatebatch' is clicked on	0.319s	PASSED
115	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate' is present	0.966s	PASSED
116	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/buttonValidate' is clicked on	0.425s	PASSED
117	waitForElementPresent(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Approve"), 5)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Approve' is present	0.516s	PASSED
118	click(findTestObject("FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Approve"))  Object: 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Review-Receipt/button_Approve' is clicked on	0.308s	PASSED

## FDR-Review-Print-Forms

#	Description	Elapsed	Status
119	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/reportButton"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/reportButton' is present	0.765s	PASSED
120	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/reportButton"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/reportButton' is clicked on	0.378s	PASSED
121	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests"), 5, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests' is present	0.475s	PASSED
122	click(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests' is clicked on	0.503s	PASSED
123	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate' is present	0.457s	PASSED
124	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), Drawdate)  Keys '10/05/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate'	0.791s	PASSED
125	waitForElementClickable(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_generateTRs"), 10, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_generateTRs' is clickable	0.474s	PASSED
126	click(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_generateTRs"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_generateTRs' is clicked on	0.321s	PASSED

## FDR-Review-Print-Forms

---

#	Description	Elapsed	Status
127	waitForElementClickable(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/backToDashboardBtn"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/backToDashboardBtn' is clickable	0.680s	PASSED
128	Start listener action : sampleAfterTestCase  Browser is closed	0.608s	PASSED
129	Start listener action : afterTestCase	0.000s	PASSED
130	Start listener action : sampleAfterTestCase	0.001s	PASSED
131	Start listener action : addFailedTCToList	0.000s	PASSED



# FDR-Delete-Undo-Receipt-Line

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Delete-Undo-Receipt-Line		
Description			
Tag			
Start	2020-09-15 14:32:41	End	2020-09-15 14:33:35
Elapsed	54.239s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	14.913s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	newDepositId = RandomStringUtils.randomNumeric(7)	0.001s	PASSED
6	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext'</a> is clicked on	14.341s	PASSED
7	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2'</a> is clicked on	9.682s	PASSED

## FDR-Delete-Undo-Receipt-Line

#	Description	Elapsed	Status
8	delay(2)  Delayed 2 second(s)	2.002s	PASSED
9	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/lineAttribute"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/lineAttribute' is clicked on	0.361s	PASSED
10	mouseOver(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/Mose_over"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/Mose_over' is hovered	0.683s	PASSED
11	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/3dots_Icon"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/3dots_Icon' is present	0.289s	PASSED
12	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Edit/3dots_Icon"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Edit/3dots_Icon' is clicked on	0.281s	PASSED
13	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete' is present	0.471s	PASSED
14	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete' is clicked on	0.694s	PASSED
15	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete' is not present after 5 second(s)	6.185s	PASSED

## FDR-Delete-Undo-Receipt-Line

#	Description	Elapsed	Status
16	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/undoIcon"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/undoIcon' is clicked on	0.333s	PASSED
17	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/li_Delete' is not present after 2 second(s)	3.185s	PASSED
18	Start listener action : sampleAfterTestCase  Browser is closed	0.597s	PASSED
19	Start listener action : afterTestCase	0.001s	PASSED
20	Start listener action : sampleAfterTestCase	0.000s	PASSED
21	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Validate-ReceiptHeader-RA-CR

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-ReceiptHeader-RA-CR		
Description			
Tag			
Start	2020-09-15 14:33:36	End	2020-09-15 14:34:14
Elapsed	38.750s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.916s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.003s	PASSED
5	d = Date().plus(1)	0.001s	PASSED
6	dd = Date().plus(2)	0.000s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED

## FDR-Validate-ReceiptHeader-RA-CR

#	Description	Elapsed	Status
8	<code>servicedateto = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
9	<code>newDepositId = RandomStringUtils.randomNumeric(7)</code>	0.000s	PASSED
10	<code>editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	14.971s	PASSED
11	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon"), 2)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon' is present	0.852s	PASSED
12	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/3dots_icon' is clicked on	0.327s	PASSED
13	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/edit-Icon"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/edit-Icon' is clicked on	0.586s	PASSED
14	<code>verifyElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceInput"), 2, STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceInput' is present	0.584s	PASSED
15	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceInput"), remittanceAdvice)</code>  Keys '1234' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceInput'	0.375s	PASSED

## FDR-Validate-ReceiptHeader-RA-CR

#	Description	Elapsed	Status
16	verifyElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptInput"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptInput' is present	0.461s	PASSED
17	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptInput"), controllerReceipt)  Keys '4567' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptInput'	0.386s	PASSED
18	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/next_Button"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/next_Button' is present	0.468s	PASSED
19	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/next_Button"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/next_Button' is clicked on	0.440s	PASSED
20	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over' is present	0.684s	PASSED
21	click(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/Mose_over' is clicked on	0.334s	PASSED
22	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceView"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceView' is present	0.458s	PASSED
23	if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceView")) == remittanceAdvice)  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/remittanceAdviceView' is: "	0.588s	PASSED

## FDR-Validate-ReceiptHeader-RA-CR

---

#	Description	Elapsed	Status
24	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptView"), 2)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptView' is present	0.256s	PASSED
25	if (getText(findTestObject("FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptView")) == controllerReceipt)  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/Edit/controllerReceiptView' is: "	0.281s	PASSED
26	Start listener action : sampleAfterTestCase  Browser is closed	0.597s	PASSED
27	Start listener action : afterTestCase	0.000s	PASSED
28	Start listener action : sampleAfterTestCase	0.000s	PASSED
29	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Create-Receipt-DistributionLine

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Create-Receipt-DistributionLine		
Description			
Tag			
Start	2020-09-15 14:34:14	End	2020-09-15 14:36:20
Elapsed	2m - 5.577s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully</a>	16.461s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	d = Date().plus(1)	0.000s	PASSED
6	dd = Date().plus(2)	0.000s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.001s	PASSED



## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
8	<code>servicedateto = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
9	<code>originalwarrantdate = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
10	<code>newDepositId = RandomStringUtils.randomNumeric(7)</code>	0.000s	PASSED
11	<code>editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	15.194s	PASSED
12	<code>editors.createReceiptline(ReceiptID, SupplierID, DepositDate)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	9.745s	PASSED
13	<code>verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clickable	0.573s	PASSED
14	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clicked on	0.322s	PASSED
15	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is present	0.970s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
16	Receipttotalbefaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is: '\$0.00'	0.264s	PASSED
17	Receipttotalbefaddwithout\$ = Receipttotalbefaddwith\$.substring(1)	0.001s	PASSED
18	ReceipttotalbefaddwithoutComma = Receipttotalbefaddwithout\$.replaceAll(",", "")	0.002s	PASSED
19	Receipttotalbefreceiptlineadd = Float.parseFloat(ReceipttotalbefaddwithoutComma)	0.003s	PASSED
20	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is present	0.246s	PASSED
21	scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3)  Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	0.267s	PASSED
22	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.266s	PASSED
23	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.377s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
24	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present</p>	0.386s	PASSED
25	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield)</p> <p>Keys '524342' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'</p>	1.481s	PASSED
26	<p>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually"))</p> <p>Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on</p>	1.144s	PASSED
27	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)' is present</p>	0.460s	PASSED
28	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), servicedatefrom)</p> <p>Keys '09/16/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)'</p>	0.625s	PASSED
29	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)' is present</p>	0.258s	PASSED
30	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), servicedateto)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)'</p>	0.602s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
31	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate' is present</p>	0.249s	PASSED
32	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate"), originalwarrantdate)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate'</p>	0.573s	PASSED
33	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount' is present</p>	0.265s	PASSED
34	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), Amount)</p> <p>Keys '3000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount'</p>	0.527s	PASSED
35	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present</p>	0.261s	PASSED
36	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 8)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present</p>	0.247s	PASSED
37	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype)</p> <p>Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'</p>	0.366s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
38	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.533s	PASSED
39	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present	0.454s	PASSED
40	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivername)  Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.510s	PASSED
41	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.454s	PASSED
42	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present	0.457s	PASSED
43	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present	0.269s	PASSED
44	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)  Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.476s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
45	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.482s	PASSED
46	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource)  Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.550s	PASSED
47	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.523s	PASSED
48	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present	0.461s	PASSED
49	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory)  Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.369s	PASSED
50	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.549s	PASSED
51	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present	0.460s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
52	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio)</p> <p>Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'</p>	0.351s	PASSED
53	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'</p>	0.542s	PASSED
54	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present</p>	0.454s	PASSED
55	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund)</p> <p>Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'</p>	0.416s	PASSED
56	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'</p>	0.537s	PASSED
57	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present</p>	0.457s	PASSED
58	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'</p>	0.402s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
59	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present	0.484s	PASSED
60	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId)</code>  Keys '5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.411s	PASSED
61	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), Keys.chord(ARROW_DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.525s	PASSED
62	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine' is present	0.473s	PASSED
63	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), IncreaseDecreaseLine)</code>  Keys '10b: Receipts or any decrease' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.468s	PASSED
64	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), Keys.chord(ARROW_DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.403s	PASSED
65	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present	0.462s	PASSED



## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
66	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype)  Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.388s	PASSED
67	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.490s	PASSED
68	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index' is present	0.465s	PASSED
69	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Index)  Keys '1155' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.327s	PASSED
70	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.506s	PASSED
71	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation' is present	0.466s	PASSED
72	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Servicelocation)  Keys '3445' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'	0.444s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
73	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Keys.chord(DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'	0.266s	PASSED
74	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Clear"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Clear' is clicked on	0.649s	PASSED
75	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype)</code>  Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.711s	PASSED
76	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.518s	PASSED
77	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present	0.459s	PASSED
78	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivertype)</code>  Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.432s	PASSED
79	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.506s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
80	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present</p>	0.454s	PASSED
81	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource)</p> <p>Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'</p>	0.316s	PASSED
82	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'</p>	0.511s	PASSED
83	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present</p>	0.456s	PASSED
84	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)</p> <p>Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.403s	PASSED
85	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.463s	PASSED
86	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present</p>	0.471s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
87	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio)  Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.321s	PASSED
88	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.532s	PASSED
89	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present	0.467s	PASSED
90	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund)  Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.348s	PASSED
91	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.526s	PASSED
92	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present	0.460s	PASSED
93	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype)  Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.543s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
94	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.444s	PASSED
95	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present	0.452s	PASSED
96	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory)  Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.348s	PASSED
97	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.549s	PASSED
98	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present	0.455s	PASSED
99	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER))  Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'	0.409s	PASSED
100	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present	0.455s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
101	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId)  Keys '5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.486s	PASSED
102	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), Keys.chord(ARROW_DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.549s	PASSED
103	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	0.608s	PASSED
104	scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3)  Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	0.465s	PASSED
105	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.972s	PASSED
106	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.350s	PASSED
107	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present	0.464s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
108	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield)</p> <p>Keys '524342' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'</p>	0.618s	PASSED
109	<p>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually"))</p> <p>Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on</p>	0.739s	PASSED
110	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)' is present</p>	1.808s	PASSED
111	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), servicedatefrom)</p> <p>Keys '09/16/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)'</p>	0.621s	PASSED
112	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)' is present</p>	0.251s	PASSED
113	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), servicedateto)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)'</p>	0.616s	PASSED
114	<p>delay(4)</p> <p>Delayed 4 second(s)</p>	4.001s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
115	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount' is present	0.253s	PASSED
116	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), NegativeAmount)</code>  Keys '500-' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount'	0.512s	PASSED
117	<code>delay(2)</code>  Delayed 2 second(s)	2.001s	PASSED
118	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.265s	PASSED
119	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 8)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.252s	PASSED
120	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype)</code>  Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.352s	PASSED
121	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.537s	PASSED



## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
122	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present</p>	0.469s	PASSED
123	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivername)</p> <p>Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'</p>	0.467s	PASSED
124	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'</p>	0.517s	PASSED
125	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present</p>	0.463s	PASSED
126	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource)</p> <p>Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'</p>	0.363s	PASSED
127	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'</p>	0.516s	PASSED
128	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present</p>	0.457s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
129	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)  Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.506s	PASSED
130	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.424s	PASSED
131	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present	0.462s	PASSED
132	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio)  Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.367s	PASSED
133	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.670s	PASSED
134	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present	0.392s	PASSED
135	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund)  Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.347s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
136	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.536s	PASSED
137	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation' is present	0.489s	PASSED
138	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Servicelocation)  Keys '3445' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'	1.047s	PASSED
139	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'	0.268s	PASSED
140	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index' is present	0.248s	PASSED
141	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Index)  Keys '1155' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.339s	PASSED
142	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.522s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
143	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present	0.460s	PASSED
144	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype)  Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.499s	PASSED
145	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.326s	PASSED
146	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present	0.464s	PASSED
147	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory)  Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.384s	PASSED
148	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.539s	PASSED
149	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine' is present	0.458s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
150	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), IncreaseDecreaseLine)</p> <p>Keys '10b: Receipts or any decrease' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'</p>	0.554s	PASSED
151	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'</p>	0.335s	PASSED
152	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present</p>	0.458s	PASSED
153	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'</p>	0.436s	PASSED
154	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present</p>	0.466s	PASSED
155	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId)</p> <p>Keys '5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'</p>	0.445s	PASSED
156	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'</p>	0.556s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
157	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is present	0.454s	PASSED
158	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	0.432s	PASSED
159	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is present	0.720s	PASSED
160	delay(4)  Delayed 4 second(s)	4.001s	PASSED
161	Receipttotalaftaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is: '\$2,500.00'	0.299s	PASSED
162	Receipttotalaftaddwithout\$ = Receipttotalaftaddwith\$.substring(1)	0.000s	PASSED
163	ReceipttotalaftaddwithoutComma = Receipttotalaftaddwithout\$.replaceAll(",","")	0.000s	PASSED
164	Recdepttotalaftreceiptlinseadded = Float.parseFloat(ReceipttotalaftaddwithoutComma)	0.000s	PASSED

## FDR-Create-Receipt-DistributionLine

#	Description	Elapsed	Status
165	println(Recdeptotalaftreceiptlinseadded)	0.001s	PASSED
166	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total' is present	0.263s	PASSED
167	delay(4)  Delayed 4 second(s)	4.002s	PASSED
168	Receiptlinetotalaftaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total' is: '\$2,500.00'	0.268s	PASSED
169	Receiptlinetotalaftaddwithout\$ = Receiptlinetotalaftaddwith\$.substring(1)	0.000s	PASSED
170	ReceiptlinetotalaftaddwithoutComma = Receiptlinetotalaftaddwithout\$.replaceAll(",", "")	0.000s	PASSED
171	Receiptlinetotal = Float.parseFloat(ReceiptlinetotalaftaddwithoutComma)	0.000s	PASSED
172	if (Receiptlinetotal == Recdeptotalaftreceiptlinseadded)  Valid Total Deposit Control Amount	0.000s	PASSED
173	Start listener action : sampleAfterTestCase  Browser is closed	0.603s	PASSED

## FDR-Create-Receipt-DistributionLine

---

#	Description	Elapsed	Status
174	Start listener action : afterTestCase	0.001s	PASSED
175	Start listener action : sampleAfterTestCase	0.000s	PASSED
176	Start listener action : addFailedTCToList	0.001s	PASSED



# FDR-Delete-Receipt-Distribution-Line

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Delete-Receipt-Distribution-Line		
Description			
Tag			
Start	2020-09-15 14:36:20	End	2020-09-15 14:38:11
Elapsed	1m - 51.281s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully</a>	17.584s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.003s	PASSED
5	d = Date().plus(1)	0.000s	PASSED
6	dd = Date().plus(2)	0.000s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.001s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
8	<code>servicedateto = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
9	<code>originalwarrantdate = dd.format("MM/dd/yyyy")</code>	0.000s	PASSED
10	<code>newDepositId = RandomStringUtils.randomNumeric(7)</code>	0.000s	PASSED
11	<code>editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	14.677s	PASSED
12	<code>editors.createReceiptline(ReceiptID, SupplierID, DepositDate)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	9.646s	PASSED
13	<code>verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clickable	0.547s	PASSED
14	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clicked on	0.324s	PASSED
15	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is present	0.979s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
16	Receipttotalbefaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is: '\$0.00'	0.262s	PASSED
17	Receipttotalbefaddwithout\$ = Receipttotalbefaddwith\$.substring(1)	0.000s	PASSED
18	ReceipttotalbefaddwithoutComma = Receipttotalbefaddwithout\$.replaceAll(",", "")	0.000s	PASSED
19	Receipttotalbefreceiptlineadd = Float.parseFloat(ReceipttotalbefaddwithoutComma)	0.001s	PASSED
20	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is present	0.256s	PASSED
21	scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3)  Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	0.270s	PASSED
22	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.270s	PASSED
23	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.392s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
24	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present</p>	0.463s	PASSED
25	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield)</p> <p>Keys '524342' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'</p>	0.581s	PASSED
26	<p>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually"))</p> <p>Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on</p>	1.145s	PASSED
27	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)' is present</p>	0.479s	PASSED
28	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), servicedatefrom)</p> <p>Keys '09/16/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)'</p>	0.649s	PASSED
29	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)' is present</p>	0.247s	PASSED
30	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), servicedateto)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)'</p>	0.636s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
31	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate' is present</p>	0.256s	PASSED
32	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate"), originalwarrantdate)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OriginalWarrantDate'</p>	0.634s	PASSED
33	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount' is present</p>	0.258s	PASSED
34	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), Amount)</p> <p>Keys '3000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount'</p>	0.521s	PASSED
35	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present</p>	0.247s	PASSED
36	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 8)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present</p>	0.263s	PASSED
37	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype)</p> <p>Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'</p>	0.349s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
38	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.518s	PASSED
39	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present	0.458s	PASSED
40	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivername)  Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.424s	PASSED
41	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.507s	PASSED
42	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present	0.458s	PASSED
43	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource)  Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.334s	PASSED
44	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.535s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
45	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present	0.454s	PASSED
46	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)  Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.427s	PASSED
47	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.446s	PASSED
48	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present	0.449s	PASSED
49	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio)  Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.361s	PASSED
50	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.568s	PASSED
51	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present	0.457s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
52	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund)</p> <p>Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'</p>	0.347s	PASSED
53	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'</p>	0.508s	PASSED
54	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation' is present</p>	0.469s	PASSED
55	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Servicelocation)</p> <p>Keys '3445' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'</p>	0.443s	PASSED
56	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'</p>	0.286s	PASSED
57	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index' is present</p>	0.270s	PASSED
58	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Index)</p> <p>Keys '1155' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'</p>	0.370s	PASSED



## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
59	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.538s	PASSED
60	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present	0.468s	PASSED
61	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype)  Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.476s	PASSED
62	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.439s	PASSED
63	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present	0.476s	PASSED
64	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory)  Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.367s	PASSED
65	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.522s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
66	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine' is present</p>	0.459s	PASSED
67	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), IncreaseDecreaseLine)</p> <p>Keys '10b: Receipts or any decrease' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'</p>	0.439s	PASSED
68	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'</p>	0.458s	PASSED
69	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present</p>	0.475s	PASSED
70	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'</p>	0.404s	PASSED
71	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present</p>	0.462s	PASSED
72	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId)</p> <p>Keys '5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'</p>	0.414s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
73	<code>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), Keys.chord(ARROW_DOWN, ENTER))</code>  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.551s	PASSED
74	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is present	0.452s	PASSED
75	<code>waitForElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"), 10)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clickable	0.252s	PASSED
76	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	0.391s	PASSED
77	<code>scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3)</code>  Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	1.255s	PASSED
78	<code>verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.251s	PASSED
79	<code>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.354s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
80	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present</p>	0.482s	PASSED
81	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield)</p> <p>Keys '524342' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'</p>	0.613s	PASSED
82	<p>click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually"))</p> <p>Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on</p>	1.114s	PASSED
83	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)' is present</p>	0.454s	PASSED
84	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), servicedatefrom)</p> <p>Keys '09/16/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)'</p>	0.598s	PASSED
85	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)' is present</p>	0.268s	PASSED
86	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), servicedateto)</p> <p>Keys '09/17/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)'</p>	0.591s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
87	delay(4)  Delayed 4 second(s)	4.003s	PASSED
88	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount' is present	0.254s	PASSED
89	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), NegativeAmount)  Keys '500-' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount'	0.561s	PASSED
90	delay(2)  Delayed 2 second(s)	2.001s	PASSED
91	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.256s	PASSED
92	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 8)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.270s	PASSED
93	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype)  Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.358s	PASSED
94	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.526s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
95	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present	0.464s	PASSED
96	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivename)  Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.473s	PASSED
97	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.529s	PASSED
98	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present	0.484s	PASSED
99	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource)  Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.378s	PASSED
100	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.519s	PASSED
101	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present	0.460s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
102	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)</p> <p>Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.490s	PASSED
103	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.340s	PASSED
104	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present</p>	0.459s	PASSED
105	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio)</p> <p>Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'</p>	0.355s	PASSED
106	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'</p>	0.548s	PASSED
107	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present</p>	0.456s	PASSED
108	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund)</p> <p>Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'</p>	0.362s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
109	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'</p>	0.518s	PASSED
110	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation' is present</p>	0.455s	PASSED
111	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Servicelocation)</p> <p>Keys '3445' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'</p>	0.421s	PASSED
112	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'</p>	0.317s	PASSED
113	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index' is present</p>	0.255s	PASSED
114	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Index)</p> <p>Keys '1155' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'</p>	0.344s	PASSED
115	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'</p>	0.511s	PASSED



## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
116	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present</p>	0.465s	PASSED
117	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype)</p> <p>Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'</p>	0.473s	PASSED
118	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'</p>	0.411s	PASSED
119	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present</p>	0.472s	PASSED
120	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory)</p> <p>Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'</p>	0.365s	PASSED
121	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'</p>	0.507s	PASSED
122	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), 10)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine' is present</p>	0.472s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
123	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), IncreaseDecreaseLine)  Keys '10b: Receipts or any decrease' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.479s	PASSED
124	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), Keys.chord(ARROW_DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.437s	PASSED
125	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present	0.473s	PASSED
126	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER))  Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'	0.441s	PASSED
127	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present	0.465s	PASSED
128	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId)  Keys '5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.475s	PASSED
129	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), Keys.chord(ARROW_DOWN, ENTER))  Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.547s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
130	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/saveCloseButton"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/saveCloseButton' is present	0.484s	PASSED
131	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/saveCloseButton"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/saveCloseButton' is clicked on	0.839s	PASSED
132	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"), 5)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is present	1.423s	PASSED
133	Receipttotalaftaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"))  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is: '\$2,500.00'	0.252s	PASSED
134	Receipttotalaftaddwithout\$ = Receipttotalaftaddwith\$.substring(1)	0.000s	PASSED
135	ReceipttotalaftaddwithoutComma = Receipttotalaftaddwithout\$.replaceAll(",", "")	0.000s	PASSED
136	Recdepttotalaftreceiptlinseadded = Float.parseFloat(ReceipttotalaftaddwithoutComma)	0.000s	PASSED
137	println(Recdepttotalaftreceiptlinseadded)	0.001s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
138	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total"), 5)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total' is present	0.257s	PASSED
139	<code>Receiptlinetotalaftaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total"))</code>  Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/receiptLine_Total' is: '\$2,500.00'	0.266s	PASSED
140	<code>Receiptlinetotalaftaddwithout\$ = Receiptlinetotalaftaddwith\$.substring(1)</code>	0.000s	PASSED
141	<code>ReceiptlinetotalaftaddwithoutComma = Receiptlinetotalaftaddwithout\$.replaceAll(",", "")</code>	0.000s	PASSED
142	<code>Receiptlinetotal = Float.parseFloat(ReceiptlinetotalaftaddwithoutComma)</code>	0.001s	PASSED
143	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/3dots/distributionLineHover"), 3)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/3dots/distributionLineHover' is present	0.258s	PASSED
144	<code>mouseOver(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/3dots/distributionLineHover"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/3dots/distributionLineHover' is hovered	0.374s	PASSED
145	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/3dots/distributionLineHover"), 1)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/3dots/distributionLineHover' is present	0.271s	PASSED

## FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
146	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/3dots/editIconDistributionLine"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/3dots/editIconDistributionLine' is clicked on	0.293s	PASSED
147	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 4)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is not present after 4 second(s)	5.129s	PASSED
148	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/Delete/Delete-distributionline"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/Delete/Delete-distributionline' is clicked on	0.362s	PASSED
149	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/undoIcon"), 4)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/undoIcon' is present	0.611s	PASSED
150	click(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/Delete/undoIcon"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/Delete/undoIcon' is clicked on	0.332s	PASSED
151	Start listener action : sampleAfterTestCase  Browser is closed	0.645s	PASSED
152	Start listener action : afterTestCase	0.000s	PASSED
153	Start listener action : sampleAfterTestCase	0.001s	PASSED

# FDR-Delete-Receipt-Distribution-Line

#	Description	Elapsed	Status
154	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Validate-Account-AltAccount-0555

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Validate-Account-AltAccount-0555		
Description			
Tag			
Start	2020-09-15 14:38:11	End	2020-09-15 14:38:59
Elapsed	47.223s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.151s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.000s	PASSED
4	Start listener action : executeRows	0.002s	PASSED
5	d = Date().plus(1)	0.001s	PASSED
6	dd = Date().plus(2)	0.000s	PASSED
7	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED

## FDR-Validate-Account-AltAccount-0555

#	Description	Elapsed	Status
8	servicedateto = dd.format("MM/dd/yyyy")	0.000s	PASSED
9	originalwarrantdate = dd.format("MM/dd/yyyy")	0.000s	PASSED
10	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
11	searchfield = RandomStringUtils.randomNumeric(7)	0.000s	PASSED
12	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on	14.345s	PASSED
13	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on	9.514s	PASSED
14	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clickable	0.768s	PASSED
15	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down' is clicked on	0.317s	PASSED
16	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is present	0.486s	PASSED



## FDR-Validate-Account-AltAccount-0555

#	Description	Elapsed	Status
17	scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3)  Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	0.474s	PASSED
18	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.260s	PASSED
19	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE)  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.349s	PASSED
20	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present	0.465s	PASSED
21	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield)  Keys '1551286' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'	0.565s	PASSED
22	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually"))  Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on	1.061s	PASSED
23	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30)  Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present	0.475s	PASSED

## FDR-Validate-Account-AltAccount-0555

#	Description	Elapsed	Status
24	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode)</p> <p>Keys 'Healthy Families Fund (0555)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.439s	PASSED
25	<p>sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER))</p> <p>Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'</p>	0.451s	PASSED
26	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is present</p>	0.460s	PASSED
27	<p>if (getText(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId")) == accountId)</p> <p>Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId' is: "</p>	0.256s	PASSED
28	else	0.001s	PASSED
29	<p>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), 2, STOP_ON_FAILURE)</p> <p>Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is present</p>	0.250s	PASSED
30	<p>if (getText(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId")) == altAccountId)</p> <p>Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId' is: "</p>	0.277s	PASSED
31	else	0.000s	PASSED

## FDR-Validate-Account-AltAccount-0555

---

#	Description	Elapsed	Status
32	Start listener action : sampleAfterTestCase  Browser is closed	0.607s	PASSED
33	Start listener action : afterTestCase	0.001s	PASSED
34	Start listener action : sampleAfterTestCase	0.001s	PASSED
35	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Generate-Reports

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Generate-Reports		
Description			
Tag			
Start	2020-09-15 14:38:59	End	2020-09-15 14:39:28
Elapsed	29.502s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  <a href="https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov">Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov'</a> successfully	15.387s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.000s	PASSED
5	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/reportButton"), 2)  <a href="#">Object 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/reportButton' is present</a>	1.944s	PASSED
6	click(findTestObject("FDR-Receipt/FDR-Receipt-Dashboard/reportButton"))  <a href="#">Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Dashboard/reportButton' is clicked on</a>	0.379s	PASSED

# FDR-Generate-Reports

#	Description	Elapsed	Status
7	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests"), 5, STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests' is present	0.458s	PASSED
8	<code>click(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/receiptTransactionRequests' is clicked on	0.529s	PASSED
9	<code>waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate"), 3, STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/inputDrawDate' is present	0.487s	PASSED
10	<code>waitForElementClickable(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_Cancel"), 3, STOP_ON_FAILURE)</code>  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_Cancel' is clickable	0.488s	PASSED
11	<code>click(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_Cancel"))</code>  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_Cancel' is clicked on	0.312s	PASSED
12	<code>waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptLabel"), 3)</code>  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptLabel' is present	0.691s	PASSED
13	<code>monthlyReceiptLabel = getText(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptLabel"))</code>  Text of object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptLabel' is: 'Monthly Receipt Report for Federal Reporting (Defined by Draw Date)'	0.264s	PASSED

## FDR-Generate-Reports

#	Description	Elapsed	Status
14	assert monthlyReceiptLabel == "Monthly Receipt Report for Federal Reporting (Defined by Draw Date)"	0.001s	PASSED
15	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptBtn"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptBtn' is present	0.252s	PASSED
16	click(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptBtn"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptBtn' is clicked on	0.367s	PASSED
17	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptSummaryHeader"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthlyReceiptSummaryHeader' is present	0.457s	PASSED
18	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthDropdown"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthDropdown' is present	0.249s	PASSED
19	click(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthDropdown"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthDropdown' is clicked on	0.296s	PASSED
20	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthOption"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthOption' is present	0.461s	PASSED

# FDR-Generate-Reports

#	Description	Elapsed	Status
21	click(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthOption"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Monthly-Receipts/monthOption' is clicked on	0.276s	PASSED
22	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard"), 3, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard' is present	0.468s	PASSED
23	click(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard' is clicked on	0.390s	PASSED
24	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsLabel"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsLabel' is present	0.466s	PASSED
25	dailyReceiptLabel = getText(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsLabel"))  Text of object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsLabel' is: 'Daily Receipt Report (Defined by Processing Date)'	0.267s	PASSED
26	assert dailyReceiptLabel == "Daily Receipt Report (Defined by Processing Date)"	0.000s	PASSED
27	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsBtn"), 1)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsBtn' is present	0.250s	PASSED

## FDR-Generate-Reports

#	Description	Elapsed	Status
28	click(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsBtn"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptsBtn' is clicked on	0.347s	PASSED
29	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptHeader"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/FDR-Daily-Processing-Receipts/dailyProcessingReceiptHeader' is present	0.473s	PASSED
30	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard"), 1, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard' is present	0.263s	PASSED
31	click(findTestObject("FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard"))  Object: 'Object Repository/FDR-Receipt/FDR-Report-Generation/FDR-Report-Dashboard/button_backToDashboard' is clicked on	0.375s	PASSED
32	delay(2)  Delayed 2 second(s)	2.001s	PASSED
33	Start listener action : sampleAfterTestCase  Browser is closed	0.667s	PASSED
34	Start listener action : afterTestCase	0.000s	PASSED
35	Start listener action : sampleAfterTestCase	0.001s	PASSED



## FDR-Generate-Reports

---

#	Description	Elapsed	Status
36	Start listener action : addFailedTCToList	0.000s	PASSED

# FDR-Search-Receipt

## Information

ID	Test Cases/WEB-UI-TESTS/Receipt/FDR-Search-Receipt		
Description			
Tag			
Start	2020-09-15 14:39:28	End	2020-09-15 14:40:25
Elapsed	57.180s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase  Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	18.345s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase	0.001s	PASSED
4	Start listener action : executeRows	0.000s	PASSED
5	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is present	1.988s	PASSED
6	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is clicked on	0.281s	PASSED

## FDR-Search-Receipt

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), depositId)  Text '769' is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.525s	PASSED
8	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks' is not present after 2 second(s)	3.088s	PASSED
9	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "")  Text " is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.525s	PASSED
10	refresh()  Refresh successfully	0.543s	PASSED
11	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is present	0.631s	PASSED
12	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is clicked on	0.278s	PASSED
13	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), drawDate)  Text '01/13/2021' is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.534s	PASSED
14	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks' is present	1.034s	PASSED

## FDR-Search-Receipt

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "")  Text " " is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.540s	PASSED
16	refresh()  Refresh successfully	0.566s	PASSED
17	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), 3)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is present	0.625s	PASSED
18	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is clicked on	0.294s	PASSED
19	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), payDate)  Text '01/15/2021' is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.533s	PASSED
20	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks' is present	1.008s	PASSED
21	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "")  Text " " is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.553s	PASSED
22	refresh()  Refresh successfully	1.121s	PASSED
23	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is clicked on	0.667s	PASSED

# FDR-Search-Receipt

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "resume")  Text 'resume' is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.579s	PASSED
25	delay(4)  Delayed 4 second(s)	4.001s	PASSED
26	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks' is present	0.247s	PASSED
27	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "")  Text " is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.521s	PASSED
28	refresh()  Refresh successfully	0.573s	PASSED
29	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar' is clicked on	0.678s	PASSED
30	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "fix")  Text 'fix' is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.553s	PASSED
31	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/noMatchingTasks' is present	1.656s	PASSED
32	setText(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar"), "")  Text " is set on object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/searchBar'	0.626s	PASSED

## FDR-Search-Receipt

#	Description	Elapsed	Status
33	refresh()  Refresh successfully	0.594s	PASSED
34	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/buttonResume"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/buttonResume' is clicked on	0.708s	PASSED
35	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/resumeBatch"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-Search-Receipt/resumeBatch' is present	0.975s	PASSED
36	click(findTestObject("Object Repository/FDR-Receipt/FDR-Search-Receipt/resumeBatch"))  Object: 'Object Repository/FDR-Receipt/FDR-Search-Receipt/resumeBatch' is clicked on	0.798s	PASSED
37	delay(10)  Delayed 10 second(s)	10.002s	PASSED
38	waitForElementPresent(findTestObject("Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton"), 2, STOP_ON_FAILURE)  Object 'Object Repository/FDR-Receipt/FDR-ReceiptBatch/Fix/reviewButton' is present	0.270s	PASSED
39	Start listener action : sampleAfterTestCase  Browser is closed	0.594s	PASSED
40	Start listener action : afterTestCase	0.001s	PASSED
41	Start listener action : sampleAfterTestCase	0.001s	PASSED

# FDR-Search-Receipt

#	Description	Elapsed	Status
42	Start listener action : addFailedTCToList	0.000s	PASSED