Draw-Integration_Suite

Execution Environment

Host name nagesh.allu - DESKTOP-9VU7G8T.attlocal.net

OS Windows 10 64bit

Katalon version 7.6.6.205

Browser Chrome 85.0.4183.83

Summary

ID Test Suites/Draw-Integration_Suite

Description

Total 8

Passed 4 Failed 3
Error 1 Incomplete 0

Start 2020-09-08 11:32:18 End 2020-09-08 11:52:21

Elapsed 20m - 3.250s

#	ID	Description	Status
1	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Voucher-Date-Validation		PASSED
2	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Receipts-Date Validation	-	PASSED
3	Test Cases/WEB-UI-TESTS/Draw/FDR-Total-Validations-Receipts-Vouchers		FAILED
4	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Tabs		PASSED
5	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Voucher- Expanding-Collpasing		PASSED
6	Test Cases/WEB-UI-TESTS/Draw/FDR-Voucher- Expenditure-Validation		ERROR
7	Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Reject-Vouchers-Receipts		FAILED
8	Test Cases/WEB-UI-TESTS/Draw/FDR-Update-SCO-Balances-Icons		FAILED

FDR-Draw-Voucher-Date-Validation

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Voucher-Date-Validation

Description

Tag

Start 2020-09-08 11:32:19 End 2020-09-08 11:34:29

Elapsed 2m - 9.764s Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.013s	PASSED
2	Start listener action : beforeTestCase	0.005s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	20.088s	PASSED
4	Start listener action : executeRows	0.039s	PASSED
5	voucherHeaderData = ["drawDate":drawDate, "payDate":payDate, "programType":programType, "invoiceType":invoiceType, "fundCode":fundCode, "supplier":supplier,]	0.001s	PASSED
6	Uifunctions.createVoucherHeader(voucherHeaderData) Object 'Object Repository/FDR-VoucherEntry/VoucherHeader/reviewButton' is present	39.780s	PASSED

FDR-Draw-Voucher-Date-Validation

#	Description	Elapsed	Status
7	waitForElementPresent(findTestObject("FDR-VoucherEntry/VoucherHeader/reviewButton"), 5)	0.267s	PASSED
	Object 'Object Repository/FDR-VoucherEntry/VoucherHeader/reviewButton' is present		
8	voucherDrawDate = getText(findTestObject("FDR-VoucherEntry/VoucherHeader/drawDate"))	0.292s	PASSED
	Text of object 'Object Repository/FDR-VoucherEntry/VoucherHeader/drawDate' is: '09/23/2020'		
9	Uifunctions.createInvoiceLine(1)	9.013s	PASSED
	Object 'Object Repository/FDR-VoucherEntry/VoucherHeader/reviewButton' is present		
10	waitForElementClickable(findTestObject("FDR-VoucherEntry/InvoiceLine/invoiceLineExpandButton"), 5)	0.267s	PASSED
	Object 'Object Repository/FDR-VoucherEntry/InvoiceLine/invoiceLineExpandButton' is clickable		
11	click(findTestObject("FDR-VoucherEntry/InvoiceLine/invoiceLineExpandButton"))	0.415s	PASSED
	Object: 'Object Repository/FDR-VoucherEntry/InvoiceLine/invoiceLineExpandButton' is clicked on		
12	waitForElementClickable(findTestObject("FDR-VoucherEntry/InvoiceLine/invoiceAddlineButton"), 5)	0.914s	PASSED
	Object 'Object Repository/FDR-VoucherEntry/InvoiceLine/invoiceAddlineButton' is clickable		
13	click(findTestObject("FDR-VoucherEntry/InvoiceLine/invoiceAddlineButton"))	0.581s	PASSED
	Object: 'Object Repository/FDR-VoucherEntry/InvoiceLine/invoiceAddlineButton' is clicked on		
14	Uifunctions.createDistributionLines(1, "Voucher/FDR-DL")	57.028s	PASSED
	Object: 'Object Repository/FDR-VoucherEntry/DistributionLine/addSaveButton' is clicked on		

FDR-Draw-Voucher-Date-Validation

#	Description	Elapsed	Status
15	Start listener action : sampleAfterTestCase	0.003s	PASSED
16	Start listener action : afterTestCase	0.001s	PASSED
17	Start listener action : sampleAfterTestCase	0.775s	PASSED
18	Start listener action : addFailedTCToList	0.001s	PASSED

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Receipts-Date-Validation

Description

Tag

Start 2020-09-08 11:34:29 End 2020-09-08 11:35:48

Elapsed 1m - 18.479s

Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.003s	PASSED
2	Start listener action : beforeTestCase	0.000s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	15.636s	PASSED
4	Start listener action : executeRows	0.001s	PASSED
5	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 3) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 3 second(s)	4.287s	PASSED
6	newDepositId = RandomStringUtils.randomNumeric(7)	0.000s	PASSED

#	Description	Elapsed	Status
7	editors.createReceipt(Drawdate, Paydate, newDepositId, Receiptnotes, Remittance, Controller)	16.109s	PASSED
	Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Header/View/buttonNext' is clicked on		
8	editors.createReceiptline(ReceiptID, SupplierID, DepositDate)	10.225s	PASSED
	Object: 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/addReceipt_Button2' is clicked on		
9	d = Date().plus(1)	0.000s	PASSED
10	dd = Date().plus(2)	0.001s	PASSED
11	servicedatefrom = d.format("MM/dd/yyyy")	0.000s	PASSED
12	servicedateto = dd.format("MM/dd/yyyy")	0.001s	PASSED
13	originalwarrantdate = dd.format("MM/dd/yyyy")	0.000s	PASSED
14	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down_Receipts"), STOP_ON_FAILURE) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down_Receipts' is clickable	0.762s	PASSED
15	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down_Receipts"), STOP_ON_FAILURE) Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/arrow_Down_Receipts' is clicked on	0.321s	PASSED

#	Description	Elapsed	Status
16	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is present	0.481s	PASSED
17	Receipttotalbefaddwith\$ = getText(findTestObject("FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount")) Text of object 'Object Repository/FDR-Receipt/FDR-Receipt-Checkline/View/deposit_Control_Amount' is: '\$0.00'	0.457s	PASSED
18	Receipttotalbefaddwithout\$ = Receipttotalbefaddwith\$.substring(1)	0.001s	PASSED
19	ReceipttotalbefaddwithoutComma = Receipttotalbefaddwithout\$.replaceAll(",", "")	0.003s	PASSED
20	Receipttotalbefreceiptlineadd = Float.parseFloat(ReceipttotalbefaddwithoutComma)	0.003s	PASSED
21	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is present	0.250s	PASSED
22	scrollToElement(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), 3) Scroll to object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' successfully	0.265s	PASSED
23	verifyElementClickable(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clickable	0.256s	PASSED

#	Description	Elapsed	Status
24	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline"), STOP_ON_FAILURE) Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add-Invoiceline' is clicked on	0.364s	PASSED
25	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield' is present	0.887s	PASSED
26	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield"), searchfield) Keys '524342' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/invoice_Searchfield'	0.387s	PASSED
27	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually")) Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_Add_invoicemanually' is clicked on	1.204s	PASSED
28	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)' is present	0.467s	PASSED
29	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)"), servicedatefrom) Keys '09/09/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (from)'	0.642s	PASSED
30	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)' is present	0.263s	PASSED

#	Description	Elapsed	Status
31	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)"), servicedateto) Keys '09/10/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service date (to)'	0.768s	PASSED
32	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate' is present	0.272s	PASSED
33	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate"), originalwarrantdate) Keys '09/10/2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_OrginalWarrantDate'	0.641s	PASSED
34	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount' is present	0.269s	PASSED
35	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount"), Amount) Keys '3000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Amount'	0.626s	PASSED
36	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.273s	PASSED
37	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), 8) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type' is present	0.258s	PASSED

#	Description	Elapsed	Status
38	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Waivertype) Keys '2020' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.386s	PASSED
39	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Type'	0.848s	PASSED
40	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), 6) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name' is present	0.275s	PASSED
41	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Waivername) Keys 'A-FamilyU TPM/GMC' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.451s	PASSED
42	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/waiver_Name'	0.527s	PASSED
43	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), 6) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source' is present	0.466s	PASSED
44	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Fundingsource) Keys 'Dental' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.402s	PASSED

#	Description	Elapsed	Status
45	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/funding_Source'	0.619s	PASSED
46	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), 30) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code' is present	0.358s	PASSED
47	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Fundcode) Keys 'Health Care Deposit Fund (0912)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.434s	PASSED
48	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Code'	0.444s	PASSED
49	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio' is present	0.463s	PASSED
50	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Fundratio) Keys '5' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.388s	PASSED
51	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/fund_Ratio'	0.558s	PASSED

#	Description	Elapsed	Status
52	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is present	0.470s	PASSED
53	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund")) Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund' is clicked on	0.334s	PASSED
54	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Nonfederalfund) Keys '0001' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.395s	PASSED
55	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/non_Federalfund'	0.574s	PASSED
56	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation' is present	0.359s	PASSED
57	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Servicelocation) Keys '3445' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'	0.442s	PASSED
58	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_Service location_serviceLocation'	0.277s	PASSED

#	Description	Elapsed	Status
59	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index' is present	0.267s	PASSED
60	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Index) Keys '1155' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.373s	PASSED
61	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/Index'	0.508s	PASSED
62	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type' is present	0.461s	PASSED
63	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Programtype) Keys 'Medical Assistance (MA)' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.419s	PASSED
64	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/program_Type'	0.410s	PASSED
65	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category' is present	0.456s	PASSED

#	Description	Elapsed	Status
66	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Servicecategory) Keys '18B1' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.377s	PASSED
67	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category"), Keys.chord(DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/service_Category'	0.531s	PASSED
68	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine' is present	0.458s	PASSED
69	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), IncreaseDecreaseLine) Keys '10b: Receipts or any decrease' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.426s	PASSED
70	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine"), Keys.chord(ARROW_DOWN, ENTER)) Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/increaseDecreaseLine'	0.431s	PASSED
71	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), 2, STOP_ON_FAILURE) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId" is present	0.457s	PASSED
72	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId"), accountId + Keys.chord(ARROW_DOWN, ENTER)) Keys 'DOWN + ENTER + 5432000' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_accountId'	0.456s	PASSED

#	Description	Elapsed	Status
73	delay(4) Delayed 4 second(s)	4.001s	PASSED
74	sendKeys(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId"), altAccountId + Keys.chord(ARROW_DOWN, ENTER)) Keys 'DOWN + ENTER + 5432000019' sent to object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/input_altAccountId'	0.596s	PASSED
75	waitForElementPresent(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose"), 10) Object 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is present	0.457s	PASSED
76	click(findTestObject("FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose")) Object: 'Object Repository/FDR-Receipt/FDR-Receipt-DistributionLine/FDR-AddEdit-DistributionLine/button_SaveClose' is clicked on	0.422s	PASSED
77	Start listener action : sampleAfterTestCase	0.001s	PASSED
78	Start listener action : afterTestCase	0.001s	PASSED
79	Start listener action : sampleAfterTestCase	0.614s	PASSED
80	Start listener action : addFailedTCToList	0.000s	PASSED

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Total-Validations-Receipts-Vouchers

Description

Tag

Start 2020-09-08 11:35:48 End 2020-09-08 11:36:37

Elapsed 49.319s Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	16.561s	PASSED
4	Start listener action : executeRows	0.000s	PASSED
5	drawDate = "09/23/2020"	0.001s	PASSED
6	logger = new com.kms.katalon.core.logging.KeywordLogger()	0.000s	PASSED
7	delay(10) Delayed 10 second(s)	10.002s	PASSED

#	Description	Elapsed	Status
8	Uifunctions.clickOnReconcileButton(drawDate) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 3 second(s)	12.693s	PASSED
9	delay(5) Delayed 5 second(s)	5.001s	PASSED
10	click(findTestObject("FDR-Draw/ReconciliationPage/expandV1Button")) Object: 'Object Repository/FDR-Draw/ReconciliationPage/expandV1Button' is clicked on	0.505s	PASSED
11	delay(3) Delayed 3 second(s)	3.002s	PASSED
12	voucherTotal = util.convertToNum(findTestObject("FDR-Draw/ReconciliationPage/expenditureTotal")) Text of object 'Object Repository/FDR-Draw/ReconciliationPage/expenditureTotal' is: '\$400.00'	0.284s	PASSED
13	logger.logInfo("voucherTotal: " + voucherTotal) voucherTotal: 400.0	0.001s	PASSED
14	receiptsTotal = util.convertToNum(findTestObject("FDR-Draw/ReconciliationPage/receiptsTotal")) Text of object 'Object Repository/FDR-Draw/ReconciliationPage/receiptsTotal' is: '\$100.00'	0.274s	PASSED
15	logger.logInfo("receiptsTotal: " + receiptsTotal) receiptsTotal: 100.0	0.001s	PASSED
16	grandTotal = util.convertToNum(findTestObject("FDR-Draw/ReconciliationPage/drawGrandTotal")) Text of object 'Object Repository/FDR-Draw/ReconciliationPage/drawGrandTotal' is: '\$0.00'	0.288s	PASSED

#	Description	Elapsed	Status
17	logger.logInfo("grandTotal : " + grandTotal)	0.001s	PASSED
	grandTotal: 0.0		
18	verifyEqual(voucherTotal + receiptsTotal, grandTotal)	0.007s	FAILED
	Unable to verify equal between actual object '500' and expected object '0' (Root cause: com. kms.katalon.core.exception.StepFailedException: Actual object '500' and expected object '0' are not equal		
	at com.kms.katalon.core.keyword.builtin.		
	VerifyEqualKeyword\$_verifyEqual_closure1.doCall(VerifyEqualKeyword.groovy:58) at com.kms.katalon.core.keyword.builtin.		
	VerifyEqualKeyword\$_verifyEqual_closure1.call(VerifyEqualKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.VerifyEqualKeyword.verifyEqual		
	(VerifyEqualKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.VerifyEqualKeyword.execute (VerifyEqualKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyEqual(BuiltinKeywords.		
	groovy:141)		
	at FDR-Total-Validations-Receipts-Vouchers.run(FDR-Total-Validations-Receipts-		
	Vouchers:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		

#	Description	Elapsed	Status
19	Start listener action : sampleAfterTestCase	0.000s	PASSED
20	Start listener action : afterTestCase	0.000s	PASSED
21	Start listener action : sampleAfterTestCase	0.599s	PASSED
22	Start listener action : addFailedTCToList	0.000s	PASSED

FDR-Draw-Tabs

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Tabs

Description

Tag

Start 2020-09-08 11:36:37 End 2020-09-08 11:37:15

Elapsed 37.892s Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	19.113s	PASSED
4	Start listener action : executeRows	0.000s	PASSED
5	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.293s	PASSED
6	click(findTestObject("FDR-Draw/CompletedTabs/completedTab")) Object: 'Object Repository/FDR-Draw/CompletedTabs/completedTab' is clicked on	0.383s	PASSED
7	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.257s	PASSED

FDR-Draw-Tabs

#	Description	Elapsed	Status
8	verifyElementPresent(findTestObject("FDR-Draw/CompletedTabs/drawDate"), 2)	0.281s	PASSED
	Object 'Object Repository/FDR-Draw/CompletedTabs/drawDate' is present		
9	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)	3.195s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)		
10	verifyElementPresent(findTestObject("FDR-Draw/CompletedTabs/drawDateLabel"), 2)	0.275s	PASSED
	Object 'Object Repository/FDR-Draw/CompletedTabs/drawDateLabel' is present		
11	verifyElementPresent(findTestObject("FDR-Draw/CompletedTabs/depositDate"), 2)	0.276s	PASSED
	Object 'Object Repository/FDR-Draw/CompletedTabs/depositDate' is present		
12	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)	3.201s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)		
13	verifyElementPresent(findTestObject("FDR-Draw/CompletedTabs/depositDateLabel"), 2)	0.253s	PASSED
	Object 'Object Repository/FDR-Draw/CompletedTabs/depositDateLabel' is present		
14	verifyElementPresent(findTestObject("FDR-Draw/CompletedTabs/transactionRequest1"), 2)	0.280s	PASSED
	Object 'Object Repository/FDR-Draw/CompletedTabs/transactionRequest1' is present		
15	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)	3.168s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)		
16	verifyElementPresent(findTestObject("FDR-Draw/CompletedTabs/transactionRequest1Label1"), 2)	0.259s	PASSED
	Object 'Object Repository/FDR-Draw/CompletedTabs/transactionRequest1Label1' is present		

FDR-Draw-Tabs

#	Description	Elapsed	Status
17	Start listener action : sampleAfterTestCase	0.001s	PASSED
18	Start listener action : afterTestCase	0.000s	PASSED
19	Start listener action : sampleAfterTestCase	0.611s	PASSED
20	Start listener action : addFailedTCToList	0.000s	PASSED

FDR-Draw-Voucher-Expanding-Collpasing

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Voucher-Expanding-Collpasing

Description

Tag

Start 2020-09-08 11:37:15 End 2020-09-08 11:38:08

Elapsed 52.520s Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.000s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	16.824s	PASSED
4	Start listener action : executeRows	0.001s	PASSED
5	drawDate = "09/14/2020"	0.000s	PASSED
6	Uifunctions.clickOnReconcileButton(drawDate) Text of object 'drawDate' is: '09/28/2020'	6.749s	PASSED
7	delay(5) Delayed 5 second(s)	5.002s	PASSED

FDR-Draw-Voucher-Expanding-Collpasing

#	Description	Elapsed	Status
8	click(findTestObject("FDR-Draw/VoucherExpenditure/voucherExpandButton")) Object: 'Object Repository/FDR-Draw/VoucherExpenditure/voucherExpandButton' is clicked on	0.286s	PASSED
9	click(findTestObject("Object Repository/FDR-Draw/reconcileButton")) Object: 'Object Repository/FDR-Draw/reconcileButton' is clicked on	1.403s	PASSED
10	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.096s	PASSED
11	scrollToElement(findTestObject("FDR-Draw/VoucherExpenditure/voucherLineAmt"), 3) Scroll to object 'Object Repository/FDR-Draw/VoucherExpenditure/voucherLineAmt' successfully	0.300s	PASSED
12	verifyElementPresent(findTestObject("FDR-Draw/VoucherExpenditure/voucherLineAmt"), 2) Object 'Object Repository/FDR-Draw/VoucherExpenditure/voucherLineAmt' is present	0.284s	PASSED
13	click(findTestObject("FDR-Draw/VoucherExpenditure/receiptExpandButton1")) Object: 'Object Repository/FDR-Draw/VoucherExpenditure/receiptExpandButton1' is clicked on	0.470s	PASSED
14	verifyElementPresent(findTestObject("FDR-Draw/VoucherExpenditure/voucherLineAmt2"), 3) Object 'Object Repository/FDR-Draw/VoucherExpenditure/voucherLineAmt2' is present	1.086s	PASSED
15	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.159s	PASSED
16	click(findTestObject("FDR-Draw/VoucherExpenditure/receiptExpandButton1")) Object: 'Object Repository/FDR-Draw/VoucherExpenditure/receiptExpandButton1' is clicked on	0.326s	PASSED

FDR-Draw-Voucher-Expanding-Collpasing

17			
	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.082s	PASSED
18	scrollToElement(findTestObject("FDR-Draw/VoucherExpenditure/receiptLineAmt"), 4) Scroll to object 'Object Repository/FDR-Draw/VoucherExpenditure/receiptLineAmt' successfully	0.286s	PASSED
19	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.071s	PASSED
20	verifyElementPresent(findTestObject("FDR-Draw/VoucherExpenditure/receiptLineAmt"), 4) Object 'Object Repository/FDR-Draw/VoucherExpenditure/receiptLineAmt' is present	0.270s	PASSED
21	Start listener action : sampleAfterTestCase	0.002s	PASSED
22	Start listener action : afterTestCase	0.001s	PASSED
23	Start listener action : sampleAfterTestCase	0.617s	PASSED
24	Start listener action : addFailedTCToList	0.001s	PASSED

FDR-Voucher-Expenditure-Validation

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Voucher-Expenditure-Validation

Description

Tag

Start 2020-09-08 11:38:08 End 2020-09-08 11:38:46

Elapsed 37.976s
Status ERROR

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.001s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	16.492s	PASSED
4	Start listener action : executeRows	0.001s	PASSED
5	drawDate = "09/14/2020"	0.000s	PASSED
6	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.050s	PASSED
7	Uifunctions.clickOnReconcileButton(drawDate)	5.198s	PASSED

Text of object 'drawDate' is: '09/28/2020'

FDR-Voucher-Expenditure-Validation

#	Description	Elapsed	Status
8	delay(5)	5.003s	PASSED
	Delayed 5 second(s)		
	Delayed 3 Second(s)		
9	click(findTestObject("FDR-Draw/VoucherExpenditure/voucherExpandButton"))	0.328s	PASSED
	Object: 'Object Repository/FDR-Draw/VoucherExpenditure/voucherExpandButton' is clicked on		
40	No. L. (Const. Transfer in the Million in the Proposition of IEEE	4.007-	DAGGED
10	click(findTestObject("Object Repository/FDR-Draw/reconcileButton"))	1.907s	PASSED
	Object: 'Object Repository/FDR-Draw/reconcileButton' is clicked on		
11	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4)	5.209s	PASSED
	Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4		
	second(s)		
12	verifyElementPresent(findTestObject("FDR-Draw/VoucherExpenditure/expenditureText"), STOP_ON_FAILURE)	0.023s	PASSED
	<i>_</i>		
40		0.004	D.4.005D
13	Start listener action : sampleAfterTestCase	0.001s	PASSED
14	Start listener action : afterTestCase	0.000s	PASSED
15	Start listener action : sampleAfterTestCase	0.598s	PASSED
16	Start listener action : addFailedTCToList	0.001s	PASSED
.0		5.5515	

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Draw-Reject-Vouchers-Receipts

Description

Tag

Start 2020-09-08 11:38:46 End 2020-09-08 11:42:08

Elapsed 3m - 22.698s

Text of object 'drawDate' is: '09/28/2020'

Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.001s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	16.368s	PASSED
4	Start listener action : executeRows	0.000s	PASSED
5	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.125s	PASSED
6	drawDate = "10/12/2020"	0.000s	PASSED
7	Uifunctions.clickOnReconcileButton(drawDate)	5.177s	PASSED

#	Description	Elapsed	Status
8	click(findTestObject("FDR-Draw/VoucherExpenditure/voucherExpandButton")) Object: 'Object Repository/FDR-Draw/VoucherExpenditure/voucherExpandButton' is clicked on	0.312s	PASSED
9	click(findTestObject("Object Repository/FDR-Draw/reconcileButton")) Object: 'Object Repository/FDR-Draw/reconcileButton' is clicked on	1.565s	PASSED
10	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.073s	PASSED
11	click(findTestObject("FDR-Draw/RejectVocuherReceipts/thumbsUpButtonVoucher")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thumbsUpButtonVoucher' is clicked on	0.298s	PASSED
12	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.254s	PASSED
13	rejectVoucherNum = getText(findTestObject("FDR-Draw/RejectVocuherReceipts/voucherNum1")) Text of object 'Object Repository/FDR-Draw/RejectVocuherReceipts/voucherNum1' is: 'CAP00000064'	0.288s	PASSED
14	click(findTestObject("FDR-Draw/RejectVocuherReceipts/thubmsDownVoucher1")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thubmsDownVoucher1' is clicked on	1.351s	PASSED
15	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 4) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 4 second(s)	5.267s	PASSED


#	Description	Elapsed	Status
		0.664s	PASSED
16	click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)' is clicked on	0.6648	PASSED
17	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.171s	PASSED
18	click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"))	0.379s	PASSED
.0	Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' is clicked on	0.0700	, , , , , , , , , , , , , , , , , , , ,
19	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.047s	PASSED
20	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), "Federal") Keys 'Federal' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'	0.423s	PASSED
21	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.227s	PASSED
22	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), Keys.chord(UP, ENTER)) Keys 'UP + ENTER + ' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'	0.363s	PASSED
23	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.099s	PASSED
24	click(findTestObject("FDR-Draw/RejectVocuherReceipts/addFundButton")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/addFundButton' is clicked on	0.363s	PASSED

#	Description	Elapsed	Status
25	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)	5.169s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)		
26	click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"))	0.400s	PASSED
	Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' is clicked on		
27	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)	5.253s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)		
28	send Keys (find Test Object ("FDR-Draw/Reject Vocuher Receipts/over Fund Input 2"), "Non-Federal")	0.417s	PASSED
	Keys 'Non-Federal' sent to object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2'		
29	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)	3.123s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)		
30	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), Keys.chord(DOWN, ENTER))	0.362s	PASSED
	Keys 'DOWN + ENTER + ' sent to object: 'Object Repository/FDR- Draw/RejectVocuherReceipts/overFundInput2'		
31	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)	3.209s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)		
32	click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry"))	0.364s	PASSED
	Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry' is clicked on		
33	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2)	3.253s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)		

#	Description	Elapsed	Status
34	rejectionReason1 = getAttribute(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), "value", STOP_ON_FAILURE) Attribute 'value' of object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' is: 'Non-Federal Fund HQAF (3158), FY 2020/2021 SCHIP (611) HQAF, 611 SB239 (2013) HQAF'	0.268s	PASSED
35	rejectionReason2 = getAttribute(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), "value", STOP_ON_FAILURE) Attribute 'value' of object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' is: 'Non-Federal Fund HQAF (3158), FY 2020/2021 MA (611) HQAF, 611 SB239 (2013) HQAF'	0.300s	PASSED
36	click(findTestObject("FDR-Draw/RejectVocuherReceipts/rejectVoucherButton")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/rejectVoucherButton' is clicked on	0.759s	PASSED
37	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)	5.298s	PASSED
38	click(findTestObject("FDR-Draw/RejectVocuherReceipts/thumbsUpButtonReceipt")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thumbsUpButtonReceipt' is clicked on	0.300s	PASSED
39	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.106s	PASSED
40	click(findTestObject("FDR-Draw/RejectVocuherReceipts/thubmsDownReceipts1")) Object: 'Object Repository/FDR-Draw/RejectVocuherReceipts/thubmsDownReceipts1' is clicked on	0.280s	PASSED
41	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.253s	PASSED


Description Elapsed Status

,,	Description	F1	01-1
#	Description	Elapsed	Status
42	click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund(s)"))	4.563s	FAILED
	11 11 (11 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/spanOverdrawnFund(s)' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/spanOverdrawnFund(s)'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:84)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/spanOverdrawnFund		
	(s)' located by '//span[contains(.,'Overdrawn Fund(s)')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	at com.kms.katalon.core.webul.keyword.bulltin.clickneywordp_click_closure1.call		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

#	Description	Elapsed	Status
44	click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"))	4.500s	FAILED
	Unable to click on object 'Object Repository/FDR- Draw/RejectVocuherReceipts/overFundInput1' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/overFundInput1'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:88)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'		
	located by '//*[@id='overdrawnFunds[0]']' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	· · · · · · · · · · · · · · · · · · ·		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

Unable to send keys "Foderal" to object "Object Repositon/FDR- Draw/Reject/Ocuber/Receipts/over-Fundinput1" (Root cause: com.kms.katalon.core. exception.Step-Failed-Scuber/Fundinput1 (Root cause: com.kms.katalon.core. exception.Step-Failed-Scuber/Fundinput1 (Root cause: com.kms.katalon.core. exception.Step-Failed-Scuber/Fundinput1) (Root cause: com.kms.katalon.core. exception.Step-Failed-Scuber/Fundinput1) (Root cause: com.kms.katalon.core. debut-keyword/Main.grooty-64) at com.kms.katalon.core.webulk.keyword.linemal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.grooty-26) at com.kms.katalon.core.webulk.eyword.builtin.SendKeys/Keyword.sendKeys (SandKeys/Keyword groovy-26) at com.kms.katalon.core.webulk.eyword.builtin.SendKeys/Keyword.exocute (SendKeys/Keyword groovy-28) at com.kms.katalon.core.webulk.eyword.builtin.SendKeys/Keyword.exocute (SendKeys/Keyword.groovy-28) at com.kms.katalon.core.webulk.eyword.WebUlBuiltinKeywords.sendKeys (WebUlBuiltinKeywords.groovy-880) at com.kms.katalon.core.webulk.eyword.WebUlBuiltinKeywords.sendKeys (WebUlBuiltinKeywords.groovy-880) at com.kms.katalon.core.mein.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.mein.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.mein.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.mein.TestCaseExecutor.runScriptCrestCaseExecutor. java:330) at com.kms.katalon.core.mein.TestCaseExecutor.processExecutionPhase (TestCaseExecutor).grava:309) at com.kms.katalon.core.mein.TestCaseExecutor.processExecutionPhase (TestCaseExecutor).grava:309) at com.kms.katalon.core.mein.TestCaseExecutor.accessMainPhase (TestCaseExecutor).grava:309) at com.kms.katalon.core.mein.TestCaseExecutor.accessMainPhase (TestSuteExecutor).grava:309) at com.kms.katalon.core.mein.TestSuteExecutor.accessTestSuteMainPhase (TestSuteExecutor).grava:309) at com.kms.katalon.core.mein.TestSuteExecutor.accessTestSuteMainPhase (TestSuteExecutor).grava:309) at com.kms.katalon.core.mein.TestSuteExecutor.grava:309 at com.kms.katalon.core.mein.TestSu				24
Unable to send keys 'Federal' to object 'Doject Repository/FDR- Draw/Reject/ocuberReceipts/overFundinput' (Root cause: com.kms. katalon.core. exception. Step-FalledException. Unable to send keys 'Federal' to object Object Repository/FDR-Draw/Reject/ocuberReceipts/overFundinput' at com.kms. katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy.26) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy.26) at com.kms.katalon.core.webui.keyword.biltin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy.30) at com.kms.katalon.core.webui.keyword.biltin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy.30) at com.kms.katalon.core.webui.keyword.biltin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy.30) at com.kms.katalon.core.webui.keyword.webuiBuiltin.Keywords.sendKeys (WebUlBuiltinKeyword.groovy.30) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.sendKeys.80.call (Uninomo Source) at DR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers- Receiptis-29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.to.dExecute(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:391) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.webui.coption.WebU	#	Description	Elapsed	Status
DrawRejectVocuherReceipts/coverFundinput1* (Root cause: com.kms.katalon.core. exception: StepFailedException: Unable to send keys "Federal" to object 'Object Repository/FDR-DrawRejectVocuherReceipts/overFundinput1* at com.kms.katalon.core webul.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:54) at com.kms.katalon.core.webul.keyword.internal.WebUlKeywordMain.groovy:59) at com.kms.katalon.core.webul.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:59) at com.kms.katalon.core.webul.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:59) at com.kms.katalon.core.webul.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.webul.keyword.WebUlBuiltin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.webul.keyword.WebUlBuiltin.Keywords.sendKeys (WebUlBuiltinKeywords.groovy:860) at com.kms.katalon.core.webul.keyword.WebUlBuiltinKeywords.sendKeys\$8.call (Unknown Source) at com.kms.katalon.core.webul.keyword.WebUlBuiltinKeywords.sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.SengtEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.SengtEngine.runScriptARRawFext(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:390) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.Phase (TestCaseExecutor.java:300) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.Phase (TestCaseExecutor.java:201) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.Phase (TestCaseExecutor.java:191) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:201 at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:201 at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:201 at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:191) at com.kms.katalon.core.main.T	46	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), "Federal")	4.673s	FAILED
Draw/Raject/VocuherReceipts/coverFundinput1* (Root cause: com.kms.katalon.core. exeception.StepFailed&xeption: Unable to send keys "Federal" to object 'Object Repository/FDR-Draw/Reject/VocuherReceipts/overFundinput1* at com.kms.katalon.core webul.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:56) at com.kms.katalon.core webul.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:56) at com.kms.katalon.core.webul.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:58) at com.kms.katalon.core.webul.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:58) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeyword-prainterni(KeywordExecutor.groovy:73) at com.kms.katalon.core.webul.keyword.WebUlBuiltinKeywords.sendKeys (WebUlBuiltinKeywords.groovy:860) at com.kms.katalon.core.webul.keyword.WebUlBuiltinKeywords.sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.nun(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:39) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:390) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:390) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.processExecutor.java:390) at com.kms.katalon.core.main.TestCaseExecutor.cocessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.processExecutor.java:290) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.processExecutor.java:290) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.grocessExecutor.java:390 at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.grocessExecutor.java:390 at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.grocessExecutor.java:390 at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.grocessTestSuiteExecutor.java:390 at co				
exception. StepFailedException: Unable to send keys: Federal' to object 'Object' Repository/FeR-DrawReject/vocuhreRecolpts/overfunding.put' at own.kms. katalon.core. webul.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.growy:26) at own.kms. katalon.core.webul.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.growy:26) at com.kms. katalon.core.webul.keyword.builtin.SendKeysKeyword.sendKeys (SandKeysKeyword.growy:26) at com.kms. katalon.core.webul.keyword.builtin.SendKeysKeyword.sendKeys (SandKeysKeyword.growy:36) at com.kms.katalon.core.webul.keyword.growy:33) at com.kms.katalon.core.webul.keyword.growy:33 at com.kms.katalon.core.webul.keyword.growy:33 at com.kms.katalon.core.webul.keyword.growy:33 at com.kms.katalon.core.webul.keyword.growy:33 at com.kms.katalon.core.webul.keyword.growy:33 at com.kms.katalon.core.webul.keyword.growy:34 at com.kms.katalon.core.webul.keyword.growy:35 at com.kms.katalon.core.webul.keyword.growy:35 at com.kms.katalon.core.webul.keyword.growy:35 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.glava:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.glava:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.glava:139) at com.kms.katalon.core.main.TestCaseExecutor.glava:339) at com.kms.katalon.core.main.TestCaseExecutor.glava:339 at com.kms.katalon.core.main.TestCaseExecutor.glava:330 at com.kms.katalon.core.main.TestCaseExecutor.glava:330 at com.kms.katalon.core.main.TestCaseExecutor.glava:330 at com.kms.katalon.core.main.TestCaseExecutor.glava:330 at com.kms.katalon.core.main.TestCaseExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:330 at com.kms.katalon.core.main.TestSuiteExecutor.glava:430 at com.kms.k				
Repository/FDR-Draw/Reject/vocuber/Receipts/over-fundinput* at com.kms, katalon.core webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:26) at com.kms, katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms, katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:36) at com.kms, katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms, katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms, katalon.core.webui.keyword.WebUlBuiltInKeywords.sendKeys (WebUlBuiltInKeywords.groovy:860) at com.kms, katalon.core.webui.keyword.WebUlBuiltInKeywords.sendKeys (WebUlBuiltInKeywords.groovy:860) at com.kms, katalon.core.webui.keyword.WebUlBuiltInKeywords.sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts.gr) at com.kms, katalon.core.main.ScriptEngine.run(ScriptEngine.jawa:194) at com.kms, katalon.core.main.ScriptEngine.run(ScriptEngine.jawa:194) at com.kms, katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.jawa:339) at com.kms, katalon.core.main.TestCaseExecutor.nunScript(TestCaseExecutor.jawa:339) at com.kms, katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.jawa:300) at com.kms, katalon.core.main.TestCaseExecutor.accessMainPhase (TestSuiteExecutor.jawa:191) at com.kms, katalon.core.main.TestCaseExecutor.accessMainPhase (TestSuiteExecutor.jawa:191) at com.kms, katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.jawa:191) at com.kms, katalon.core.main.TestCaseMain.startTestSuiteExecutor.gava:190) at com.kms, katalon.core.main.TestCaseMain.startTestSuiteExecutor.gava:191) at com.kms, katalon.core.main.TestCaseMain.startTestSuiteExecutor.gava:191) at com.kms, katalon.core.main.TestCaseMain.startTestSuiteExecutor.gava:191) at com.kms, katalon.core.main.TestCaseMain.startTestSuiteExecutor.gava:191) at com.kms, katal				
at com. kms. katalon.core. webul.keyword.internal.WebUlKeywordMain.stepFailed (WabUlKeywordMain.growp:61) at com. kms. katalon.core webul.keyword.internal.WebUlKeywordMain.runKeyword (WabUlKeywordMain.growp:26) at com.kms. katalon.core. webul.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovp:60) at com.kms. katalon.core. webul.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovp:36) at com.kms. katalon.core. webul.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovp:36) at com.kms.katalon.core.webul.keyword.bebullibuiltinKeywords.sendKeys (WebUlBuiltinKeywords.groovp:860) at com.kms.katalon.core.webul.keyword.WebUlBuiltinKeywords.sendKeys\$8.call (Unknown Source) at EPR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts.gr) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:300) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:300) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:300) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestSuiteExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessMainPhase (TestSuiteExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessMainPhase (TestSuiteExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:301) at com.kms.katalon.core.main.TestCaseMain.starTestSuiteSoc.cal(Unknown Source) at com.kms.katalon.core.				
(WebUlKeywordMain.groovy;64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy;26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy;60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy;88) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy;86) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (WebUlbUiltinKeywordSeymordSecutor.groovy;73) at com.kms.katalon.core.webui.keyword.WebUlBUiltinKeywords.sendKeys (WebUlbUiltinKeywordSeymordSeymord.WebUlBUiltinKeywords.sendKeys (WebUlbUiltinKeywordSeymordSeymord.WebUlBUiltinKeywords.sendKeys (WebUlbUiltinKeywordSeymordSeymord.WebUlBUiltinKeywords.sendKeys\$8.call (Unknown Source) at Com.kms.katalon.core.webui.keyword.WebUlBUiltinKeywords.sendKeys\$8.call (Unknown Source) at EPR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.sexesExecutor.pava:339) at com.kms.katalon.core.main.TestCaseExecutor.sexesExecutor.pava:339) at com.kms.katalon.core.main.TestCaseExecutor.sexesExecutor.pava:339) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:349) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:149) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteSoc.ali(Unknown Source) at com.kms.katalon.core.main.T				
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:38) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUBuiltinKeywords.sendKeys (WebUlBuiltinKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUBuiltinKeywords.sendKeys. (WebUlBuiltinKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUBuiltinKeywords.sendKeys. (WebUlBuiltinKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUBuiltinKeywords.sendKeys.se.all (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers- Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptCaseBexecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestSutteExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSutteExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSutteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteSo.call(Unknown Source) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteSo.call(Unknown Source) at com.kms.katalon.core.webui.keyword.internal.WebUlAstractKeyword. findWebElement(WebUlAstractKey				
(WebUlKeyword, groovy:26) at com. kms. katalon. core. webui. keyword.builtin. SendKeysKeyword.sendKeys (SendKeysKeyword, groovy:30) at com. kms. katalon. core. webui. keyword.builtin. SendKeysKeyword.execute (SendKeysKeyword groovy:38) at com. kms. katalon. core. keyword.internal. KeywordExecutor. executeKeywordforpflafform(KeywordExecutor.groovy:73) at com. kms. katalon. core. webui. keyword. WebUBuiltinKeywords. sendKeys (WebUBUiltinKeywords.groovy:80) at com. kms. katalon. core. webui. keyword. WebUBuiltinKeywords.sendKeys\$8. call (Uknknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com. kms. katalon. core. main. ScriptEngine. run(ScriptEngine.java:194) at com.kms. katalon. core. main. ScriptEngine. run(ScriptEngine.java:194) at com.kms. katalon. core. main. ScriptEngine. run(ScriptEngine.java:194) at com.kms. katalon. core. main. TestCaseExecutor. runScriptAsRawText(ScriptEngine.java:339) at com.kms. katalon. core. main. TestCaseExecutor. runScriptTextCaseExecutor.java:339) at com.kms. katalon. core. main. TestCaseExecutor. deExecute(TestCaseExecutor.java:309) at com.kms. katalon. core. main. TestCaseExecutor. recessExecutor.java:309) at com.kms. katalon. core. main. TestCaseExecutor. secure (TestCaseExecutor.java:319) at com.kms. katalon. core. main. TestCaseExecutor. accessTestCaseMainPhase (TestCaseExecutor.java:3191) at com.kms. katalon. core. main. TestCaseExecutor. accessTestCaseMainPhase (TestSuiteExecutor.java:141) at com.kms. katalon. core. main. TestSuiteExecutor. accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms. katalon. core. main. TestCaseMain. stantTestSuiteSuiteTestSuiteSuiteTestSuiteSuiteTestSuiteSuiteSuiteTestSuiteSu				
(SendKeysKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPatrom(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.sendKeys (WebUiBuiltinKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts.groov):860) at Com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.groovesExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java: 157) by at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) by at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) by at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFeecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFeecutor.accessTestSuiteFeecu				
at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword_groony:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groony:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.sendKeys (WebUiBuiltinKeywords.groony:680) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords\$sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCrestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.funScriptCrestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutorPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:190) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.mai		at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys		
(SendKeysKeyword,groovy:38) at com. kms. katalon. core. keyword internal. KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. sendKeys (WebUiBuiltInKeywords.groovy:80) at com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. SendKeys. (WebUiBuiltInKeywords.groovy:80) at com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. SendKeys. (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts.gr) at com. kms. katalon. core. main. ScriptEngine. run(ScriptEngine.java:194) at com. kms. katalon. core. main. ScriptEngine. run(ScriptEngine.java:194) at com. kms. katalon. core. main. TestCaseExecutor.runScript(TestCaseExecutor.java:330) at com. kms. katalon. core. main. TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com. kms. katalon. core. main. TestCaseExecutor. processExecutor.phase (TestCaseExecutor.java:309) at com. kms. katalon. core. main. TestCaseExecutor. accessMainPhase (TestCaseExecutor.java:309) at com. kms. katalon. core. main. TestCaseExecutor. accessTestCaseMainPhase (TestSutieExecutor.java:191) at com. kms. katalon. core. main. TestSuiteExecutor. accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com. kms. katalon. core. main. TestSuiteExecutor. accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com. kms. katalon. core. main. TestSuiteExecutor. accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com. kms. katalon. core. main. TestCaseMain. startTestSuite(TestCaseMain.java: 157) at com. kms. katalon. core. main. TestCaseMain. startTestSuite(TestCaseMain.java: 157) at com. kms. katalon. core. main. TestCaseMain. startTestSuite(TestCaseMain.java: 157) at com. kms. katalon. core. main. TestCaseMain. startTestSuite(TestCaseMain.java: 157) at com. kms. katalon. core. webui. keyword. briton. Web UiAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com. kms. katalon. core. webui. keyword. internal. WebUiAbstractKeyword. findWebElement(We				
at com.kms.katalon.core.keywordExecutor,gorouy;73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy;860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.webui.exeption.WebElementNotFoundExeption:Web element with id: Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'located by 'I''				
executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuilth(Keywords.sendKeys (WebUiBuilth(Keywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuilth(KeywordsSsendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers- Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:25) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.webui.exeeption.WebElementNotfoundException: Web element with id: Object RepositoryFDR-Draw/RejectVocuberReceipts/overFundInput1' located by /*/*[@id=CoverdrawnFundis]*] not found at com.kms.katalon.core.webui.exeeption.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.common.WebUl				
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$s.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:259) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.exeption.WebElementNotFoundException.Web element with id: Object Repository/FDR-Draw/RejectVocuterReceipts/overFundInput1' located by I/*(@id=CaseCaseCaseCaseCaseCaseCaseCaseCaseCase				
(WebUlibuitInkeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUlBuitInKeywords\$sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestSutieExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSutieExecutor.java:301) at com.kms.katalon.core.main.TestSutiteExecutor.accessTestCaseMainPhase (TestSutieExecutor.java:191) at com.kms.katalon.core.main.TestSutiteExecutor.accessTestCaseMainPhase (TestSutiteExecutor.java:141) at com.kms.katalon.core.main.TestSutiteExecutor.accessTestSutiteMainPhase (TestSutiteExecutor.java:141) at com.kms.katalon.core.main.TestCaseMain.startTestSutiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSutiteExecutor.java: 90 at com.kms.katalon.core.main.TestCaseMain.startTestSutite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainsstartTestSutite(TestCaseMain.java: 157) by com.kms.katalon.core.main.TestCaseMainStartTestSutite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainStartTestSutite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainStartTestSutite(TestCaseMain.java: 157) by com.kms.katalon.core.main.TestCaseMainStartTestSutite(TestCaseMain.java: 157) at com.kms.katalon.core.webui.executor.webui.executor.acces.main.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.executor.acces.webui.executor.acces.webui.executor.acces				
at com.kms.katalon.core.webui.keyword.WebUiBuittInKeywords\$sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts.92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:197) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.exception.WebElementNotFoundException:Web element with id: Object Repository/FDR-Draw/RejectVocuher/Receipts/over/FundInput1' located by //*[Vield-GaverdrawfFunds[o]]* not found at com.kms.katalon.core.webui.exception.WebUlCommonHelper.findWebElement (WebUlCommonHelper.java:1368) at com.kms.katalon.core.webui.experd.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.experd.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:25)				
(Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts.92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.webui.exception.WebElementNotFoundException:Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/'(@ide-overdrawnFunds[0]') not found at com.kms.katalon.core.webui.exception.WebUlCommonHelper.fiindWebElement (WebUlCommonHelper.java:1368) at com.kms.katalon.core.webui.common.WebUlCommonHelper.fiindWebElement(WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.buitlin.				
at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:323) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:311) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.exception.WebElementNotFoundException: Webelement with id: Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1located by //*T[@id='overdrawnFunds[0]*] not found at com.kms.katalon.core.webui.exception.WebElement(WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:25)				
Receipts:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:190) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: Object RepositoryFDR-PorawRejectVocuherReceipts/overFundInput1'located by '/"[@id=overdrawnFunds[0]"] not found at com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:25)				
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.StartTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.StartTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.StartTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.StartTest				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) caused by: com.kms.katalon.core.webui.exeeption.WebElementNotFoundException: Web element with id: Object RepositoryFDR-DrawRejectVocuherReceipts/overFundInput1' located by: "/"(@id=overdrawnFunds[0]") not found at com.kms.katalon.core.webui.exemption.webUlCommonHelper.findWebElement (WebUlCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:28)				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.\$tartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.\$tartTestSuite(TestCaseMain.java: 158) at com.kms.katalon.core.webui.exception.WebElementNotFoundException: Webelement with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/f' (@ id= overdrawnFunds[0]') not found at com.kms.katalon.core.webui.common.WebUlCommonHelper.findWebElement (WebUlCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:25)		at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:1911) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java:157) caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/*[@id='overfrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27) at com.kms.katalon.core.webui.keyword.groovy:27)				
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainsstartTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainsstartTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object RepositoryFDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/"[@id='overdrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:25)				
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/"(@id='overtrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword_sendKeys.closure1.doCall(SendKeysKeyword.groovy:52)				
(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/"[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword_sendKeys.closure1.doCall(GendKeysKeyword.groovy:52)				
(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 158 at com.kms.katalon.core.webui.execption.WebElementNotFoundException: Webelement with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/''[@id='overdrawnFunds(0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:25)				
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.groovy:26) at com.kms.katalon.core.webui.keyword.groovy:25)				
(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(O.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/*[@id='overdrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '/*[@id='overdrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMainstartTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)		at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found				
element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' located by '//*[@id='overdrawnFunds[0]']' not found				
located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)		Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
findWebElement(WebUIAbstractKeyword.groovy:27)				
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)				
		at com.kms.katalon.core.webui.keyword.builtin.		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

#	Description	Elapsed	Status
48	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput1"), Keys.chord (UP, ENTER))	4.505s	FAILED
	Unable to send keys " to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to send keys " to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute		
	(SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$8.call (Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:96) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput1'		
	located by '//*[@id='overdrawnFunds[0]']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.		
	SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

#	Description	Elapsed	Status
50	click(findTestObject("FDR-Draw/RejectVocuherReceipts/addFundButton"))	4.413s	FAILED
50	Click(illia restobject(r bit-brawitteject vocalientecelpts/addi dilabation))	4.4103	TAILLD
	Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/addFundButton' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/addFundButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-Receipts:100)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.)$		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/addFundButton'		
	located by '//button[@type='button' and contains(., 'Add Fund')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	at com.nms.nataion.core.webut.neyword.builtin.oncnneyword#_cilcn_closure r.caii		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)

#	Description	Elapsed	Status
52	click(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"))	5.016s	FAILED
	Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/overFundInput2' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/overFundInput2' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:104)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2'		
	located by '//*[@id='overdrawnFunds[1]']' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)

#	Description	Elapsed	Status
		•	
54	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), "Non-Federal")	5.002s	FAILED
	Unable to send keys 'Non-Federal' to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to send keys 'Non-Federal' to object 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys		
	(SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:860)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$8.call (Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:108) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' located by '//*[@id='overdrawnFunds[1]']' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.		
	SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)		




Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

#	Description	Elapsed	Status
56	sendKeys(findTestObject("FDR-Draw/RejectVocuherReceipts/overFundInput2"), Keys.chord (DOWN, ENTER))	4.767s	FAILED
	Unable to send keys " to object 'Object Repository/FDR- Draw/RejectVocuherReceipts/overFundInput2' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to send keys " to object 'Object		
	Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60)		
	at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys		
	(WebUiBuiltInKeywords.groovy:860) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$8.call		
	(Unknown Source) at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:112) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/overFundInput2' located by '//*[@id='overdrawnFunds[1]']' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.		
	SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:52)		



Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

#	Description	Elapsed	Status
58	click(findTestObject("FDR-Draw/RejectVocuherReceipts/spanIncorrectAmountEntry"))	4.654s	FAILED
	Unable to eliek an abject 'Object Repository/FDR		
	Unable to click on object 'Object Repository/FDR- Draw/RejectVocuherReceipts/spanIncorrectAmountEntry' (Root cause: com.kms.katalon.		
	core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/spanIncorrectAmountEntry'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:116)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/spanIncorrectAmountEntry' located by '(//*[@data-		
	id='checkbox'])[2]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67)		



Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)

.,	Description	Flancis	Otat
#	Description	Elapsed	Status
60	click(findTestObject("FDR-Draw/RejectVocuherReceipts/rejectReceiptButton"))	4.473s	FAILED
	Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/rejectReceiptButton' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/RejectVocuherReceipts/rejectReceiptButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Draw-Reject-Vouchers-Receipts.run(FDR-Draw-Reject-Vouchers-		
	Receipts:120)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/RejectVocuherReceipts/rejectReceiptButton'		
	located by '//*[@data-id='action-button']//*[contains(text(),'Reject Receipt')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	at cont.kms.katalon.core.webul.keyword.bulltin.clickNeywordp_click_closule1.call		

#	Description	Elapsed	Status
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source) at Script1591634957380.run(Script1591634957380.groovy:120) 13 more		
	Signature Testifund Test		
	DRAW DATE DEPOSIT DATE DRAW STATUS 09/23/2020 09/24/2020 Open Closed Update SCO Balances		
61	Federal Fund (0890) Total Frederal Fund (0890) Fred	3.246s 0.792s	PASSED
02		0.7928	FA00ED
	Browser is closed		
63	Uifunctions.loginFDR(accountsApproverAcc2, accountsApproverAcc2Pwd) Object: 'Object Repository/FDR-SignIn/SignInButton' is clicked on	17.887s	PASSED
64	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 4)	5.350s	PASSED
	Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 4 second(s)		

#	Description	Elapsed	Status
65	navigateToUrl(URL + "/vouchers/" + Integer.parseInt(rejectVoucherNum.split("CAP")[1]) + "/entry") Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov/vouchers/64/entry' successfully	1.324s	PASSED
66	waitForElementPresent(findTestObject("FDR-Draw/reconcileButton"), 2) Object 'Object Repository/FDR-Draw/reconcileButton' is not present after 2 second(s)	3.155s	PASSED
67	verifyElementPresent(findTestObject("FDR-Draw/RejectVocuherReceipts/vchrjreasonsubtitle"), 2) Object 'Object Repository/FDR-Draw/RejectVocuherReceipts/vchrjreasonsubtitle' is present	0.260s	PASSED
68	verifyTextPresent(rejectionReason1, false) Text 'Non-Federal Fund HQAF (3158), FY 2020/2021 SCHIP (611) HQAF, 611 SB239 (2013) HQAF' is present on page	0.316s	PASSED
69	verifyTextPresent(rejectionReason2, false) Text 'Non-Federal Fund HQAF (3158), FY 2020/2021 MA (611) HQAF, 611 SB239 (2013) HQAF' is present on page	0.292s	PASSED
70	verifyTextPresent("Incorrect Amount", false) Text 'Incorrect Amount' is present on page	0.284s	PASSED
71	Start listener action : sampleAfterTestCase	0.001s	PASSED
72	Start listener action : afterTestCase	0.000s	PASSED
73	Start listener action : sampleAfterTestCase	0.603s	PASSED

#	Description	Elapsed	Status
74	Start listener action : addFailedTCToList	0.001s	PASSED

Information

ID Test Cases/WEB-UI-TESTS/Draw/FDR-Update-SCO-Balances-Icons

Description

Tag

Start 2020-09-08 11:42:08 End 2020-09-08 11:52:21

Elapsed 10m - 12.889s


Status FAILED

Details


#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.001s	PASSED
2	Start listener action : beforeTestCase	0.001s	PASSED
3	Start listener action : sampleBeforeTestCase Navigate to 'https://fdr-katalon.cammis-mod-dev.dhcs.ca.gov' successfully	18.548s	PASSED
4	Start listener action : executeRows	0.000s	PASSED
5	grayRGBValue = "rgba(190, 194, 199, 1)"	0.000s	PASSED
6	greenRGBValue = "rgba(71, 185, 112, 1)"	0.000s	PASSED
7	redRGBValue = "rgba(190, 71, 39, 1)"	0.002s	PASSED


#	Description	Elapsed	Status
8	scoBalanceStatus = 0	0.000s	PASSED
9	documentAmountsStatus = 0	0.000s	PASSED
10	postDrawBalancesStatus = 0	0.000s	PASSED
11	drawClosed = 0	0.000s	PASSED
12	drawDate = "10/05/2020"	0.000s	PASSED
13	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 2) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)	3.149s	PASSED
14	Uifunctions.clickOnReconcileButton(drawDate) Text of object 'drawDate' is: '09/28/2020'	5.250s	PASSED
15	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 5) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 5 second(s)	6.074s	PASSED


,,	Description	Flance !	Ctatur
#	Description	Elapsed	Status
16	scoBalancelconStatus = getCSSValue(findTestObject("Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon"), "color")	4.534s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon'. (Root cause: com.kms.katalon.core.exception. StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/scoBalanceVerifiedIcon'. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.getCSSValue(GetCSSValueKeyword.groovy:84)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute (GetCSSValueKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3534) at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:44) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon'		
	located by '(//*[text()='SCO Balances Verified']//parent::*//*)[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin. getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)		
	at com.kms.katalon.core.webui.keyword.builtin.		




scoBalance Icon color is neither Green nor Gray








#	Description	Elapsed	Status
22	scoBalanceIconStatus = getCSSValue(findTestObject("Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon"), "color")	4.469s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon'. (Root cause: com.kms.katalon.core.exception. StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon'.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.		
	getCSSValue(GetCSSValueKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue (WebUiBuiltInKeywords.groovy:3534)		
	at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:59) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/scoBalanceVerifiedIcon' located by '(//*[text()='SCO Balances Verified']//parent::*//*)[1]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)		
	at com.kms.katalon.core.webui.keyword.builtin.		



#	Description	Elapsed	Status
	•	·	
25	scoEndingBalanceTextColor = getCSSValue(findTestObject("FDR- Draw/SCOBalances/scoEndingBalanceText"), "color")	4.536s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/SCOBalances/scoEndingBalanceText'. (Root cause: com.kms.katalon.core.exception. StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/SCOBalances/scoEndingBalanceText'.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.		
	getCSSValue(GetCSSValueKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3534) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:68) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/SCOBalances/scoEndingBalanceText'		
	located by '//*[text()='SCO Ending Balance']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		


getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)


at com.kms.katalon.core.webui.keyword.builtin.





#	Description	Elapsed	Status
27	click(findTestObject("FDR-Draw/SCOBalances/overDrawFundsButton"))	4.371s	FAILED
	Unable to click on object 'Object Repository/FDR-		
	Draw/SCOBalances/overDrawFundsButton' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/SCOBalances/overDrawFundsButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:74)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/SCOBalances/overDrawFundsButton' located		
	by '//*[@title='Overdrawn Fund(s)']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword groow)		

(ClickKeyword.groovy)










#	Description	Elapsed	Status
	•	•	
31	postDrawBalanceIconStatus = getCSSValue(findTestObject("Object Repository/FDR-Draw/reviewScreen/postDrawBalanceSafeIcon"), "color")	4.355s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/postDrawBalanceSafeIcon'. (Root cause: com.kms.katalon.core.		
	exception. StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/postDrawBalanceSafeIcon'. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.		
	getCSSValue(GetCSSValueKeyword.groovy:84)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3534)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:82)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/reviewScreen/postDrawBalanceSafeIcon' located by '(//*[text()='Post-Draw Balances Safe']//parent::*//*)[1]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	netCSSValueKeyword\$ netCSSValue closure1 doCall(GetCSSValueKeyword groovy:75)		


getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)

at com.kms.katalon.core.webui.keyword.builtin.




#	Description	Elapsed	Status
35	expdThumbsUpColor = getCSSValue(findTestObject("Object Repository/FDR-Draw/reviewScreen/expenditureThumsUpButton"), "color")	4.536s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/expenditureThumsUpButton'. (Root cause: com.kms.katalon.core. exception.StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/expenditureThumsUpButton'. at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.getCSSValue(GetCSSValueKeyword.groovy:84)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute (GetCSSValueKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3534) at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:93) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/expenditureThumsUpButton' located by '((//*[text()='Expenditures']//parent::*//parent::*//parent::*//button)[2]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.		
	getCSSValueKeyword\$ getCSSValue closure1 doCall(GetCSSValueKeyword groovy:75)		

getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.



#	Description	Elapsed	Status
37	recpThumbsUpColor = getCSSValue(findTestObject("Object Repository/FDR-	4.402s	FAILED
0.	Draw/reviewScreen/receiptsThumbsUpButton"), "color")		
	Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/receiptsThumbsUpButton'. (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/receiptsThumbsUpButton'.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.		
	getCSSValue(GetCSSValueKeyword.groovy:84)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3534)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:102)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/reviewScreen/receiptsThumbsUpButton'		
	located by '((//*[text()='Receipts']//parent::*//parent::*)//button)[2]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)		
	at com.kms.katalon.core.webui.keyword.builtin.		



#	Description	Elapsed	Status
39	documenAmountIconStatus = getCSSValue(findTestObject("Object Repository/FDR-Draw/reviewScreen/documentsAmountVerified"), "color")	4.471s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/documentsAmountVerified'. (Root cause: com.kms.katalon.core. exception.StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-		
	Draw/reviewScreen/documentsAmountVerified'. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword. getCSSValue(GetCSSValueKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue (WebUiBuiltInKeywords.groovy:3534)		
	at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:111) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/documentsAmountVerified' located by '(//*[text()='Document Amounts Verified']//parent::*//*)[1]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.		

getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)


at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	getCSSValueKeyword\$_getCSSValue_closure1.call(GetCSSValueKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword. getCSSValue(GetCSSValueKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute (GetCSSValueKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue (WebUiBuiltInKeywords.groovy:3534) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source) at Script1591634907012.run(Script1591634907012.groovy:111) 13 more) Upcoming Completed Upcoming Completed Upcoming Completed Upcoming Completed Upcoming Completed Upcoming Completed Upcoming Completed		
40	if (documenAmountIconStatus == grayRGBValue)	0.000s	PASSED
41	documentAmountsStatus = 1	0.000s	PASSED
42	waitForElementPresent(findTestObject("FDR-Dashboard/createNewVoucherButton"), 1) Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 1 second(s)	2.043s	PASSED

#	Description	Elapsed	Status
43	click(findTestObject("Object Repository/FDR-Draw/reviewScreen/closedIcon"))	4.616s	FAILED
	Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/closedIcon' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/closedIcon' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:122) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.ScriptEnglile.runScriptAskawText(ScriptEnglile. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/closedIcon' located by '//*[text()		
	='Closed']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

 $at\ com.kms. katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$


(ClickKeyword.groovy)



#	Description	Elapsed	Status
45	drawClosedIconStatus = getCSSValue(findTestObject("Object Repository/FDR-Draw/reviewScreen/drawClosedIcon"), "color")	4.321s	FAILED
	Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/drawClosedIcon'. (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Cannot get CSS 'color' value on 'Object Repository/FDR-Draw/reviewScreen/drawClosedIcon'.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.getCSSValueKeyword.groovy:84)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute (GetCSSValueKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3534) at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$getCSSValue\$19.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:126)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TastSuiteExecutor.io.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/reviewScreen/drawClosedIcon' located by '(//*[text()='Draw Closed']//parent::*//*)[1]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		

getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:75)

at com.kms.katalon.core.webui.keyword.builtin.




#	Description	Elapsed	Status
50	$wait For Element Present (find Test Object ("FDR-Dashboard/create New Voucher Button"), \ 2) \\$	3.152s	PASSED
	Object 'Object Repository/FDR-Dashboard/createNewVoucherButton' is not present after 2 second(s)		

#	Description	Elapsed	Status
51	click(findTestObject("Object Repository/FDR-Draw/reviewScreen/reviewButton"))	4.520s	FAILED
	Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/reviewButton' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/FDR-Draw/reviewScreen/reviewButton' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:144) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/reviewScreen/reviewButton' located by '//* [@data-id='action-button']//*[contains(text(),'Review')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

 $at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword Main. run Ke$


(ClickKeyword.groovy)




#	Description	Elapsed	Status
53	click(findTestObject("Object Repository/FDR-Draw/reviewScreen/submitForApproval"))	4.505s	FAILED
	Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/submitForApproval' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/submitForApproval'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:148) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/submitForApproval' located by		
	'//*[@data-id='action-button']//*[contains(text(),'Submit for Approval')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

 $at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword Main. run Ke$


(ClickKeyword.groovy)



#	Description	Elapsed	Status
55	verifyElementPresent(findTestObject("Object Repository/FDR-Draw/reviewScreen/validateButton"), 2)	3.416s	FAILED
	com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/validateButton' located by '//*[@data-id='button-link']//*[contains(text(),'Validate')]' not found (Root cause: com.kms.katalon.core. exception.StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/validateButton' located by '//*[@data-id='button-link']//*[contains(text(), 'Validate')]' not found		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
	verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1460) at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$verifyElementPresent\$16.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:152) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		




#	Description	Elapsed	Status
57	verifyElementPresent(findTestObject("Object Repository/FDR-	3.458s	FAILED
	Draw/reviewScreen/validateNowText"), 2)		
	com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with		
	id: 'Object Repository/FDR-Draw/reviewScreen/validateNowText' located by '//*[@data-id='task-attribute' and text()='Validate now'] ' not found (Root cause: com.kms.katalon.core.		
	exception. StepFailedException: com.kms.katalon.core.webui.exception.		
	WebElementNotFoundException: Web element with id: 'Object Repository/FDR-		
	Draw/reviewScreen/validateNowText' located by '//*[@data-id='task-attribute' and text()		
	='Validate now'] ' not found		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall		
	(VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call		
	(VerifyElementPresentKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	$at\ com. kms. katalon. core. we bui. keyword. built in. Verify Element Present Keyword.$		
	verifyElementPresent(VerifyElementPresentKeyword.groovy:92)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
	execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementPresent(WebUiBuiltInKeywords.groovy:1460)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$verifyElementPresent\$16.call(Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:156)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		



#	Description	Elapsed	Status
61	click(findTestObject("Object Repository/FDR-Draw/reviewScreen/validateButton"))	4.332s	FAILED
	Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/validateButton' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/validateButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:164)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:141)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/validateButton' located by '//*		
	[@data-id='button-link']//*[contains(text(),'Validate')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword$


(ClickKeyword.groovy)



#	Description	Elapsed	Status
63	click(findTestObject("Object Repository/FDR-	4.341s	FAILED
03	Draw/reviewScreen/expenditureThumsUpButton"))	4.0413	TAILLD
	Unable to click on object 'Object Repository/FDR-		
	Draw/reviewScreen/expenditureThumsUpButton' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to click on object 'Object Repository/FDR-		
	Draw/reviewScreen/expenditureThumsUpButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:168)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$		
	(TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/reviewScreen/expenditureThumsUpButton'		
	located by '((//*[text()='Expenditures']//parent::*/parent::*/pa		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		

 $at\ com.kms. katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$


doCall(ClickKeyword.groovy:67)



#	Description	Elapsed	Status
65	click(findTestObject("Object Repository/FDR- Draw/reviewScreen/receiptsThumbsUpButton"))	4.350s	FAILED
	Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/receiptsThumbsUpButton' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/receiptsThumbsUpButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call (Unknown Source)		
	at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:172) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/FDR-Draw/reviewScreen/receiptsThumbsUpButton' located by '((//*[text()='Receipts']//parent::*//parent::*//parent::*)//button)[2]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		

 $at\ com.kms. katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call$


doCall(ClickKeyword.groovy:67)



#	Description	Elapsed	Status
67	click(findTestObject("Object Repository/FDR-Draw/reviewScreen/reOpenDrawButton"))	4.332s	FAILED
	Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/reOpenDrawButton' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FDR-Draw/reviewScreen/reOpenDrawButton'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:76)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
	(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:176)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:330)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:309)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:301)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:235)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/reOpenDrawButton' located by		
	'//*[@data-id='action-button']//*[contains(text(),'Reopen Draw')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1368) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword$

(ClickKeyword.groovy)



#	Description	Elapsed	Status
69	verifyElementPresent(findTestObject("Object Repository/FDR-	3.449s	FAILED
09	Draw/reviewScreen/reOpenDrawText"), 2)	J. 44 95	TAILLD
	com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/reOpenDrawText' located by '//*[text() = 'Reconcile Re-opened Fund 0912 Draw']' not found (Root cause: com.kms.katalon.core. exception.StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/FDR-Draw/reviewScreen/reOpenDrawText' located by '//*[text()='Reconcile Re-opened Fund		
	0912 Draw']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
	verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
	execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementPresent(WebUiBuiltInKeywords.groovy:1460) at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$verifyElementPresent\$16.call(Unknown Source) at FDR-Update-SCO-Balances-Icons.run(FDR-Update-SCO-Balances-Icons:180) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:339) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:330) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:309) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:301) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:235) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:141) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	90) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1599589933195.run(TempTestSuite1599589933195.groovy:39)		

