

Additional guidance

API Core Team Consultation (U.S. and Canada only)

Request for technical consultation support by submitting a [Integrator Consultation Request](#)

1.

Product Information Worksheet (PIW)

Please refer to the attached document, **FedEx Integrator Product Information Worksheet**.

The PIW contains territory-specific overview of FedEx services and capabilities available for use via FedEx RESTful APIs. There are certain services and capabilities that we highly recommend including as part of your FedEx integration, which we've marked in bold in the worksheet.

You're required to select the APIs, services, features etc. that you're going to implement in your FedEx integration.

Please note:

The PIW isn't a specifications document – it is an overview of key services and features and can be used as guidance and for scoping. Be sure to reference the documentation on the [FedEx Developer Portal](#) for specifications; the PIW does not contain all possible fields that your development team can use.

2.

EULA and agreement

Please refer to the EULA via this [this link](#).

EULA refers to the FedEx End User License Agreement (Distributed Product), as referenced in the applicable Program Manual. We require that your solution gives your end-customers the option to view the FedEx End User License Agreement in full, and that it explicitly collects user acceptance of the EULA (and can evidence this with the screenshots of the flow).

This must be done as part of the FedEx End User registration (i.e. connecting their FedEx account), and prior to requesting End User credentials via the Account Registration API. The most common way is to include the EULA in your solution's graphical user interface. End User must accept the terms of FedEx EULA before being allowed to proceed with credential registration.

Your application must:

- Display the entire FedEx EULA to the End User on the initial start-up/installation screen (not through a link);
- Require the End User to scroll through the EULA before being permitted to accept the EULA;
- Require the End User to acknowledge the reading of the EULA by checking a box with a statement to that effect;
- Require the End User to execute the EULA by clicking a button that says "I accept the terms of FedEx EULA to start shipping."

The EULA is different from the agreement FedEx customers enter into when creating a FedEx account. This is why End User need to separately accept the EULA when accessing FedEx technology and services via your solution. Please note that the EULA is only available in English.

When submitting EULA screens as a PDF for validation, make sure to include every single page of the EULA being displayed. Otherwise, your submission will not be accepted.





3.

Guidelines for displaying FedEx-related content

Please find guidelines on what FedEx-related content you need to include in your solution and how to display that content. You must submit screenshots to evidence inclusion of this content for validation. Please also refer to section 7: **Integrator Validation Cover Sheet**.

a) FedEx services/Special handling

Wherever you include FedEx services and/or special handling in any customer-facing screens within your solution, please make sure the appropriate trademarks and service marks are used. You can refer to our **Global Trademark Index document** at <https://brand.fedex.com> to ensure all FedEx service descriptions comply with FedEx Brand Standards.

b) FedEx Marks and Logos

Please use the FedEx Brand as outlined in the FedEx Third-party guidelines <https://brand.fedex.com/portals/fedex-external>. This guide will help you properly position the FedEx brand in your Application and/or Developer Promotional Materials. Usage of the FedEx name or FedEx Marks (including the names, brands or logos of any FedEx Affiliate) is subject to and governed by the FedEx Integrator Agreement and the FedEx Brand Standards.

You are responsible to comply with FedEx brand standards. Use the FedEx brand standards for information about the Marks, including:

- FedEx logo usage
- FedEx image usage
- FedEx Service names and descriptions

- FedEx package types and descriptions
- Outside the above, the use of the FedEx Brand and Marks for endorsement (such as publishing press releases, blog posts, social posts) is not permitted for providers within the FedEx Integrator program.

Please only use logo files provided by FedEx. You can use [this link](#) to access the FedEx logo files. Do not recreate or modify the FedEx logos.

c) Disclaimer Statement

Make sure to use the following disclaimer on each screen of your graphical user interface where FedEx logos, trademarks, service marks or product names are present:

The FedEx service marks are owned by Federal Express Corporation and are used by permission.

It should also be in at least an 8 pt font.

Use of the term “insurance”

The term “insurance” is not allowed to be used as part of any language describing FedEx within your website or solution. FedEx does not offer insurance, so the verbiage used needs to avoid creating any confusion or misinterpretation. Reference can only be made to ‘declared value’ (if the intended meaning is indeed declared value). Insurance can solely be mentioned in the context of ‘third-party insurance’, if it is a type of insurance coverage offered by your company or other parties, provided a clear notification is included that the insurance is not provided by FedEx.

4.


End User registration (including Multi-Factor Authentication flow)

End User registration is the flow your customer goes through when connecting their FedEx account to your solution and requesting FedEx production credentials to transact with FedEx via your solution.

This End User registration includes a **Multi-Factor Authentication** process, and is a necessary part of every FedEx customer onboarding onto your solution. This must take place when the customer comes to your platform and wants to connect their FedEx account to start shipping. For this, you need to facilitate the credentialing process via the Account Registration API. This would request active production child credentials (child_key and child_secret) that are automatically linked to your provider parent credentials.

Before generating the child credentials, your application must expressly ask the End User to agree to the terms of FedEx EULA. Please refer to section 2. EULA and agreement in this document

The whole process only needs to be done once per customer credential set, tied to an individual FedEx account number (refer to the sample screens below). Please note that these sample screens are only illustrative, and you need to refer to the documentation on the FedEx Developer Portal for the required fields and their format.



We ask that your FedEx end-customer is presented with the choice of method to validate their identity. For 'Factor 1', they need to input their FedEx account number (9-digit) and the shipping address associated with that account. For 'Factor 2', they need to do one of the following:

1. PIN validation either via email, SMS or phone call¹, to be chosen by your customer.

Pin Validation - Success

The success flow for PIN validation consists of five steps:

- Shipper Information:** A form with fields for FedEx Account Number (123456789), Customer Name (Jim's Auto Solution), Residential Address? (No), Street Line 1 (Auto Lane Avenue), Street Line 2, City (Memphis), State (TN), ZIP Code (321123), and Country (United States of Am...). A circular icon with the number 1 is in the bottom left.
- Choose the Secure Code PIN Delivery Option:** A form with radio buttons for Email, SMS, and Voice call. A circular icon with the number 3 is in the top left. Buttons: Cancel, Back, Next.
- Secure Code Validation:** A form with a 6 digit secure code (438129). A circular icon with the number 4 is in the top left. Buttons: Cancel, Back, Next.
- Choose the option to confirm your identity:** A form with radio buttons for Invoice Validation and Secure Code Validation. A circular icon with the number 2 is in the top left. Buttons: Cancel, Back, Next.
- Account Addition:** A confirmation screen stating "FedEx Account added Successfully." A circular icon with the number 5 is in the top left.

PIN Validation - Invalid PIN & Retriggering the PIN

The failure flow for PIN validation consists of five steps:

- Shipper Information:** Same as the success flow, with a circular icon with the number 1 in the bottom left.
- Choose the Secure Code PIN Delivery Option:** Same as the success flow, with a circular icon with the number 3 in the top left.
- Secure Code Validation:** Same as the success flow, with a circular icon with the number 4 in the top left.
- Choose the option to confirm your identity:** Same as the success flow, with a circular icon with the number 2 in the top left.
- Secure Code Validation:** A form with a 6 digit secure code (438129). A red message "PIN is invalid or expired" is displayed. A circular icon with the number 5 is in the top left. Buttons: Cancel, Back, Next, Resend.

2. Invoice validation – this method allows your customer to validate their identity by providing the details of a recent invoice that FedEx has on file for their account. The FedEx invoice mustn't be older than 90 days. The invoice validation only accepts invoices tied to a FedEx account number (9-digit) and FedEx services billed for, and not FedEx-acquired companies such as TNT or others. The submitted invoice details will be matched with the existing invoice details in the FedEx systems. The validation process will fail if you provide incorrect values for invoice date, invoice number, amount or currency. For correct value formats and variable types, please refer to the Account Registration API documentation on the FedEx Developer Portal.

Invoice Validation - Success

The success flow for Invoice Validation consists of four steps:

- Shipper Information:** Same as the success flow for PIN validation, with a circular icon with the number 1 in the bottom left.
- Choose the option to confirm your identity:** A form with radio buttons for Invoice Validation and Secure Code Validation. A circular icon with the number 2 is in the top left. Buttons: Cancel, Back, Next.
- Invoice Validation:** A form with fields for Invoice Number (5791569), Invoice Date (12/28/2022), Invoice Amount (105.59), and Currency (USD). A circular icon with the number 3 is in the top left. Buttons: Cancel, Back, Next.
- Account Addition:** A confirmation screen stating "FedEx Account added Successfully." A circular icon with the number 4 is in the top left.

Invoice Validation - Failure

The failure flow for Invoice Validation consists of four steps:

- Shipper Information:** Same as the success flow, with a circular icon with the number 1 in the bottom left.
- Choose the option to confirm your identity:** A form with radio buttons for Invoice Validation and Secure Code Validation. A circular icon with the number 2 is in the top left. Buttons: Cancel, Back, Next.
- Invoice Validation:** A form with fields for Invoice Number (5791569), Invoice Date (12/28/2022), Invoice Amount (105.59), and Currency (USD). A circular icon with the number 3 is in the top left. Buttons: Cancel, Back, Next.
- Invoice Validation:** A confirmation screen with a red message "Invoice doesn't exists for the provided details." A circular icon with the number 4 is in the top left. Buttons: Cancel, Back, Next.

Invoice Validation - Max retry reached

The max retry reached flow for Invoice Validation consists of four steps:

- Shipper Information:** Same as the success flow, with a circular icon with the number 1 in the bottom left.
- Choose the option to confirm your identity:** A form with radio buttons for Invoice Validation and Secure Code Validation. A circular icon with the number 2 is in the top left. Buttons: Cancel, Back, Next.
- Invoice Validation:** A form with fields for Invoice Number (5791569), Invoice Date (12/28/2022), Invoice Amount (105.59), and Currency (USD). A circular icon with the number 3 is in the top left. Buttons: Cancel, Back, Next.
- Account Addition:** A confirmation screen stating "We are unable to process this request. Please try again later or contact FedEx Customer Service." A circular icon with the number 4 is in the top left.

¹ PIN delivery via phone call is only available to customers located in US and Canada. The correct PIN delivery options are returned when the customer's language and country code (Locale) is passed in the x-locale parameter in the Address Validation request header."

Important to know: PIN generation, delivery to the customer and validation of entries (PIN or Invoice details) are done by FedEx systems. Your solution needs to provide the interface for the customer to choose their validation method, input the required values corresponding to their chosen validation method, and pass on the information in an Account Registration API request to FedEx.

In case the customer fails to authenticate via the two methods and/or reaches the maximum number of attempts, there is a fallback option that exists – but it should only be used if the above two methods fail.

Customers are able to bypass ‘Factor 2’ validation by calling their local FedEx Customer Service number and asking for technical support. The FedEx agent will first verify the customer’s identity on the phone, then when this has been done successfully, they’ll initiate a “bypass” of ‘Factor 2’ validation.


The customer will then need to go back and resubmit ‘Factor 1’ validation (FedEx account number and shipping address) via your solution interface. After the Address

Validation request for that particular customer account is sent, production credentials will be generated for them and sent back in the API response, skipping ‘Factor 2’ validation. Your solution must be able to recognize the reply containing credentials and adjust the customer experience accordingly.

Please note that the option of calling FedEx Customer Service only serves as a fallback option if the above two methods fail, and it shouldn’t be displayed to customers to choose from the beginning. Customers should only be directed to call FedEx Customer Service via the following error message: **“We are unable to process this request. Please try again later or call FedEx Customer Service and ask for technical support.”**

Multiple unsuccessful validation attempts will cause MFA methods to be locked for the customer’s account number for 24 hours. For ‘Factor 2’ validation, the customer can be prompted to choose another validation method, including contacting FedEx Customer Service.

Contacting Tech Support - Success





5.

Guidance about Sandbox

a) Virtualised Environment

For your development phase, we recommend working in the virtualised environment using the sample collection available on the FedEx Developer Portal. Our virtualised service provides a consistent experience, with predefined responses that don't vary based on your input values. However, in order to receive the virtualised response, the request needs to be formatted exactly as defined in the sample collection. Please note that not all input values will affect the response. Instead, focus on understanding how your solution handles the consistent responses.

You can download the virtualised requests that FedEx has created. Each API documentation page has a "Download JSON API Collection" link at the top of the

page, where you will download the requests to use for testing. Please refer to [API Sandbox Visualisation Customer Education](#) for more information on the virtualised sandbox.

b) Sandbox

We discourage you from testing in the production environment. To perform functional testing of your integration, you may make use of our sandbox that mirrors the production environment. You can do that by amending the request in a way that it differs from the specific request in the sample collection, for example by adding "noVirtualResponse": true". Please note that the values true/false have no functionality.

6.

Guidance on test cases, transactions and label validation

Please refer to the attached document, **FedEx Integrator test cases**.

As part of your validation, you'll need to submit transactions and labels based on the test cases listed in this document. You're also required to run the test cases relevant for the territory(ies) of validation through your software.

Any items in the transactions given on the spreadsheets that differ from the test case spreadsheet will result in an error.

The following instructions will help explain to you how to read the spreadsheets while entering test cases.

Test case instructions

The test case spreadsheet contains several tabs, each corresponding to a territory that you can validate for. Each test case is associated to a test case ID. You'll only need to run the test cases corresponding to the

territory(ies)/region(s) you want to validate your solution for.

Before you run the test cases indicated in the test case matrix, you need to run the registration transactions for the respective test account numbers. For validation, please submit the JSON transactions for all four 'Factor 2' authentication methods (SMS, call, email, and invoice).

Once registration is completed, you may move on to the test cases. The labels you generate via these test cases will be printed and scanned. Please create a .zip and submit the scanned labels when submitting your Validation request.

Along with the labels for all test cases, please also include the JSON transactions for three of these test cases. You may choose which ones to submit, as long as you submit one for each label format (one PDF, one PNG, and one ZPL).



Here's some general information to help prevent any delays caused by common errors.

Date Fields

Ship Date must be either the day of the shipment, or a future shipment day in the case of Saturday delivery and Saturday Pickup. Appointment or Date certain deliveries must be one week from the shipment date.

Shipments should be shipped on a Thursday. If a shipment is a Future Day shipment, the shipping date will have the actual day of shipment with the Future Day Flag set to "True". All other shipments should be shipped on the current date.

equal to \$500, the shipments will automatically default to a DSR. The shipment will also default to an ASR if you're shipping alcohol.

Multiple Piece Shipments (MPS) / Multiple Occurrence

A multi-piece shipment (MPS) consists of two or more pieces or packages going to the same Recipient/Consignee.

Signature Option – Indirect Signature Required (ISR)

In the case of ISR, please include the residential flag and set it to "True". The declared value of your package must be less than \$500.

In case of International Ground shipments

It is mandatory to include a commodity description for each International Ground shipment.

Future Day Shipments

Assume that all Overnight Shipments with Saturday deliveries should be shipped on a Friday, and that all Saturday 2-Day Service

Signature Option – Direct

Signature Required (DSR) and Adult Signature Required (ASR) When the declared value of a shipment is greater than or

International Express (Third Party Payor Account Number)

If you're planning to support or use a Duty/Tax Payor Account Number as Third Party, then a Third-Party Account Number must be mentioned.

7.

FedEx Integrator Validation Cover Sheet

Please refer to the attached document, **FedEx Integrator Validation Cover Sheet**.

The Integrator Validation Cover Sheet is a form that you'll need to fill out and submit as part of your validation submission. It also provides additional information on the validation process and what additional attachments you need to submit.

8.

Best Practices and Guides

A collection of [Guides](#) are available on the FedEx Developer Portal to assist your development teams. At a minimum, we recommend that all team members review the [Best Practices guide](#) for key information and clarification that will help avoid errors and unnecessary rework.