

RJER / RISHIRI

AD CHART



**INTENTIONALLY LEFT BLANK**

STANDARD DEPARTURE CHART-INSTRUMENT

RJER / RISHIRI

SID


RISHIRI REVERSAL ONE DEPARTURE

RWY07 : Turn left,....

RWY25 : Turn right,....

.... Climb via RSE R-035 to 4,000ft or above, turn left within RSE 20DME, proceed to RSE VOR/DME.

Cross RSE VOR/DME at or above 8,000ft.




**INTENTIONALLY LEFT BLANK**

## INSTRUMENT APPROACH CHART


RJER / RISHIRI

VOR/DME/LOC RWY25




## RJR / RISHIRI

SAPPORO CONTROL  
132.6 – 255.2  
134.25 – 260.4


RISHIRI VOR/DME  
114.6 RSE  
CH-93X   
45°14'44"N/141°11'12"E

RISHIRI REMOTE  
122.7

NO RADAR



1.0DME prior to RSE VOR/DME,  
turn right climb via RSE R-349  
to KONBU and hold at 3,000ft.  
Contact RISHIRI REMOTE.



MINIMA		AD elev. 99
CAT	CIRCLING	
	MDA(H)	VIS
A	720 (621)	1600
B		
C		2400
D	—	—



Circling to North side of RWY only.

CHANGE : ALT restriction added (R-129/12DME).

## RJER / RISHIRI

VOR/DME B

SAPPORO CONTROL 132.6 – 255.2 134.25 – 260.4	RISHIRI VOR/DME 114.6 RSE CH-93X 45°14'44"N/141°11'12"E	RISHIRI REMOTE 122.7	NO RADAR
--	--	-------------------------	----------



MINIMA			AD elev. 99
CAT	CIRCLING		
	MDA(H)	VIS	
A	840 (741)	1600	
B			
C		2400	
D	—	—	

Circling to North side of RWY only.


CHANGE : Outbound course FM RSE.

**INTENTIONALLY LEFT BLANK**



## RJER / RISHIRI

## Visual REP



※図中に標高を示す数字がある場合、単位はメートル(m)である。The unit of measurement used to express elevation is meter(m).

Call sign	BRG / DIST from ARP	Remarks
姫沼 Himenuma	110°T / 2.7NM	姫沼 Pond
沓形 Kutsugata	217°T / 4.2NM	沓形岬 Cape

Note : In the SE through SW of the airport, A/G COM from Rishiri Remote is blinded by Mt. Rishiri(1,721m/5,646ft).

RJER / RISHIRI

Minimum Vectoring Altitude CHART

