


ROMD / MINAMIDAITO

AD CHART



STANDARD DEPARTURE CHART -INSTRUMENT

ROMD / MINAMIDAITO

SID

TOPAT THREE DEPARTURE

RWY02 : Climb RWY HDG to 600FT, turn left HDG234°...
RWY20 : Climb RWY HDG to 600FT, turn right HDG324°...
... to intercept and proceed via MDE R279 to TOPAT.
Cross TOPAT at or above 8000FT.



TOPAT THREE DEPARTURE

8000

△ ← 279°
TOPAT
R279/D97.8 MDE
R103/D98.8 NHC

HDG234°

R279

HDG324°

VOR/DME
MINAMIDAITO
117.8 MDE
CH-125X
25°51'16"N/131°15'50"E
200FT

600

600

STANDARD DEPARTURE CHART - INSTRUMENT

ROMD / MINAMIDAITO

RNAV SID

CORCO SOUTH ONE DEPARTURE

Basic RNP1

Note GNSS required.

VAR 5°W (2015)

CORCO SOUTH ONE DEPARTURE

RWY02 : Climb on HDG021° at or above 600FT, turn left direct to CORCO at or above 5000FT.

RWY20 : Climb on HDG201° at or above 600FT, turn right direct to CORCO at or above 5000FT.

RWY02

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T) | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|---------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001 | VA | — | — | 021 (015.6) | -4.9 | — | — | +600 | — | — | Basic RNP1 |
| 002 | DF | CORCO | — | — | -4.9 | — | L | +5000 | — | — | Basic RNP1 |


RWY20

| Serial Number | Path Descriptor | Waypoint Identifier | Fly Over | Course °M(°T) | Magnetic Variation | Distance (NM) | Turn Direction | Altitude (FT) | Speed (KIAS) | Vertical Angle | Navigation Specification |
|---------------|-----------------|---------------------|----------|---------------|--------------------|---------------|----------------|---------------|--------------|----------------|--------------------------|
| 001 | VA | — | — | 201 (195.6) | -4.9 | — | — | +600 | — | — | Basic RNP1 |
| 002 | DF | CORCO | — | — | -4.9 | — | R | +5000 | — | — | Basic RNP1 |


INSTRUMENT APPROACH CHART

ROMD / MINAMIDAITO

VOR RWY02



| NM to MDE | FAF | 3 | 2 | MAPt |
|----------------------|------|-----|-----|------|
| ALT (3.0° APCH Path) | 1212 | 893 | 575 | — |



| MINIMA | | THR elev. 167 | AD elev. 158 | |
|--------|-----------|---------------|--------------|------|
| CAT | | | CIRCLING | |
| | MDA(H) | CMV | MDA(H) | VIS |
| A | 550 (392) | 1500 | 600 (442) | 1600 |
| B | | | 610 (452) | |
| C | | 1800 | 620 (462) | 2400 |
| D | — | — | — | — |

CHANGE : COM

INSTRUMENT APPROACH CHART

ROMD / MINAMIDAITO

VOR RWY20



| NM to MDE | MAPt | 2 | FAF |
|----------------------|------|-----|------|
| ALT (3.0° APCH Path) | — | 851 | 1169 |

MISSED APPROACH

Climb via MDE R209 to 1500FT,
turn left, direct to MDE VOR/DME
and hold at 2000FT.
Contact DAITO REMOTE

Timing not authorized for defining the MAPt.



| DME to/from MDE | 0.1 0 | 3.0 |
|-----------------|-------|-----|
| NM to THR | 0 0.1 | 3.1 |

MINIMA THR elev. 149 AD elev. 158


| CAT | CIRCLING | | CIRCLING | |
|-----|-----------|------|-----------|------|
| | MDA(H) | CMV | MDA(H) | VIS |
| A | 550 (401) | 1500 | 600 (442) | 1600 |
| B | | | 610 (452) | |
| C | 560 (411) | 1800 | 620 (462) | 2400 |
| D | — | — | — | — |

CHANGE : COM

INSTRUMENT APPROACH CHART

ROMD / MINAMIDAITO

RNAV(GNSS) RWY02



INSTRUMENT APPROACH CHART

ROMD / MINAMIDAITO

RNAV(GNSS) RWY20



CHANGE : COM

ROMD / MINAMI DAITO

Visual REP



| Call sign | BRG / DIST from ARP | Remarks |
|-----------------------|---------------------|----------------------------|
| 10NM N | 000°/10NM | 海上 Over the sea |
| 10NM W | 270°/10NM | 海上 Over the sea |
| 北大東島 Kitadaitojima | 035°/6.7NM | 北大東空港 Kitadaito Airport |

Minimum Vectoring Altitude CHART

