


RJEO / OKUSHIRI

AD CHART



**INTENTIONALLY LEFT BLANK**

## STANDARD DEPARTURE CHART - INSTRUMENT

RJEO / OKUSHIRI

SID and WX MNM

ESASI TWO DEPARTURE

RWY13 : Turn left,...

RWY31 : Climb via RWY HDG until 1500FT or above, complete left turn within  
ORE 10DME,...

...climb via ORE R115 to ESASI.

Cross ESASI at assigned or specified altitude.

Note : When take off from RWY13, following climb gradient should be  
maintained until 700FT.

Speed (Knots)	60	90	120	150	180	210
Rate (Feet/Min)	300	450	600	750	900	1050



## TAKE OFF MINIMA

	RWY	REDL AVBL	REDL OUT
		CEIL – VIS	CEIL – VIS
TKOF ALTN AP FILED	13	300´–1000m	300´–1200m
	31		
OTHER	13	AVBL LDG MINIMA	
	31		

**INTENTIONALLY LEFT BLANK**

INSTRUMENT APPROACH CHART

RJEO / OKUSHIRI

VOR RWY31

SAPPORO CONTROL 119.3 – 276.5 134.25 – 260.4	OKUSHIRI 109.85 CH-35Y 42°04'13"N / 139°26'36"E	VOR/DME ORE 122.7	OKUSHIRI REMOTE 122.7	NO RADAR
--	--	-------------------------	--------------------------	----------



**MISSED APPROACH**

Turn left, climb to 3000FT or above via ORE R230, turn left direct to ORE VOR/DME within ORE 10.0DME and hold at 4000FT.  
Contact OKUSHIRI REMOTE.

Remain within ORE 10.0DME

DME to ORE 0.8 1.4

MINIMA		THR elev. 141	AD elev. 161
CAT	CIRCLING		
	MDA(H)	CMV	MDA(H) VIS
A	600 (459)	1500	600 (439) 1600
B			620 (459) 2400
C		2000	
D	–	–	–

Circling to SOUTH side of RWY only.

CHANGE : VAR,MSA

## INSTRUMENT APPROACH CHART

RJEO / OKUSHIRI


VOR RWY13



INSTRUMENT APPROACH CHART

RJEO / OKUSHIRI

VOR A




**INTENTIONALLY LEFT BLANK**



RJEO / OKUSHIRI

Visual REP



Call sign	BRG / DIST from ARP	Remarks
稲穂岬 INAHOMISAKI	034°/11.5NM	灯台 Lighthouse
10NM E	090°/10.0NM	海上 Over the sea
10NM SE	135°/10.0NM	海上 Over the sea

**INTENTIONALLY LEFT BLANK**