STANDARD DEPARTURE CHART-INSTRUMENT

RJFN / NYUTABARU SID and TRANSITION

NIPPO FIVE DEPARTURE

RWY10 : Turn left to intercept NHT R-035 within NHT 12DME,....
RWY28 : Turn left within NHT 3DME and intercept NHT R-035 within NHT 5DME,....
....climb via NHT R-035 to NIPPO.
Cross NIPPO at or above FL160.

YATOGI ONE DEPARTURE

(high rate climb performance aircraft only available)

RWY28 : Climb RWY HDG to NHT 5DME, turn right HDG360˚ to NHT 15DME, then NHT 15DME clockwise ARC to intercept and proceed via NHT R-035 to NIPPO.
Cross NHT 5DME from RWY HDG at or above 5,000 FT, cross NIPPO at or above FL160.

ASHIZURI TRANSITION

After NIPPO, turn right to intercept and proceed via SUC R-276 to SUC VORTAC.
Cross SUC R276/30DME at assigned altitude.

NOBEOKA TRANSITION

Before NIPPO, turn right via reverse course NHT R-035 to NHT TACAN.
Cross NHT R-035/20DME at assigned altitude.

MUSASHI TRANSITION

After NIPPO, turn left to intercept and proceed via TFE R-178 to TFE VOR/DME.
Cross SUC R-288 at assigned altitude.

SOBO TRANSITION

After NIPPO, turn left HDG310˚ to intercept and proceed via SUC R-282 to BARBA via KASHI.
Cross KASHI at or above FL200.

STANDARD DEPARTURE CHART-INSTRUMENT

RJFN / NYUTABARU

SID and TRANSITION



STANDARD DEPARTURE CHART-INSTRUMENT

RJFN / NYUTABARU SID

TENSO TWO DEPARTURE

RWY 10 : Turn left within NHT 3DME to intercept NHT R-065 within NHT 5DME,....

RWY 28 : Turn left within NHT 3DME to intercept NHT R-065 within NHT 5DME,....

....Climb via NHT R-065 to NHT 30DME, then turn right via NHT 35DME clockwise ARC to intercept and proceed via NHT R-085 to TENSO.

Cross NHT R-075 at FL150 or specified altitude.



RJFN / NYUTABARU STAR

TENSO ARRIVAL

From over TENSO, proceed via NHT R-085 to NHT 40DME, then turn left to intercept and proceed via NHT R-090 to HYUGA.



INSTRUMENT APPROACH CHART

RJFN / NYUTABARU — TACAN NR.1 RWY28

KAGOSHIMA APP	NYUTABARU TACAN	NYUTA TOWER	GCA AVBL
121.4 - 362.3 120.9 - 261.2	1184 NHT CH-97X *32°04′49″N/131°27′13″E*	236.8 - 126.2 - 120.1 304.5 - 275.8G	CALL KAGOSHIMA APP



MISSED APPROACH

Turn right climb via NHT TACAN R065 to ZARON to 5000FT and hold.

Contact KAGOSHIMA APP.



MINIMA THR elev. 235 AD elev. 259

CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	700 (465)	1400	740 (481)	1600
B		1500		
C		1600		2400
D		1800	860 (601)	3200

INSTRUMENT APPROACH CHART

RJFN / NYUTABARU — TACAN NR.2 RWY28

KAGOSHIMA APP	NYUTABARU TACAN	NYUTA TOWER	GCA AVBL
121.4 - 362.3 120.9 - 261.2	1184 NHT CH-97X *32°04′49″N/131°27′13″E*	236.8 - 126.2 - 120.1 304.5 - 275.8G	CALL KAGOSHIMA APP



MISSED APPROACH

Turn right climb via NHT TACAN R065 to ZARON to 5000FT and hold.

Contact KAGOSHIMA APP.



MINIMA THR elev. 235 AD elev. 259

CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	700 (465)	1400	740 (481)	1600
B		1500		
C		1600		2400
D		1800	860 (601)	3200

INSTRUMENT APPROACH CHART

RJFN / NYUTABARU TACAN NR.1 ILS RWY28

KAGOSHIMA APP	ILS - LOC	NYUTA TOWER	GCA AVBL
121.4 - 362.3	111.3 INH	236.8 - 126.2 -120.1	CALL
120.9 - 261.2	ILS-GP 332.3	304.5 - 275.8G	KAGOSHIMA APP



MISSED APPROACH

Climb to 700FT, turn right climb via NHT TACAN R065 to ZARON to 5000FT and hold.
Contact KAGOSHIMA APP.



MINIMA THR elev. 235 AD elev. 259

CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	435 (200)	750	660 (425)	1200	740 (481)	1600
B				1300		
C				1400		2400
D				1600	860 (601)	3200

INSTRUMENT APPROACH CHART

RJFN / NYUTABARU — TACAN NR.2 ILS RWY28

KAGOSHIMA APP	ILS - LOC	NYUTA TOWER	GCA AVBL
121.4 - 362.3 120.9 - 261.2	111.3 INH ILS-GP 332.3	236.8 - 126.2 -120.1 304.5 - 275.8G	CALL KAGOSHIMA APP



MISSED APPROACH

Climb to 700FT, turn right climb via NHT TACAN R065 to ZARON to 5000FT and hold.
Contact KAGOSHIMA APP.



MINIMA — THR elev. 235 — AD elev. 259

CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	435 (200)	750	660 (425)	1200	740 (481)	1600
B				1300		
C				1400		2400
D				1600	860 (601)	3200

INSTRUMENT APPROACH CHART

RJFN / NYUTABARU ILS RWY28

KAGOSHIMA APP	ILS - LOC	NYUTA TOWER	GCA AVBL
121.4 - 362.3	111.3 INH	236.8 - 126.2 -120.1	CALL
120.9 - 261.2	ILS-GP 332.3	304.5 - 275.8G	KAGOSHIMA APP



MISSED APPROACH

Climb to 700FT, turn right
climb via NHT TACAN R065 to
ZARON to 5000FT and hold.
Contact KAGOSHIMA APP.



MINIMA THR elev. 235 AD elev. 259

CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	435 (200)	750	660 (425)	1200	740 (481)	1600
B				1300		
C				1400		2400
D				1600	860 (601)	3200