

STANDARD DEPARTURE CHART-INSTRUMENT

RJFN / NYUTABARU

SID and TRANSITION

NIPPO FIVE DEPARTURE

RWY10 : Turn left to intercept NHT R-035 within NHT 12DME,....

RWY28 : Turn left within NHT 3DME and intercept NHT R-035 within NHT 5DME,....

....climb via NHT R-035 to NIPPO.

Cross NIPPO at or above FL160.

YATOOGI ONE DEPARTURE

(high rate climb performance aircraft only available)

RWY28 : Climb RWY HDG to NHT 5DME, turn right HDG360° to NHT 15DME, then NHT 15DME clockwise ARC to intercept and proceed via NHT R-035 to NIPPO.

Cross NHT 5DME from RWY HDG at or above 5,000 FT, cross NIPPO at or above FL160.

ASHIZURI TRANSITION

After NIPPO, turn right to intercept and proceed via SUC R-276 to SUC VORTAC.

Cross SUC R276/30DME at assigned altitude.

NOBEOKA TRANSITION

Before NIPPO, turn right via reverse course NHT R-035 to NHT TACAN.

Cross NHT R-035/20DME at assigned altitude.

MUSASHI TRANSITION

After NIPPO, turn left to intercept and proceed via TFE R-178 to TFE VOR/DME.

Cross SUC R-288 at assigned altitude.

SOBO TRANSITION

After NIPPO, turn left HDG310° to intercept and proceed via SUC R-282 to BARBA via KASHI.

Cross KASHI at or above FL200.

RJFN / NYUTABARU

The diagram illustrates a flight profile with the following key elements:

- Start:** NIPPON FIVE DEPARTURE (5000 feet altitude).
- Initial Climb:** HDG 360°, 12 DME, 5 DME, 3 DME, 5 DME.
- Yatogi One Departure:** (high rate climb performance aircraft only available) at 15 DME ARC.
- Nobeoka Transition:** HDG 035°, 45 DME.
- Nippo:** FL160, HDG 096°, 30 DME.
- Ashizuri Transition:** HDG 282°, 30 DME.
- Musashi Transition:** HDG 358°, 30 DME.
- Sobo Transition:** HDG 282°, 30 DME.
- Barba:** FL200, HDG 282°, 30 DME.
- Kashi:** FL200, HDG 282°, 30 DME.
- Shimizu VORTAC (SUC):** HDG 096°, 30 DME.
- Assigned Altitudes:** Indicated at various points along the profile.

STANDARD DEPARTURE CHART-INSTRUMENT

RJFN / NYUTABARU

SID


TENSO TWO DEPARTURE

RWY 10 : Turn left within NHT 3DME to intercept NHT R-065 within NHT 5DME,....

RWY 28 : Turn left within NHT 3DME to intercept NHT R-065 within NHT 5DME,....

....Climb via NHT R-065 to NHT 30DME, then turn right via NHT 35DME clockwise ARC to intercept and proceed via NHT R-085 to TENSO.

Cross NHT R-075 at FL150 or specified altitude.



STANDARD ARRIVAL CHART-INSTRUMENT

RJFN / NYUTABARU

STAR

TENSO ARRIVAL


From over TENSO, proceed via NHT R-085 to NHT 40DME, then turn left to intercept and proceed via NHT R-090 to HYUGA.



INSTRUMENT APPROACH CHART

RJFN / NYUTABARU

TACAN NR.1 RWY28



INSTRUMENT APPROACH CHART

RJFN / NYUTABARU

TACAN NR.2 RWY28

KAGOSHIMA APP 121.4 - 362.3 120.9 - 261.2	NYUTABARU TACAN 1184 NHT CH-97X 三三 32°04'49"N/131°27'13"E	NYUTA TOWER 236.8 - 126.2 - 120.1 304.5 - 275.8G	GCA AVBL CALL KAGOSHIMA APP
---	--	--	-----------------------------------



MISSED APPROACH

Turn right climb via NHT TACAN
R065 to ZARON to 5000FT
and hold.
Contact KAGOSHIMA APP.




MINIMA		THR elev. 235	AD elev. 259	
CAT			CIRCLING	
	MDA(H)	RVR/CMV	MDA(H)	VIS
A	700 (465)	1400	740 (481)	1600
B		1500		
C		1600		
D		1800	860 (601)	3200

INSTRUMENT APPROACH CHART

RJFN / NYUTABARU


TACAN NR.1 ILS RWY28

KAGOSHIMA APP 121.4 - 362.3 120.9 - 261.2	ILS - LOC 111.3 INH ::. ILS-GP 332.3	NYUTA TOWER 236.8 - 126.2 -120.1 304.5 - 275.8G	GCA AVBL CALL KAGOSHIMA APP
---	--	---	-----------------------------------



MISSED APPROACH

Climb to 700FT, turn right
climb via NHT TACAN R065 to
ZARON to 5000FT and hold.
Contact KAGOSHIMA APP.




MINIMA		THR elev. 235		AD elev. 259		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/ CMV	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	435 (200)	750	660 (425)	1200	740 (481)	1600
B				1300		
C				1400		
D				1600	860 (601)	3200

INSTRUMENT APPROACH CHART

RJFN / NYUTABARU

TACAN NR.2 ILS RWY28

KAGOSHIMA APP 121.4 - 362.3 120.9 - 261.2	ILS - LOC 111.3 INH ::. ILS-GP 332.3	NYUTA TOWER 236.8 - 126.2 - 120.1 304.5 - 275.8G	GCA AVBL CALL KAGOSHIMA APP
---	--	--	-----------------------------------



MISSED APPROACH

Climb to 700FT, turn right
climb via NHT TACAN R065 to
ZARON to 5000FT and hold.
Contact KAGOSHIMA APP.



MINIMA

THR elev. 235


AD elev. 259

CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS
A	435 (200)	750	660 (425)	1200	740 (481)	1600
B				1300		
C				1400		
D				1600		

INSTRUMENT APPROACH CHART


RJFN / NYUTABARU

ILS RWY28



MISSED APPROACH

Climb to 700FT, turn right
climb via NHT TACAN R065 to
ZARON to 5000FT and hold.
Contact KAGOSHIMA APP.



MINIMA		THR elev. 235		AD elev. 259		
CAT	CAT I		LOC		CIRCLING	
	DA(H)	RVR/CMV	MDA(H)	RVR/CMV	MDA(H)	VIS
A	435 (200)	750	660 (425)	1200	740 (481)	1600
B				1300		
C				1400		2400
D				1600	860 (601)	3200