


STANDARD DEPARTURE CHART -INSTRUMENT



STANDARD DEPARTURE CHART -INSTRUMENT

RORT / TARAMA RNAV SID

■ GAHRA TWO DEPARTURE

RWY18

Serial Numbe	Path Descriptor	Waypoint Identifier	Fly Over		Magnetic Variation		Turn Direction	Altitude (FT)	'		Navigation Specification
001	VA	_	_	177 (172.8)	■ -4.5	_	_	+500	_	_	Basic RNP1
002	DF	GAHRA	_	_	■ -4.5	_	L	+3000	_	_	Basic RNP1

RWY36

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over		Magnetic Variation		Turn Direction	Altitude (FT)	'		Navigation Specification
001	VA	_	_	357 (352.8)	■ -4.5	_	_	+500	_	_	Basic RNP1
002	DF	GAHRA	_		■ -4.5	_	R	+3000	_	_	Basic RNP1


STANDARD DEPARTURE CHART -INSTRUMENT


RORT / TARAMA SID

SHUJI FOUR DEPARTURE


RWY18: Climb RWY HDG to 500FT, turn left HDG041°...
RWY36: Climb RWY HDG to 500FT, turn right HDG131°...
... to intercept and proceed via RME R086 to SHUJI.

Cross SHUJI at or above 3000FT.







INSTRUMENT APPROACH CHART




INSTRUMENT APPROACH CHART



INSTRUMENT APPROACH CHART





Call sign	BRG / DIST from ARP	Remarks
ハナレ崎 HANAREZAKI	021°/ 5.7NM	岬 Cape
10NM E	090°/10.0NM	海上 Over the sea
10NM SW	225°/10.0NM	海上 Over the sea

