


## AD CHART

LONGITUDINAL PROFILE OF RWY



REMARKS :  
RWY GROOVING 3000m x 40m  
WIDTH OF TWY 30m


STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID

ANNIE FOUR DEPARTURE

RWY 17 : Climb RWY HDG to 500FT, turn right HDG036° to intercept and proceed ...  
 RWY 35 : Climb ...  
 ... via SJE R351 to ANNIE.  
 Cross ANNIE at assigned altitude.



## STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID


BETTY FOUR DEPARTURE

RWY 17 : Climb RWY HDG to 500FT ...

RWY 35 : Climb RWY HDG to 500FT, turn left HDG 126° to intercept and proceed ...

... via SJE R171 to BETTY.

Cross BETTY at assigned altitude.



STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID

MIYAKOJIMA THREE DEPARTURE

RWY 17 : Climb RWY HDG to 500FT, turn left,...

RWY 35 : Climb RWY HDG to 500FT, turn right,...

...direct to MJC VORTAC. Cross MJC VORTAC at or above 3000FT.

MIYAKOJIMA THREE DEPARTURE



## STANDARD DEPARTURE CHART - INSTRUMENT

RORS / SHIMOJISHIMA

SID

PAYAO ONE DEPARTURE

RWY 17 : Climb RWY HDG to 500FT, turn left HDG 021°...

RWY 35 : Climb RWY HDG to 500FT, turn right HDG 111°...

... to intercept and proceed via SJE R066 to PAYAO.



STANDARD ARRIVAL CHART - INSTRUMENT

RORS / SHIMOJISHIMA

STAR

ANNIE ARRIVAL

From over ANNIE, proceed via SJE R351 to DIANA.  
Cross DIANA at or above 1600FT.



## STANDARD ARRIVAL CHART - INSTRUMENT

RORS / SHIMOJISHIMA

STAR

BETTY ARRIVAL

From over BETTY, proceed via MJC R184 to intercept and proceed via SJE R169 to CHIMI.


Cross CHIMI at or above 1600FT.



STANDARD ARRIVAL CHART - INSTRUMENT

RORS / SHIMOJISHIMA

➔ RNAV STAR RWY35






INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA

ILS Z or LOC Z RWY17



CHANGE : FREQ (SHIMOJI REMOTE) added



Missed APCH climb gradient MNM 3.0%

| MINIMA |           | THR elev. 15 |           | AD elev. 25 |           |           |
|--------|-----------|--------------|-----------|-------------|-----------|-----------|
| CAT    | CAT I     |              | LOC       |             | CIRCLING  |           |
|        | DA(H)     | RVR/<br>CMV  | MDA(H)    | RVR/<br>CMV | MDA(H)    | VIS       |
| A      | 240 (225) | 600          | 460 (445) | 900         | 510 (485) | 1600      |
| B      |           |              |           | 1000        |           |           |
| C      |           |              |           |             |           |           |
| D      |           |              |           |             | 1400      | 580 (555) |

MINIMA with Missed APCH climb gradient of 2.5% are not established.  
Circling to WEST side of RWY only.


## INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA

ILS Y or LOC Y RWY17



Turn initiation within D11.0 SJE



## MISSED APPROACH

Climb to 2000FT on HDG170°,  
turn right, direct to SJE  
VOR/DME and hold.  
Contact SAKISHIMA APP.

Timing not authorized for defining  
the MAPt.

Missed APCH climb gradient MNM 3.0%

| MINIMA |           | THR elev. 15 |           | AD elev. 25 |           |      |
|--------|-----------|--------------|-----------|-------------|-----------|------|
| CAT    | CAT I     |              | LOC       |             | CIRCLING  |      |
|        | DA(H)     | RVR/<br>CMV  | MDA(H)    | RVR/<br>CMV | MDA(H)    | VIS  |
| A      | 240 (225) | 600          | 460 (445) | 900         | 510 (485) | 1600 |
| B      |           |              |           | 1000        |           | 2400 |
| C      |           |              |           |             | 1400      |      |
| D      |           |              |           | 3200        |           |      |


MINIMA with Missed APCH climb gradient of 2.5% are not established.  
Circling to WEST side of RWY only.

CHANGE : FREQ (SHIMOJI REMOTE) added

INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA

VOR RWY17



CHANGE : FREQ (SHIMOJI REMOTE) added

## INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA

VOR RWY35




CHANGE : FREQ (SHIMOJI REMOTE) added

INSTRUMENT APPROACH CHART

RORS / SHIMOJISHIMA

RNAV(GNSS) RWY17



CHANGE : FREQ (SHIMOJI REMOTE) added

## INSTRUMENT APPROACH CHART

## RORS / SHIMOJISHIMA

## RNAV(GNSS) RWY35



CHANGE : FREQ (SHIMOJI REMOTE) added

RORS SHIMOJISHIMA Visual REP



| Call sign        | BRG / DIST from ARP | Remarks            |
|------------------|---------------------|--------------------|
| 池間島<br>Ikemajima | 045° / 9NM          | 島<br>Island        |
| 9NM NW           | 290° / 9NM          | 海上<br>Over the sea |
| 9NM SW           | 230° / 9NM          | 海上<br>Over the sea |



RORS / SHIMOJISHIMA

LDG CHART





## RORS / SHIMOJISHIMA

## Minimum Vectoring Altitude CHART

