

## STANDARD DEPARTURE CHART - INSTRUMENT

RJAW / IWOTO

SID and TRANSITION

IWO TWO DEPARTURE

RWY 07/25 : Climb RWY HDG to 1000' or above, then proceed as directed by ATC.  
Remarks: IWO TWO DEPARTURE is not illustrated.

CHIDORI TWO DEPARTURE

RWY 07 : Climb RWY HDG to 1000' or above, turn left HDG305° to intercept and proceed via IJT R-335 (336° from OX) to CHIDORI.  
RWY 25 : Climb RWY HDG to 1000' or above, turn right HDG005° to intercept and proceed via IJT R-335 (336° from OX) to CHIDORI.

CHIDORI TRANSITION

After CHIDORI, proceed via IJT R-335 (336° from OX) to NORTH CHIDORI.  
Cross NORTH CHIDORI at assigned altitude.



STANDARD ARRIVAL CHART - INSTRUMENT

RJAW / IWOTO

STAR

CHIDORI ARRIVAL

From over NORTH CHIDORI, proceed via IJT R-335 to IJT R-335/15DME, then turn right (left) via IJT 15DME counter-clockwise (clockwise) arc to KANGO (SAUNA).

Cross CHIDORI at altitude specified by ATC.

CHIDORI ARRIVAL



## RJAW / IWOTO

NDB A

Civil Aviation Bureau, Japan (EFF:31 JAN 2019)



## INSTRUMENT APPROACH CHART

RJAW / IWOTO



TACAN Z RWY07



## INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN Y RWY07



## INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN X RWY07




## INSTRUMENT APPROACH CHART

RJAW / IWOTO


TACAN Z RWY25

IWO APP	IWOTO TACAN 996 IJT CH-35X --- 24°47'05"N/141°18'57"E	IWO TOWER	GCA AVAILABLE CALL IWO APP
138.3 – 284.6		126.2 – 228.2	



### MISSED APPROACH

1.9DME prior to IJT TACAN, turn left climb via IJT R-150 to R-150 /15DME fix and hold at 3000'.  
Contact IWO APP.



MINIMA		THR elev. 388	AD elev. 388	
CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	640 (252)	1500	820 (432)	1600
B			840 (452)	
C		1600	860 (472)	2400
D		1800	940 (552)	3200



## INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN Y RWY25



## MISSED APPROACH

1.9DME prior to IJT TACAN, turn  
left climb via IJT R-150 to R-150  
/15DME fix and hold at 3000'.  
Contact IWO APP.



MINIMA		THR elev. 388	AD elev. 388	
CAT			CIRCLING	
	MDA(H)	RVR/ CMV	MDA(H)	VIS
A	640 (252)	1500	820 (432)	1600
B			840 (452)	
C		1600	860 (472)	2400
D		1800	940 (552)	3200

## INSTRUMENT APPROACH CHART

RJAW / IWOTO

TACAN X RWY25

